



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

Ref No.: SJLPL/EHS/22-23/17

Date: 30.05.2022

To,  
The Member Secretary  
Rajasthan Pollution Control Board  
4, Jhalana Institutional Area  
Jhalana Doongri, Jaipur  
Rajasthan – 302 004

**Sub:** Submission of Half-Yearly Compliance Report (October'2021 to March'2022) for Bulk Drug Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan by M/s Shree Jee Laboratory Pvt. Ltd.

Ref. : EC Letter Vide No. F1(4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.5(F)B2(18048)/2019-20 dated 5<sup>th</sup> June, 2020

Sir,

With reference to the aforesaid subject and above cited reference matter, we are hereby submitting the Half Yearly Compliance Report (October'2021 to March'2022) of the conditions stipulated in our Environment Clearance letter issued by MoEFCC, New Delhi.

This is for your kind consideration and records.

Thanking you and with regards,

Yours Faithfully,

Shree Jee Laboratory Pvt. Ltd.

For Shree Jee Laboratory Pvt. Ltd.

*N. S. S. - Raja*

Authorized Signatory

(Authorized Signatory)

Enclosed: Half Yearly Compliance Report (October'2021 to March'2022)

CC: The Member Secretary  
Ministry of Environment, Forest & Climate Change  
Indira Paryavaran Bhavan, Jor bagh Road  
Delhi – 110003

The Chief Conservator of Forests (Central)  
Ministry of Environment, Forest & Climate Change  
Central Region, Kendriya Sadan  
Sector H, Aliganj,  
Lucknow – 226 024, U.P.

The Chairman  
Central Pollution Control Board  
Parivesh Bhawan, CBD – cum – Office Complex  
East Arjun Nagar, Delhi  
India - 110032

---

C-24 & 25, RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)  
Phone No : 01494-223000, E-mail: shrijeelaboratory@gmail.com  
CIN : U24232DL2011PTC272907

# **COMPLIANCE REPORT**

**AS PER CONDITIONS STIPULATED IN THE  
ENVIRONMENTAL CLEARANCE**

**LETTER NO. F1(4)/SEIAA/SEAC- RAJ/SECTT/PROJECT/CAT.5(F)  
B2(18048)/2019-20 DATED 5TH JUNE, 2020**

**Six Monthly Compliance Report  
(October, 2021 to March, 2022 )**

**FOR**

**Bulk manufacturing [(API  
(142 TPA)  
and Steroid (8TPA)] Plant**

**At**

**At plot No. C-24 & 25, RIICO Industrial Area, Village  
Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan**

**SUBMITTED BY**

**Shree Jee Laboratory Pvt. Ltd.**

Plot No. C-24 & 25, RIICO Industrial Area,  
Village Sotanala, Tehsil Behror, District Alwar (Rajasthan)  
Email: dranil@mankindpharma.com

## **CONTENTS**

<b>S. NO.</b>	<b>PARTICULARS</b>	<b>PAGE NO.</b>
1.	Copy of EC Letter No. F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5 <sup>th</sup> June, 2020	1-10
2.	Point wise reply to the EC Conditions	11-30
3.	List of Annexure:	
Annexure 1	Copy of Consent to Establish	31-35
Annexure 2	Copy of Consent to Operate	36-46
Annexure 3A	Copy of Hazardous waste Authorization Letter	47-52
Annexure 3B	Copy of Membership for hazardous waste disposal	53-54
Annexure 4	Photographs showing safety signs/ display boards	55-57
Annexure 5A	Photographs showing online monitoring facilities	58
Annexure 5B	Caliberation Certificate Copy	59-61
Annexure 6	Fugitive Emission Monitoring Results (October'2021 to March'2022)	62-67
Annexure 7	Ambient Air Quality Monitoring Results (October'2021 to March'2022)	68-83
Annexure 8	Photographs showing Cemented Roads and covered storages at the plant site	84
Annexure 9	Stack Emission Monitoring Results (October'2021 to March'2022)	84-90
Annexure 10	Waste water Analysis Monitoring Results (October'2021 to March'2022)	91-94
Annexure 11A	Undertaking for Total fresh water Requirement	95
Annexure 11B	Water Permission from RIICO	96
Annexure 11C	CGWA NOC	97-98
Annexure 12	Photograph showing Dyke wall	99
Annexure 13	Point Source noise level monitoring results (October'2021 to March'2022)	100-103
Annexure 14	Ambient Noise Level Monitoring Results (October'2021 to March'2022)	104-111
Annexure 15	Photograph showing Greenbelt Plantation	112-113
Annexure 16A	Photograph showing Fire Safety Measures	114-115
Annexure 16B	Copy of Fire NOC	116
Annexure 17	Training Photographs	117
Annexure 18A	MoU done with Hospital	118-119
Annexure 18B	Medical Health Reports of workers	120-147
Annexure 19	Details of CSR activities	148
Annexure 20	EHS Policy	149
Annexure 21	Structure of Environment Management Cell	150
Annexure 22	Public Notice Regarding Environmental Clearance	151-153
Annexure 23	Intimation Letter to local authorities for EC information	154-155
Annexure 24	Emission Display Board	156
Annexure 25	Submission Receipts of Last Compliance(April'2021 to September'2021)	157-158
Annexure 26	ESR (2020-2021) Submission Receipt	161

## State Level Environment Impact Assessment Authority, Rajasthan

Main Building, Room No. 5221, Secretariat, Jaipur.

E-mail : seiaaseiaa2018@gmail.com Phone no. 0141-2227838

No. F1 (4)/SEIAA/SEAC-Raj/Seect/Project /Cat.5(F) B2(18048)/2019-20

Dated:

5 JUN 2020

M/s Shree Jee Laboratory Private Limited,  
Registered Office : Plot No. 208,  
Okhla Industrial Estate, Phase-III,  
New Delhi-110020.

Sub:-EC for Proposed expansion in Bulk Drug manufacturing 80 to 150 TPA {API (72 to 142 TPA) & Steroid (8TPA)} Plant at plot No. C-24 & 25, RIICO Industrial Area, Village-Sotanala, Tehsil-Behror, District-Alwar, Rajasthan. (Proposal No.-151790)

This has reference to your application dated 24.04.2020 seeking environmental clearance for proposed expansion of the above project under EIA Notification 2006. The earlier EC for the existing plant was granted by MoEFCC, New Delhi, vide letter no. J-11011/505/2017-IA II (I) dated 4<sup>th</sup> April, 2018. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification 2006 on the basis of the mandatory documents enclosed with the application viz. the questionnaire, EIA, EMP and additional clarifications furnished in response to the observation of the State Level Expert Appraisal Committee Rajasthan, in its meeting held on 26<sup>th</sup> May, 2020.

### 2. Brief details of the Project:

1.	Category/Item No. (in Schedule):	As per EIA Notification dated 14 <sup>th</sup> September, 2006 and its subsequent amendments dated 27 <sup>th</sup> March, 2020, this project falls under Category "B2", Project or Activity-5 (f).			
2.	Location of Project	Plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan)			
3.	Project Details/ Production Capacity	Bulk Drug manufacturing 80 to 150 TPA [API (72 to 142 TPA) & Steroid (8 TPA)] Plant			
		Particulars	Capacity		Remarks
			Existing	Total after expansion	
		Bulk drug manufacturing capacity			
		API	72 TPA	142 TPA	Capacity expansion
		Steroid	8 TPA	8 TPA	No change
		Total	80 TPA	150 TPA	-
		Change in Product Range			
		API	41 API Products	62 API Products	21 Products Additional
		Steroid	7 Steroid Products	7 Steroid Products	No change

4.	Project Cost	<ul style="list-style-type: none"> <li>Existing capital cost of Project ~131Crores (including Building, Plant &amp; Machinery)</li> <li>Total cost of the expansion Project: Rs. 2.0 Crores</li> </ul>											
5.	Water Requirement & Source	<p>50 KLPD</p> <p>Presently, the water requirement of fresh water is 50 KLD and after proposed expansion the water requirement will remain same. To meet the expansion capacity with the existing water quantity, the company will reduce the number of intermediate steps including high water consumption steps of each products (API).</p> <p>Source - RIICO Supply</p>											
6.	Fuel & Energy	S. No.	Fuel	Requirement	Source								
		1.	Bio Briquette & Husk /PNG/CNG/LPG* (for boiler)	30 MT/day	Nearby areas								
		2.	HSD (For D.G. Sets)	1.5 KI/day	IOCL, HPCL Rajasthan								
		* For other Green fuel such as PNG/CNG/LPG decided after availability											
		<p>Power Requirement – 2.0 MW</p> <p>Source: - Rajasthan Rajya Vidyut Utpadan Nigam Limited &amp; D.G. Sets for emergency (3 nos. of D.G. sets - 250 KVA, 500 KVA &amp; 750 KVA)</p>											
7.	Environment Management Plan	<p>Existing Project</p> <p>Capital Cost for EMP is Rs. 2 Crores &amp; 50 lakhs/ annum recurring cost</p> <p>For expansion</p> <p>Capital Cost for EMP is Rs. 50 Lakhs &amp; recurring cost is Rs. 2 Lakhs/annum</p>											
8.	CSR /ESR Activities	<p>Total cost of our expansion project is Rs. 2 Crores. As per MoEFCC, New Delhi OM vide F. No. 22-65/2017-IA.III dated 1st May, 2018 the company has to spend 1% of the total project cost i.e. Rs. 2 lakhs on CER activities.</p> <p>As a part of CER activities the company will spend the amount under following heads: -</p> <table border="1"> <thead> <tr> <th>Activity for CER fund</th> <th>Amount</th> </tr> </thead> <tbody> <tr> <td>Infrastructure Development at Block Shakti Kendra at ITI, Neemrana:- The company will distribute long table desk board, tables with chair, book case, table tennis set, badminton set, AC split type, internet connection with wifi router and books for infrastructure development at Block Shakti Kendra at ITI, Neemrana.</td> <td>Rs. 1,50,000</td> </tr> <tr> <td>Distribution of Computers at Government School at Jainpurwas, Tehsil Behror.</td> <td>Rs. 50,000</td> </tr> <tr> <td>Total</td> <td>Rs. 2,00,000/-</td> </tr> </tbody> </table> <p>CSR:-For COVID19 pandemic situation, the group has spent more than Rs. 51Crore as CSR fund for COVID pandemic. Rs. 25Crore to PM Care fund &amp; Rs. 26Crore to various State Govt. and in addition to this Company is spending to provide PPE kits, Sanitizer and Masks to States.</p> <p>The company has given Rs. 1Crore to Rajasthan Govt.</p>				Activity for CER fund	Amount	Infrastructure Development at Block Shakti Kendra at ITI, Neemrana:- The company will distribute long table desk board, tables with chair, book case, table tennis set, badminton set, AC split type, internet connection with wifi router and books for infrastructure development at Block Shakti Kendra at ITI, Neemrana.	Rs. 1,50,000	Distribution of Computers at Government School at Jainpurwas, Tehsil Behror.	Rs. 50,000	Total	Rs. 2,00,000/-
Activity for CER fund	Amount												
Infrastructure Development at Block Shakti Kendra at ITI, Neemrana:- The company will distribute long table desk board, tables with chair, book case, table tennis set, badminton set, AC split type, internet connection with wifi router and books for infrastructure development at Block Shakti Kendra at ITI, Neemrana.	Rs. 1,50,000												
Distribution of Computers at Government School at Jainpurwas, Tehsil Behror.	Rs. 50,000												
Total	Rs. 2,00,000/-												
9.	Greenbelt/ Plantation	<p>5835 Sq. m: 33% of the plant area has already been developed as greenbelt &amp; plantation</p> <p>Annual expenditure for the same is Rs. 10 Lakhs/annum.</p>											
10.	Budgetary Breakup for Labour	<p>No major construction is required for the proposed expansion. Existing labour will suffice the requirements for proposed expansion.</p>											

3. The PP namely, Shree Jee Laboratory Private Limited, is an existing Bulk Drug Manufacturing unit, having production of 72 TPA of API and 8 TPA of Steroids, amounting to total production of 80 TPA of Drugs, located at plot no- C-24 and 25, RIICO Industrial Area, Village- Sotanala, Tehsil-Behror, District- Alwar, Rajasthan, having total plant area of 17,680 sq.mt. The detail of the existing and proposed production of drugs is as follows:

Particulars	Capacity		Remarks
	Existing	Total after expansion	
Bulk drug manufacturing capacity			
API	72 TPA	142 TPA	Capacity expansion
Steroid	8 TPA	8 TPA	No change
Total	80 TPA	150 TPA	-
Change in Product Range			
API	41 API Products	62 API Products	21 Products Additional
Steroid	7 Steroid Products	7 Steroid Products	No change

**NAME OF THE PRODUCT**

S. No.	Existing Product	S. No.	Additional Product
Synthetic Drugs API			
1.	Moxifloxacin Hydrochloride	1.	Atorvastatin Calcium
2.	Cilnidipine	2.	Pantoprazole Sodium
3.	Silodosin	3.	Stabilized Oxychloro Complex
4.	Montelukast Sodium	4.	Propranolol Hydrochloride
5.	Fexofenadine hydrochloride	5.	Succinylcholine
6.	Linezolid	6.	Rosuvastatin Calcium
7.	Escitalopram oxalate	7.	Sodium Zirconium Cyclosilicate
8.	Etizolam	8.	Lumateperone Tosylate
9.	Flupentixol Dihydrochloride	9.	Lasmiditan Hemisuccinate
10.	Besifloxacin Hydrochloride	10.	Upadacitinib Hemihydrate
11.	Granisetron Hydrochloride	11.	Etagolix Sodium
12.	Azilsartan Medoxomil Potassium	12.	Ursodeoxycholic Acid
13.	Amitriptyline Hydrochloride	13.	Tecagrelor
14.	Teneligliptin hemipenta hydrobromide hydrate	14.	Baclofen
15.	Nitrofurantoin monohydrate	15.	Clozapine Hydrochloride
16.	Nitrofurantoin macrocrystals	16.	Obeticholic Acid
17.	Ranolazine	17.	Favipiravir
18.	Clomipramine hydrochloride	18.	Hydroxychloroquine

19.	Sitagliptin Phosphate/Hydrochloride	19.	Elafibranor
20.	Leuprolide Acetate	20.	General Active Pharmaceutical Ingredients
21.	Terbinafine Hydrochloride	21.	R&D Products
22.	Levosulpiride		
23.	Rifaximin		
24.	Telmisartan		
25.	Sacubitril Valsartan trisodium		
26.	Sacubitril Sodium		
27.	Methylcobalamin		
28.	Etoricoxib <sup>73</sup>		
29.	Efonidipine Hydrochloride ethanolate		
30.	Azelnidipine		
31.	Nadifloxacin		
32.	Bromopride		
33.	Seratrodast		
34.	Fenticonazole nitrate		
35.	Folic acid		
36.	Clindamycin Hydrochloride		
37.	Haloperidol/ Haloperidol decanoate		
38.	Sugammadex Sodium		
39.	Verapamil Hydrochloride		
40.	Lifitegrast		
41.	Varenicline Tartrate		
Total Capacity after expansion (41 Product existing + 21 product additional = 62 API Product)			142 TPA
B	Steroid		
1.	Finasteride		
2.	Loteprednol Etabonate		
3.	Mifepristone		
4.	Deflazacort		
5.	Ulipristal Acetate		
6.	Dydrogesterone & its granules		
7.	Progesterone		
Total Capacity after expansion (7 Product existing = 7 Steroid products)			8 TPA

4. The SEAC in view of the information contained in Form-1, Form-2, Pre-feasibility report, Environmental management plan and other documents and presentation made by the PP and deliberations held during the meeting resolved to recommend to SEIAA for the grant of EC to Shree Jee Laboratory Private Limited, Registered office : Plot No. 208, Okhla Industrial Estate, Phase-III, New Delhi-110020, for proposed expansion in Bulk Drug manufacturing 80 TPA (72 TPA of API and 8 TPA of Steroids) to 150 TPA (142 TPA of API and 8 TPA of Steroids), Plant at plot No- C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil-Behror, District- Alwar, Rajasthan subject to the conditions mentioned below in addition to the conditions mentioned in the earlier EC as also subject to the condition that the PP will not manufacture any product / compound, the production of which is banned / prohibited by law.

5. The SEIAA Rajasthan after considering the proposal and recommendations of the SEAC, Rajasthan in its 4.35<sup>th</sup> Meeting held on 4.06.2020 hereby accord Environmental Clearance to the project as per the provisions of Environmental Impact Assessment Notification 2006 and its subsequent amendments, subject to the conditions mentioned below in addition to the conditions mentioned in the earlier EC as also subject to the condition that the PP will not manufacture any product / compound, the production of which is banned / prohibited by law.

### **I. Statutory compliance**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/Committee.
- v. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vi. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

### **II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these



- system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
  - iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.
  - iv. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
  - v. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
  - vi. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
  - vii. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

### **III. Water quality monitoring and preservation**

- i. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD)
- ii. As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).
- iii. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- iv. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- v. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.

vii. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.

#### **IV. Noise monitoring and prevention**

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### **V. Energy Conservation measures**

- i. The energy sources for lighting purposes shall preferably be LED based.

#### **VI. Waste management**

- i. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- ii. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- iii. The company shall undertake waste minimization measures as below:-
  - a. Metering and control of quantities of active ingredients to minimize waste.
  - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - c. Use of automated filling to minimize spillage.
  - d. Use of Close Feed system into batch reactors.
  - e. Venting equipment through vapour recovery system.
  - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

#### **VII. Green Belt**

The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.

#### **VIII. Safety, Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iii. The PP shall provide Personal Protection Equipment (PPF) as per the norms of Factory Act.
- iv. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall

be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.

v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

vii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

#### **IX. Corporate Environment Responsibility**

i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.

ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the SEIAA / MoEF & CC as a part of six-monthly report.


iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.

iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the SEIAA / Ministry/Regional Office along with the Six Monthly Compliance Report.

v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **X. Miscellaneous**

i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.




- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the RSPCB / Regional Office of the MoEF & CC, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA / Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The SEIAA / MoEF & CC may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiii. The SEIAA / Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiv. The Regional Office of the Ministry/ RSPCB/ SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with



their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.


xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
(Dr. D.N. Pandey)  
Member Secretary,  
SEIAA, Rajasthan.

No. F1 (4)/SEIAA/SEAC-Raj/Sectt/Project / Cat. 5(F)B2 (18048)/ 2019-20 Dated:

**Copy to following for information and necessary action:**

1. Secretary, Ministry of Environment, Forest & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi-1 10003.
2. Principal Secretary, Environment Department, Rajasthan, Jaipur.
3. Sh. R.K. Meena, IAS (Retd.), B-75, Shankar Vihar, 50 Feet Gaitore Road, Sawai Gaitor, Jaipur
4. Dr. Anil Kumar Goel IFS (Retd.), Forest Colony, Sector 4, Jawahar Nagar, Jaipur.
5. Member Secretary, Rajasthan State Pollution Control Board, Jaipur for information & necessary action and to display this sanction on the website of the Rajasthan Pollution Control Board, Jaipur.
6. Member Secretary, SEAC Rajasthan.
7. The CCF, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector 'H', Aliganj, Lucknow-226 020.
8. Environment Management Plan- Division, Monitoring Cell, Environment, Forest & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi-110003.
- ✓ 9. Sh. Jagbir Singh Manral, ACP, Department of Environment, Government of Rajasthan, Jaipur with the direction to upload the copy of this Environment Clearance on the website.

  
M.S. SEIAA, (Rajasthan)

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

**Name of Project:** Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan by **M/s Shree Jee Laboratory Pvt. Ltd.**

**Period of Compliance:** October 2021 to March 2022

**Ref: EC Vide Letter No.** F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5<sup>th</sup> June, 2020

Point wise compliance of conditions stipulated in Environmental Clearance is given as under:-

S. No	EC CONDITION	COMPLIANCE STATUS
<b>I.</b>	<b>Statutory Compliance</b>	
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not Applicable, since the plant is in RIICO industrial area.
ii.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not Applicable, since the plant is in RIICO industrial area.
iii.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan I Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule Ie-I species in the study area)	Not Applicable, no schedule-I species were found in the study area.

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

iv.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/Committee.	<p>The company has obtained Consent to Establish expansion from Rajasthan Pollution Control Board vide File No.: F(Tech)/Alwar(Behror)/532(1)/2012-2013/4596-4598 dated 15/01/2021. The copy of the same is attached as <b>Annexure 1</b>.</p> <p>The company has also obtained Consent to Operate after expansion vide letter no. <b>F(Tech)/Alwar (Behror)/532(1)/2012-2013/2968-2970 dated 01.10.2021</b> under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.</p> <p>The copy of CTO above mentioned is attached as <b>Annexure 2</b>.</p>
v.	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	<p>The company has obtained Authorization for collection, storage and disposal of hazardous waste under the hazardous waste management, handling and trans-boundary movement Rules, 2008 and amended as on dated for management of hazardous waste and prior permission from RSPCB vide letter no. <b>F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378, Dated 25/10/2021</b>.</p> <p>Hazardous waste authorization letter has been attached as <b>Annexure 3A</b>.</p> <p>The copy of membership for disposal of updated quantity of Hazardous waste given vide letter UCCI/HWM-845/2020-21-49 dated 6<sup>th</sup> September'2020 is attached as <b>Annexure 3B</b>.</p>

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

vi.	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	The company is strictly complying with the rules and guidelines and under manufacture, storage and import of hazardous chemical (MSIHC) Rule, 1989 as amended time to time. As per the MSIHC Rules, 1989; the company provides details of the hazardous chemicals to be imported to the concerned authorities such as CPCB or SPCB. Also, following steps are adopted by the industry: <ul style="list-style-type: none"> <li>• Material Safety Datasheet(MSD) is provided that contains information on the potential hazards (health, fire, reactivity and environmental) and how to work safely with the chemical product; information on the use, storage, handling and emergency procedures all related to the hazards of the material</li> <li>• Safety guidelines are displayed in production and storage area.</li> </ul> Also, All transportation of hazardous chemical is done as per the Motor Vehicles Act (MVA) 1989. Photographs showing safety signs/ display boards have been attached as <b>Annexure -4</b> .
<b>II.</b>	<b>Air quality monitoring and preservation</b>	
i.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act , 1986 or NABL accredited laboratories.	Continuous online monitoring system (24x7 monitoring device) has been already installed for the flow measurement and the data is available to RSPCB and CPCB server since commissioning of the plant. Photograph showing online monitoring system has been attached as <b>Annexure – 5A</b> . 2 Nos. Boiler installed of Capacity 1 TPH & 2 TPH having common Stack and Online monitoring device installed and connected with SPCB & CPCB Server, Monitoring of Continuous online monitoring system is done quarterly. Calibration certificate of online monitoring certificate <b>is attached as Annexure 5B</b> .



**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

ii.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.	Fugitive emission monitoring is conducted regularly in each quarter at the project site through NABL accredited lab. Results for the duration <b>October'21 to March'22</b> is attached as <b>Annexure 6</b> .
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.	Ambient air quality monitoring is carried out on timely basis to comply with the permissions issued by MoEF&CC & RSPCB. The ambient Air Quality Monitoring Results for the duration <b>October'21 to March'22</b> is attached as <b>Annexure 7</b> .

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

<p>iv.</p>	<p>To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.</p>	<p>Following measures are being/ will be taken to prevent fugitive emissions:</p> <ul style="list-style-type: none"><li>• Regular monitoring of chemical storage areas is carried out to check for any kind of obnoxious emissions.</li><li>• Regular inspection of valves, inlet pipes, outlet pipes to prevent any kind of gaseous leakage.</li><li>• Roads within the premises are concreted /paved to avoid vehicular emissions.</li><li>• All transportation vehicles carry a valid PUC (Pollution under Control) Certificate.</li><li>• Proper servicing &amp; maintenance of vehicles is being/will be carried out.</li><li>• Storage, filling and transfer of material is done in closed pipelines so that there is Zero/ negligible fugitive emission.</li><li>• Fugitive emissions are regularly monitored in the work zone environment, product and raw materials storage areas upon the commencement of plant operation to confirm the limit stipulated by the RSPCB.</li></ul> <p>Photographs showing Cemented Roads and covered storages at the plant site is attached as <b>Annexure 8.</b></p> <p>Emission levels in the industry are monitored through NABL approved and MoEFCC recognized laboratory to ensure proper functioning of the industry.</p> <p>The stack emission monitoring results for the duration of October 2021 to March 2022 is attached as <b>Annexure 9.</b></p>
------------	---	--

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

v.	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Raw materials are/ will be stored in drum/carboys/tank or in covered areas to prevent dust pollution and other fugitive emissions. Regular fugitive dust emission monitoring is conducted at the project site. The fugitive dust emission monitoring results for the duration of October 2021 to March 2022 is attached as <b>Annexure 6</b> .
vi.	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.	Not Applicable.
vii.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.	Ambient air quality monitoring at the plant site is already and will also comply with the national Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R No. 826(E) dated 16 <sup>th</sup> November, 2009.
<b>III.</b>	<b>Water quality monitoring and preservation</b>	
i.	The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD)	Continuous effluent monitoring system (24x7 monitoring device) has been already installed with night vision camera capability for the flow measurement and the data is available to server since commissioning of the plant.



**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

ii.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).	Zero effluent discharge has been adopted and no effluent is being/will be discharged outside the plant premises.  The industry has set up best industrial ZLD (Zero Liquid Discharge) system which has been provisioned for segregation of waste and for High COD stream it has been equipped with Stripper, MEE followed by ATFD & for Low COD stream it has been equipped with Effluent Treatment plant (Anaerobic & Biological) followed by UF, RO -I, RO-II & SWRO followed by MEE & ATFD.  The treated water is recycled and used in cooling tower.
iii.	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.	The effluent discharge conforms/will conform to the standards as prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act. The treated effluent is monitored on regular basis under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act. The waste water analysis report for duration October 2021 to March 2022 is attached as <b>Annexure 10</b> .
iv.	Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	Total fresh water requirement for the project is up to 50 m <sup>3</sup> /day which does not exceed the permitted limit. The undertaking specifying that total fresh water requirement from RIICO industrial area water supply shall not exceed 50 m <sup>3</sup> /day & water permission from RIICO has been attached as <b>Annexure 11A &amp; 11B respectively</b> .  The industry has obtained No Objection Certificate from the Central Ground Water Authority for the abstraction of ground water vide NOC no. CGWA/NOC/IND/ORIG/2021/10667, valid from 27/01/2021, valid to 26/01/2023. The copy of above mentioned NOC is attached as <b>Annexure-11C</b> .

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

v.	Process effluent/any waste water shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	The industry has constructed the separate bund wall with spillage control pit in chemical storage area to avoid the mixing of all kind of spillage with storm water drain.  Photograph showing dyke wall to avoid mixing of spillages with domestic drain is attached as <b>Annexure 12.</b>
vi.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drain to recharge the ground water and utilize the same for different industrial operations within the plant.	Rain water harvesting structures have been already constructed.   <b>Photograph showing Rainwater harvesting structure.</b>
vii.	The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.	Adequate stack height of 21 m as per CPCB standards has been provided to the existing DG Sets (500 kVA & 750 kVA) to control emission. Currently 2 Nos. DG installed (500 KVA & 750 KVA).   <b>Photograph showing existing D.G. Set Stack</b>
<b>IV.</b>	<b>Noise monitoring and prevention</b>	


**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

i.	Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Noted. DG sets have been provided with acoustic enclosure to control noise pollution at the site to DG sets to mitigate noise pollution.  Latest Point Source Noise Level Monitoring Results for the duration October 2021 to March 2022 is attached as <b>Annexure 13</b> .
ii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.	The overall noise levels in and around the plant area are kept well within prescribed standards by adopting adequate mitigation measure like – timely maintenance, acoustic hoods & enclosures at source, use of PPEs regular noise survey at strategic locations etc.  Ambient noise level monitoring results for the duration October 2021 to March 2022 has been monitored and results are attached as <b>Annexure 14</b> .
iii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Ambient noise level monitoring is being carried out on regular basis to ensure the parameters well within prescribed limits.  Ambient noise level monitoring results for the duration October 2021 to March 2022 has been monitored and results are attached as <b>Annexure 14</b> .
<b>V.</b>	<b>Energy Conservation measures</b>	
i.	The energy sources for lighting purposes shall preferably be LED based.	Energy saving LED light has been installed in the plant premises.
<b>VI.</b>	<b>Waste management</b>	

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

<p>i.</p>	<p>Hazardous chemicals shall be stored in tanks, tanks farms, drums, carboys etc. flame arresters shall be provided on tank farm and the solvent transfer through pumps.</p>	<ul style="list-style-type: none"><li>• Bulk storage of solvents like toluene, methanol, acetone etc. are stored in a separate tank with curb walls and at distance from plant. The tank farms have been provided with fire hydrants facilities. The flammable tanks have been provided with nitrogen blanketing along with flame arrestor.</li><li>• Corrosive chemicals are stored in separate tank farm area with proper dykes.</li></ul>  <p><b>Photograph showing hazardous chemical storage area</b></p>
-----------	--	---

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

ii.	Process organic residue and spent carbon, if any shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	<p>Details of hazardous waste and their disposal are given below:</p> <table border="1"> <thead> <tr> <th data-bbox="863 322 1086 367">Hazardous Waste</th> <th data-bbox="1086 322 1302 367">Storage</th> <th data-bbox="1302 322 1477 367">Mode Of Dispo</th> </tr> </thead> <tbody> <tr> <td data-bbox="863 367 1086 595">Organic: ETP Sludge through MBBR</td> <td data-bbox="1086 367 1302 595">Closed packed in leak proof double liner and stored in dedicated HW storage area</td> <td data-bbox="1302 367 1477 595">TSDF</td> </tr> <tr> <td data-bbox="863 595 1086 779">Inorganic: ETP Sludge through RO-1, RO-2 and followed by MEE</td> <td data-bbox="1086 595 1302 779"></td> <td data-bbox="1302 595 1477 779"></td> </tr> <tr> <td data-bbox="863 779 1086 920">Process Residue And Waste</td> <td data-bbox="1086 779 1302 920">Fiber Box/ HDPE/MS/GI/ Drums</td> <td data-bbox="1302 779 1477 920">TSDF</td> </tr> <tr> <td data-bbox="863 920 1086 1021">Used / Spent Oil</td> <td data-bbox="1086 920 1302 1021">HDPE / MS Drums</td> <td data-bbox="1302 920 1477 1021">Approved Recycler</td> </tr> <tr> <td data-bbox="863 1021 1086 1339">Spent Catalyst/ Carbon</td> <td data-bbox="1086 1021 1302 1339">Closed Dry Container and away from strong oxidizer such as Ozone, liquid oxygen and chlorine</td> <td data-bbox="1302 1021 1477 1339">TSDF</td> </tr> <tr> <td data-bbox="863 1339 1086 1440">Spent Organic Solvent</td> <td data-bbox="1086 1339 1302 1440">HDPE/GI Drums</td> <td data-bbox="1302 1339 1477 1440">Approved Recycler</td> </tr> <tr> <td data-bbox="863 1440 1086 1668">Date expired, discarded and off specification products / medicine</td> <td data-bbox="1086 1440 1302 1668">Closed Packed Liner / Carton</td> <td data-bbox="1302 1440 1477 1668">TSDF</td> </tr> <tr> <td data-bbox="863 1668 1086 1984">Discarded containers / barrels/ liners/ used PPE contaminated with Hazardous waste/ chemicals</td> <td data-bbox="1086 1668 1302 1984">Stored at dedicated hazardous waste storage area</td> <td data-bbox="1302 1668 1477 1984">TSDF</td> </tr> </tbody> </table>	Hazardous Waste	Storage	Mode Of Dispo	Organic: ETP Sludge through MBBR	Closed packed in leak proof double liner and stored in dedicated HW storage area	TSDF	Inorganic: ETP Sludge through RO-1, RO-2 and followed by MEE			Process Residue And Waste	Fiber Box/ HDPE/MS/GI/ Drums	TSDF	Used / Spent Oil	HDPE / MS Drums	Approved Recycler	Spent Catalyst/ Carbon	Closed Dry Container and away from strong oxidizer such as Ozone, liquid oxygen and chlorine	TSDF	Spent Organic Solvent	HDPE/GI Drums	Approved Recycler	Date expired, discarded and off specification products / medicine	Closed Packed Liner / Carton	TSDF	Discarded containers / barrels/ liners/ used PPE contaminated with Hazardous waste/ chemicals	Stored at dedicated hazardous waste storage area	TSDF
Hazardous Waste	Storage	Mode Of Dispo																											
Organic: ETP Sludge through MBBR	Closed packed in leak proof double liner and stored in dedicated HW storage area	TSDF																											
Inorganic: ETP Sludge through RO-1, RO-2 and followed by MEE																													
Process Residue And Waste	Fiber Box/ HDPE/MS/GI/ Drums	TSDF																											
Used / Spent Oil	HDPE / MS Drums	Approved Recycler																											
Spent Catalyst/ Carbon	Closed Dry Container and away from strong oxidizer such as Ozone, liquid oxygen and chlorine	TSDF																											
Spent Organic Solvent	HDPE/GI Drums	Approved Recycler																											
Date expired, discarded and off specification products / medicine	Closed Packed Liner / Carton	TSDF																											
Discarded containers / barrels/ liners/ used PPE contaminated with Hazardous waste/ chemicals	Stored at dedicated hazardous waste storage area	TSDF																											




**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**


At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

iii.	The company shall undertake waste minimization measures as below: a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. c. Use of automated filling to minimize spillage. d. Use of close feed system into batch reactors. e. Venting equipment through vapour recovery system. f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.	The company is complying with all the given points.  Complying  Already complying.  Complied. Complied. Noted.  The point is being complied.
<b>VII.</b>	<b>Green Belt</b>	
	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	5835 Sq.m i.e. 33% of the plant area has already been developed as greenbelt & plantation. The plants are developed at the plant boundary and along the road sides.  Photographs showing greenbelt development has been enclosed as <b>Annexure 15</b> .
<b>VIII.</b>	<b>Safety, Public hearing and human health issues</b>	
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan have been prepared and is being implemented.

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

ii.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	<p>Fire safety measures are already being taken within the factory premises. All the fire extinguishing media such as Fire Hydrant System, dry chemicals, CO<sub>2</sub>, sand, clean agent, foam etc. are kept in vital locations. Fire extinguishers are readily accessible for immediate use in all parts of the occupancy. We have installed the fire extinguisher in plant area, utility area, solvent area, transformer area and warehouse .Photograph showing same has been attached as <b>Annexure 16 A</b>.</p> <p>Fire Fighting System has been installed and Final NOC has been granted through <b>Letter No. N.P.B./2020-21/FIRE/1924 dated 10.02.2021 Fire NOC is attached, valid up to 19.02.2022</b>; copy of the same attached is attached as <b>Annexure 16B</b>.</p>
iii.	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	<p>Personal Protective Equipment (PPEs) has been provided to employees &amp; is being/will be adopted by all employees/workers.</p>  <p><b>Photograph of worker to ensure the compliance of PPE'S</b></p>
iv.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	<p>The company ensures that training is imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees is carried out on half yearly terms basis.</p> <p>The photographs showing health and safety given to employees are attached as <b>Annexure 17</b>.</p>
v.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structure to be removed after the completion of the project.	<p>All adequate facilities were provided to the labours such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. at the time of construction phase of the project.</p>

<p>vi.</p>	<p>Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.</p>	<p>Following measures have been already adopted for occupational health surveillance:</p> <ul style="list-style-type: none"><li>• Detailed check up of every employee is done from <b>M/s Pulse Hospital Multispecialty Hospital &amp; Research Centre, Kotputli</b> for the advance checkups like X- Ray, ECG, and Blood test, LFT in an interval of six months or yearly basis as per the company standard operating procedure. SOP Copy of agreement &amp; medical report of few candidates is attached for reference.</li></ul> <p>Copy of agreement with <b>M/s Pulse Hospital Multispecialty Hospital &amp; Research Centre, Kotputli</b> and sample reports of few employees (3-4) done in the period: October 2021 to March 2022 is attached as <b>Annexure 18A &amp; 18B</b> respectively.</p>  <p><b>Photograph showing Occupational Health Centre at the Plant Site</b></p> <ul style="list-style-type: none"><li>• Job rotation is followed for the employees, in order to keep the employees away from the exposure of certain chemicals and developing multi-skills for the employee.</li><li>• Training programmes are being organized by the company on health hygiene, importance of cleanliness and first aid etc. on regular basis to create the awareness among the employees. This helps the employees a lot to keep themselves healthy and fit.</li><li>• Personal protective equipments such as goggles, rubber gumboots, face shield helmet etc are provided to workers keeping in mind the</li></ul>
------------	--	--


**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

		<p>safety of its employees.</p> <ul style="list-style-type: none"><li>• Well equipped first aid boxes are provided in each section of the factory.</li><li>• Annual contract agreement with registered medical practitioner is done to control any physical /mental injury to the employee.</li><li>• Vehicle arrangement is done to take away the injured person to nearest health centre in case of any emergency.</li></ul> <p>Amount of approximately <b>Rs 4 lakhs</b> have been allocated for the same.</p>
vii.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	Proper and safe parking area has been allotted in the plant premises for the vehicles used for carrying raw materials and finished products.
<b>IX.</b>	<b>Corporate Environment Responsibility</b>	
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65120 17-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	<p>The company ensures that CSR activities and all relevant measures are undertaken for improving the socio-economic condition of the surrounding area.</p> <p>Under CSR activity an amount of Rs. 5 Lakhs is already invested in Health and care are for COVID patients deposited in Sachiv MRS Community Health Care, Mandhan (Alwar) in the month of July21 on 14.07.2021 and Industry is planning for next investment.</p> <p>The details are attached as <b>Annexure 19</b>.</p>

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

ii.	<p>The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and /or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the SEIAA/MoEF &amp; CC as a part of six-monthly report.</p>	<p>The company has a well laid down environmental policy attached as <b>Annexure 20.</b></p>
iii.	<p>A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will report to the head of the organization.</p>	<p>A separate environmental management cell equipped with full fledged laboratory facilities is set up to carry out the environmental management and monitoring functions. The structure of Environment Management Cell has been enclosed as <b>Annexure 21.</b></p> <div data-bbox="1003 1283 1326 1704" data-label="Image"></div> <p><b>Photograph Showing ETP Laboratory.</b></p>

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the SEIAA Ministry/Regional Office along with the Six Monthly Compliance Report.	The company ensures that year wise funds earmarked for environmental protection measures will not be diverted for any other purpose.
v.	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Noted.
<b>X.</b>	<b>Miscellaneous</b>	
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	The information of granting environmental clearance was made public through public notices in local newspapers. Public notices are shown in <b>Annexure 22</b> . The Environmental clearance letter is also displayed at <b>Website-www.shreejeelaboratory.com</b>
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayat and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copy of environmental clearance letter was submitted to local authorities through mail on 29.07.2020. The copy of letters is attached as <b>Annexure 23</b> .

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	The industry uploads the status of compliance of the stipulated environment clearance conditions, including results of monitored data on the website and updates the same on half-yearly basis. <b>Website-www.shreejeelaboratory.com</b>
iv.	The project proponent shall monitor the criteria pollutants level namely; PM <sub>10</sub> , SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Pollutants are regularly being monitored at the plant site. The results are being displayed at the site regularly as shown in <b>Annexure 24</b> . Monitored results are also uploaded on the website of the company with every six monthly compliance report.
v.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate change at environment clearance portal.	The six monthly compliance reports for the compliance period <b>“April 2021 to September 2021”</b> has been submitted to the concerned authorities along with uploaded on the website of the ministry of Environment, Forest and Climate change at environment clearance portal and the submission receipts of the same have been enclosed as <b>Annexure 25</b> .
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	The environmental statement / Form-V is being/ will be regularly submitted to the concerned authorities and also available on the website of the company.. The ESR (2020-2021) submission receipt has been attached as <b>Annexure – 26</b> .
vii.	The project proponent shall inform the RSPCB/Regional Office of the MoEF & CC, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	The company has already informed the Regional Office as well as the Ministry, the date of start of the project. The date of financial closure and final approval of the project by the concerned authorities will also be informed.

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

viii.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	The company strictly adhere to the stipulations made by the state government and Rajasthan State Pollution Control Board (RSPCB) as per Consent to Establish and Operate.
ix.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Agreed.
x.	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA I Ministry of Environment, Forests and Climate Change (MoEF&CC).	Shree Jee Laboratory has ensured that no further expansion or modification in the plant will be done without prior approval of the Ministry, Forest & Climate Change (MoEFCC). Prior approval will be taken from the concerned authority if required.
xi.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted and agreed.
xii.	The SEIAA /MoEF & CC may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted and agreed.
xiii.	The SEIAA/Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted and agreed.
xiv.	The Regional Office of the Ministry/ RSPCB/ SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data /information/monitoring reports.	Officer (s) of the Regional Office will be given full co-operation by furnishing the requisite data /information/monitoring reports while monitoring compliance of stipulated conditions..



**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

xv.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981 the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India I High Courts and any other Court of Law relating to the subject matter.	Noted and agreed.
xvi.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted and agreed.



Head Office (CD)

**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302**

Phone: 141-5159600<sup>004</sup> Fax: 0141-5159697



Registered

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/4596-4598

Order No: 2020-2021/CD/6461

Dispatch Date: 15/01/2021

Unit Id : 34244

M/s Shree Jee Laboratory Pvt. Ltd.

C-25, RIICO Industrial Area, Sotanala , Tehsil:Behror

District:Alwar

**Sub: Consent to Establish** under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21(4) of Air (Prevention & Control of Pollution) Act, 1981.

**Ref:** Your application(s) for Consent to Establish dated 14/08/2020 and subsequent correspondence.

Sir,

**Consent to Establish** under the provisions of section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder, **is hereby granted** for your **Bulk Drug(API) plant** situated / proposed at **C - 24 and 25, RIICO Industrial Area Sotanala, Sotanala Tehsil:Behror District:Alwar**, Rajasthan under the provisions of the said Act(s). This consent is granted on the basis of examination of the information furnished by you in consent application(s) and the documents submitted therewith, subject to the following conditions:-

- 1 That this Consent to Establish is valid for a period from **14/08/2020** to **31/07/2025 or date of Commencement of production / commissioning of the project or activities whichever is earlier**.
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below.

Particular	Type	Quantity / Capacity
Bulk Drugs API(Products as per E.C dated 05.06.2020)	Product	70.00 TON PER ANNUM

- 3 That in case of any increase in capacity or addition / modification / alteration or change in product mix or process or raw material or fuel the project proponent is required to obtain fresh consent to establish.
- 4 That the control equipment as proposed by the applicant shall be installed before trial operation is started for which prior consent to operate under the provision of the **Water Act and Air Act** shall be obtained. This consent to establish shall not be treated as consent to operate.



Head Office (CD)

**Rajasthan State Pollution Control Board**

4, Institutional Area, Jhalana Doongari, Jaipur-302

Phone: 141-5159600<sup>004</sup> Fax: 0141-5159697

Registered

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/4596-4598

Order No: 2020-2021/CD/6461

Dispatch Date: 15/01/2021

Unit Id : 34244

- 5 That this Consent to establish is being issued for enhancement in production capacity of Bulk Drugs (API) from 72 TPA to 142 TPA i.e. by 70 TPA and increase in the number of API products from 41 to 62 as mentioned in the E.C dated 05/06/2020 within the existing premises by using existing plant and machinery only. Production capacity and number of steroids shall not be increased from existing.
- 6 That the industry shall comply with the conditions of Environment Clearance issued by State Level Environment Impact Assessment Authority, Rajasthan vide letter no. F1(4)/SEIAA/SEAC-Raj/ Sectt/ Project / Cat.5(F) B2 (18048)/ 2019-20 dated 05/06/2020.
- 7 That total capital investment as per the C.A. certificate submitted by the unit for the expansion phase is Rs. 2.0 Cr which includes the cost of plant & machinery and miscellaneous assets only. In case of any increase in total capital investment additional fee as per the fee notification dated 26/05/2016 shall be required to be deposited.
- 8 That industry shall not carryout any modification/change in process or manufacture/produce any other products/byproducts, which require environment clearance as per the provisions of Environment Impact Assessment Notification dated 14/09/2006, notified by Ministry of Environment & Forests, Government of India.
- 9 That water consumption waste water generation and treated waste water disposal pattern of the industry shall not change from existing as allowed under consent to operate order dated 22/08/2019.
- 10 That additional water requirement for the expansion phase shall be met by reducing the intermediate steps including high water consumption steps of each existing API products.
- 11 That additional water shall not be used in the expansion phase and hence no additional trade effluent shall be generated.
- 12 That neither any ground water will be abstracted nor any ground water abstraction structure shall be constructed without obtaining prior permission from the Central Ground Water Authority (CGWA).
- 13 That no treated /untreated effluent shall be discharged inside or outside the premises and industry shall maintain complete zero discharge status within and outside the premises.



Head Office (CD)

**Rajasthan State Pollution Control Board**

4, Institutional Area, Jhalana Doongari, Jaipur-302

Phone: 141-5159600<sup>004</sup> Fax: 0141-5159697

Registered

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/4596-4598

Order No: 2020-2021/CD/6461

Dispatch Date: 15/01/2021

Unit Id : 34244

- 14 That industry shall provide water meters for measuring & recording of the quantity of fresh water intake, water consumed in various processes, effluent generated, effluent treated, effluent recycled & effluent disposed. The daily record of the meters readings shall be maintained in separate log-book and monthly summary shall be submitted to Regional Office, Alwar.
- 15 That the industry shall make arrangements for proper channelizing of storm water and process waste shall not be allowed to mix with storm water.
- 16 That additional source of Air/Water pollution shall not be installed without prior consent to establish from the State Board.
- 17 That industry shall ensure proper channelization of the fugitive emissions from material handling, grinding operations, packing, storage and various activities/processes or provide adequate pollution control systems for the same. These arrangements shall be maintained in good conditions and operated properly so as to preserve clean and safe environment in and around the premises of the unit.
- 18 That the industry shall maintain continuous online (24x7) emission/effluent monitoring system as per guidelines issued by Central Pollution Control Board and Rajasthan State Pollution Control Board.
- 19 That the industry shall not use pet coke/furnace oil in any process/service/utility in compliance to the order dated 17/11/2017 of Hon'ble Supreme Court, wherein ban has been imposed on the use of pet coke and furnace oil in the State of Rajasthan.
- 20 That the power supply of the production shall be so interlocked with the Air & Water pollution control equipment's, that in case of non functioning of the pollution control equipment the production process stops automatically.
- 21 That industry shall maintain adequately designed rain water harvesting structure and rain gardens for preservation of ground water level of the area.
- 22 That the industry shall comply with the provisions of the Manufacture, Storage & Import of Hazardous Chemical Rules, 1989 and Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016 and Public Liability Insurance Act,1991, whichever is applicable.
- 23 That the Industry shall maintain plantation in 33% of total plot area to maintain air quality around the Industry and maintain good housekeeping in the premises.
- 24 That any incorrect information submitted in the consent application form or declaration shall make the industry liable for legal action under section 42 of the Water Act and under section 38 of the Air Act.
- 25 That this consent is valid subject to fulfilment of all the other statutory requirements in other laws/Acts/Rules as applicable.



Head Office (CD)

**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302

Phone: 141-5159600<sup>004</sup> Fax: 0141-5159697

Registered

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/4596-4598

Order No: 2020-2021/CD/6461

Dispatch Date: 15/01/2021

Unit Id : 34244

26 That the industry shall comply with all conditions imposed vide Consent to operate order no. 2019-2020/SCMG/6358 dated 22/08/2019.

27 That, notwithstanding anything provided hereinabove, the State Board shall have power and reserves its right, as contained **under section 27(2) of the Water Act and under section 21(6) of the Air Act** to review anyone or all the conditions imposed here in above and to make such variation as it deemed fit for the purpose of compliance of the **Water Act and Air Act**.

28 That the grant of this **Consent to Establish** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.

29 That the grant of this **Consent to Establish** shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This **Consent to Establish** shall also be subject, beside the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The project proponent will comply with the provisions of the **Water Act and Air Act** and to such other conditions as may, from time to time, be specified by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Establish** and project proponent / occupier shall be liable for legal action under the the relevant provisions of the said Act(s).

This bears the approval of the competent authority.

Yours Sincerely

Group Incharge[ CD ]



Head Office (CD)

**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302

Phone: 141-5159600<sup>004</sup> Fax: 0141-5159697

**Registered**

**File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/4596-4598**

**Order No : 2020-2021/CD/6461**

**Dispatch Date: 15/01/2021**

**Unit Id : 34244**

(A): **Copy To:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Alwar to ensure compliance of the consent conditions.
- 2 Master File.

**Group Incharge[ CD ]**



**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
 4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
 Phone: 141-5159600 Fax: 0141-5159697



**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970/271

Order No : 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

✓ M/s Shree Jee Laboratory Pvt. Ltd.

C-25, RIICO Industrial Area, Sotanala , Tehsil:Behror

District:Alwar

**Sub:** Consent to Operate under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21(4) of Air (Prevention & Control of Pollution) Act, 1981.

**Ref:** Your application for Consent to Operate dated 10/03/2021 and subsequent correspondence.

Sir,

**Consent to Operate** under the provisions of section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder is **hereby granted** for your **Bulk Drug(API) plant** situated at **C - 24 and 25, RIICO Industrial Area Sotanala, Sotanala Tehsil:Behror District:Alwar**, Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid for a period from **01/07/2021** to **30/06/2026**.
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below.

Particular	Type	Quantity with Unit
Bulk Drugs API(Products as per E.C dated 05.06.2020)	Product	142.00 TPA
STEROID (Products as per EC dated 04/04/2018)	Product	8.00 TPA

- 3 That this consent to operate is for existing plant, process & capacity and separate consent to establish/operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.
- 4 That the quantity of effluent generation along with mode of disposal for the treated effluent shall be as under:



Head Office (CD)  
**Rajasthan State Pollution Control Board**  
 4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
 Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No: 2021-2022/CD/6534

Unit Id : 34244

Date: 01/10/2021

Type of effluent	Max. effluent generation (KLD)	Recycled Qty of Effluent (KLD)	Disposed Qty of effluent (KLD) and mode of disposal
Domestic Sewage	7.000	7.000	NIL
Trade Effluent	71.000	67.000	4.000 Forced Evaporation through MEE and sludge drying beds

5 That the sources of air emissions along with pollution control measures and the emission standards for the prescribed parameters shall be as under:

Sources of Air Emissions	Pollution Control Measures	Prescribed	
		Parameter	Standard
DG( 500KVA)	ACOUSTIC ENCLOSURE , ADEQUATE STACK HEIGHT	--	--
DG( 750KVA)	ACOUSTIC ENCLOSURE , ADEQUATE STACK HEIGHT	--	--

One No. of Briquette/ Husk fired Boiler( 1TPH)

ADEQUATE AIR POLLUTION CONTROL MEASURES , ADEQUATE STACK HEIGHT , Cyclone , JET PULSE FILTER

SO <sub>2</sub>	600 mg/NM <sub>3</sub>
Particulate Matter	1200 mg/NM <sub>3</sub>
NO <sub>x</sub>	300 mg/NM <sub>3</sub>





Head Office (CD)  
**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No : 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

One no. of briquette/Husk fired Boiler( 2TPH)	ADEQUATE AIR POLLUTION CONTROL MEASURES, ADEQUATE STACK HEIGHT, Cyclone, JET PULSE FILTER		
		S02	600 mg/NM3
		Particulate Matter	1200 mg/NM3
		NOx	300 mg/NM3

- 6 That the **Bulk Drug(API) plant** will comply with the standards as prescribed vide MOEF notification No. GSR 826(E) dated 16th November, 2009 with respect to National Ambient Air Quality Standards.
- 7 That the trade effluent shall be treated before disposal so as to conform to the standards prescribed under the Environment (Protection) Act-1986 for disposal **Into Inland Surface Water**. The main parameters for regular monitoring shall be as under



Head Office (CD)  
**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No : 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

Parameters	Standards
Total Suspended Solids	Not to exceed 100 mg/l
Oil and Grease	Not to exceed 10 mg/l
Biochemical Oxygen Demand (3 days at 27°C)	Not to exceed 30 mg/l
Arsenic ( as As )	Not to exceed 0.2 mg/l
Mercury ( As Hg )	Not to exceed 0.01 mg/l
Lead ( as Pb )	Not to exceed 0.1 mg/l
Hexavalent Chromium ( as Cr+6 )	Not to exceed 0.1 mg/l
Total Chromium ( as Cr )	Not to exceed 2.0 mg/l
Copper ( as Cu )	Not to exceed 3.0 mg/l
Zinc ( as Zn )	Not to exceed 5.0 mg/l
Sulphide ( as S )	Not to exceed 2.0 mg/l
Phenolic Compounds ( as C <sub>6</sub> H <sub>5</sub> OH )	Not to exceed 1.0 mg/l
Ammonical Nitrogen	Not to exceed 75 mg/l
Cyanide (as CN)	Not to exceed 0.1 mg/l
Bio-assay Test	Minimum 90% survival after 96 hours with fish at 100% effluent
Chromium (total)	Not to exceed 2.0 mg/l
Chemical Oxygen Demand	Not to exceed 250 mg/l
pH Value	Between 6.0 to 8.5
Phosphate (as P)	Not to exceed 5.0 mg/l

8 That this consent to operate is valid for the production of 62 API products and 7 steroid products as per Annexure-A annexed with this CTO within the existing plant premises.



Head Office (CD)  
**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No : 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

- 9 That this consent to operate is being issued on total capital investment of Rs.135.58 crores. In case of any increase in total capital investment additional fee as per the fee notification dated 26/05/2016 shall be required to be deposited.
- 10 That the industry shall comply with the conditions of Environment Clearance issued by MoEF&CC, New Delhi vide letter dated 04/04/2018 and issued by State Level Environment Impact Assessment Authority, Rajasthan vide letter dated 05/06/2020.
- 11 That industry shall not carryout any modification/change in process or manufacture/produce any other products/byproducts, which require environment clearance as per the provisions of Environment Impact Assessment Notification dated 14/09/2006, notified by Ministry of Environment & Forests, Government of India.
- 12 That total water requirement for the entire plant shall not exceed 124 KLD(Domestic use -9.0 KLD, Gardening- 6.0 KLD, Process- 35.00 KLD, Flushing- 3.0 KLD, Boiler/Cooling use- 71.00 KLD) which shall be met from fresh water- 50 KLD and Recycled water- 74.00 KLD.
- 13 That fresh water (50 KLD) requirement shall be met from RIICO supply(17.680 KLD) and Ground water(32.32 KLD).
- 14 That the industry shall comply with all the conditions imposed in NOC issued by CGWA for the abstraction of ground water upto 32.32 KLD valid upto 26/01/2023.
- 15 That the trade effluent(71.00 KLD) generated from the process, Boiler blow down and cooling tower blow down etc with domestic waste water (7 KLD) shall be treated through Effluent Treatment Plant(ETP) of adequate capacity up to the norms mentioned at condition 7 followed by R.O. plant of adequate capacity and R.O. permeate (74 KLD) shall be used in boiler & cooling (71 KLD) and flushing (3 KLD).
- 16 That the trade effluent(12.00 KLD) generated from the stripper(5.0 KLD) and R.O reject(7.0 KLD) shall be treated through forced evaporation system followed by ATFD of adequate capacity.. The condensate of the ATFD(10.00 KLD) shall be reused in boiler/cooling tower and the sludge shall be disposed off through authorized waste disposing facility.
- 17 That treated effluent shall not be used for plantation/horticulture in any case.
- 18 That no treated /untreated effluent shall be discharged inside or outside the premises and industry shall maintain complete zero discharge status within and outside the premises all the time.
- 19 That the industry shall not discharge treated/untreated effluent (industrial/domestic) inside and/or outside the premises in any case.



Head Office (CD)  
**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No: 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

- 20 That the industry shall provide & maintain metering arrangement for fresh water in take, water used for different purposes and for measuring of effluent generated, treated, reused & disposed, ETP inlet & outlet, R.O inlet and outlet, evaporation system+ ATFD inlet and outlet. The daily log book shall be maintained.
- 21 That the sludge generated from the Effluent Treatment Plant shall be disposed off scientifically through authorized waste disposing facility in accordance with the provisions of the Hazardous & Other Waste Rules, 2016.
- 22 That a log book for operation of Effluent Treatment Plant, R.O plant, Evaporation system + ATFD shall be maintained and record of daily consumption of chemicals and running hours of ETP shall be maintained. Also record of periodic cleaning/change of filter media of pressure sand filter should be mentioned in log book.
- 23 That all the pipe lines carrying effluent/water/liquid shall be kept above ground level and with proper color coding. No flexible piping or drains shall be provided for carrying of liquids.
- 24 That the industry shall make arrangements for proper channelizing of storm water and process waste shall not be allowed to mix with storm water.
- 25 That the industry shall not use pet coke/furnace oil in any process/service/utility in compliance to the order dated 17/11/2017 of Hon'ble Supreme Court, wherein ban has been imposed on the use of pet coke and furnace oil in the State of Rajasthan.
- 26 That industry shall comply with emission standards (tank farm vents) prescribed by MOEF, GOI vide notification no. G.S.R. 541 (E) dated 06.08.2021.
- 27 That the industry shall maintain stack of adequate height and requisite acoustic enclosures with the D.G. Sets of 500 KVA and 750 KVA capacity, as per norms prescribed under the Environment (Protection) Act, 1986 and the Air Act, 1981.
- 28 That the industry shall maintain stack of adequate height (not less than 30 mtrs from G.L) and adequate air pollution control measures at two nos of briquette/Husk fired boilers (1X TPH and 2X TPH) to achieve the prescribed norms as mentioned at condition no.5.
- 29 That safe and adequate infrastructure facility for stack emission monitoring shall be maintained with stack of two nos of briquette/Husk fired boilers.
- 30 That the boilers shall be operated with permitted fuel i.e. briquettes/Husk only. The ash generated shall be stored adequately till transported for final disposal. The record of generation and disposal of ash shall be maintained in separate log-book.
- 31 That the industry shall obtain separate consent to operate for the operation of one no. of D.G set of 250 KVA and one no of briquette/Husk fired boiler of 2.0 TPH capacity once they are installed.



Head Office (CD)

**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No : 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

- 32 That the industry shall maintain continuous online (24x7) emission/effluent monitoring system as per guidelines issued by Central Pollution Control Board and Rajasthan State Pollution Control Board and shall ensure connectivity with CPCB & RSPCB server.
- 33 That the industry shall shift to cleaner fuels viz, PNG/CNG/LNG whenever the same is available in the area.
- 34 That effective control measures shall be provided to control fugitive emissions during processing, transportation, packing etc
- 35 That industry shall provide wall to wall carpeting in vehicle movement areas within the premises to avoid re-entrainment of road dust.
- 36 That industry shall undertake regular cleaning and wetting of roads for control of fugitive dust emission.
- 37 That industry shall provide and maintain the centralized air cleaning system i.e fume collection hoods, etc., so as to remove the Volatile Organic Compounds emitted from the reactor vents etc.
- 38 That acid storage tank shall be constructed above ground level and dyke walls with lime around the tanks shall be provided to take care of any spillages.
- 39 That industry shall not install any other sources of Air pollution/Water pollution without obtaining prior Consent to Operate from the State Board.
- 40 That the industry shall maintain separate energy meters at pollution control measures & effluent treatment plant/R.O/Forced evaporation. The daily record of the energy consumption (Units) shall be maintained in separate log-book and monthly summary shall be submitted to Regional Office, Alwar.
- 41 That the power supply of the production shall be so interlocked with the Air & Water pollution control equipment's, that in case of non functioning of the pollution control equipment the production process stops automatically
- 42 That the industry shall comply with the provisions of the Manufacture, Storage & Import of Hazardous Chemical Rules, 1989 and Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016 and Public Liability Insurance Act, 1991.
- 43 The industry shall obtain license for storage of hazardous chemicals/gases from Petroleum & Explosives Safety Organisation (PESO) or any such competent authority.
- 44 That the Industry shall develop plantation in 33% of total plot area to maintain air quality around the Industry and maintain good housekeeping in the premises.
- 45 That industry shall undertake suitable measures for rain water harvesting for artificial recharge of ground water.



**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Revised Consent**

File No : F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

Order No : 2021-2022/CD/6534

Date: 01/10/2021

Unit Id : 34244

- 46 That this consent is valid subject to fulfillment of all the other statutory requirements in other laws/Acts/Rules as applicable
- 47 That after issuance of this consent to operate, the consent to operate issued vide order no. 2019-2020/CD/6358 dated 22/08/2019 shall not be valid.
- 48 That any incorrect information submitted in the consent application form or declaration shall make the industry liable for legal action under section 42 of the Water Act and under section 38 of the Air Act.
- 49 That industry shall submit quarterly compliance report of consent conditions to this office as well as R.O., RSPCB, Alwar.
- 50 That this revised consent letter shall supercede the earlier consent letter no F(Tech)/Alwar(Behror)/532(1)/2012-2013/2345-2347 dated 07/09/2021
- 51 That, notwithstanding anything provided hereinabove, the State Board shall have power and reserves its right, as contained under section 27(2) of the Water Act and under section 21(6) of the Air Act to review anyone or all the conditions imposed here in above and to make such variation as it deemed fit for the purpose of Air Act & Water Act.
- 52 That the grant of this **Consent to Operate** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 53 That the grant of this **Consent to Operate** shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This **Consent to Operate** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The project proponent will comply with the provisions of the **Water Act and Air Act** and to such other conditions as may, from time to time, be specified, by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Operate** and project proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).



**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-5159600 Fax: 0141-5159697**

**Revised Consent**

**File No :** F(Tech)/Alwar(Behror)/532(1)/2012-2013/2968-2970

**Order No:** 2021-2022/CD/6534

**Date:** 01/10/2021

**Unit Id :** 34244

This bears the approval of the competent authority.

**Yours Sincerely**

**Group Incharge[ CD ]**

**(A): Copy To:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Alwar to ensure the compliance.
- 2 Master File.

**Group Incharge[ CD ]**

M/S SHREE JEE LABORATORY PVT LTD, C-24 & 25, RIICO INDUSTRIAL AREA,  
SOTANALA, TEHSIL- BEHROR, DISTRICT- ALWAR.

ANNEXURE-A

Sr. No.	List of products for CTO order No- 2021-2022/CD/6534 dated 01/10/2021.	
	PRODUCTS NAME	CAPACITY
<b>A</b>	<b>BULK DRUGS API</b>	<b>TPA</b>
1.	Moxifloxacin Hydrochloride	<b>142 TPA</b>
2.	Cilnidipine	
3.	Silodosin	
4.	Montelukast Sodium	
5.	Fexofenadine hydrochloride	
6.	Linezolid	
7.	Escitalopram oxalate	
8.	Etizolam	
9.	Flupentixol Dihydrochloride	
10.	Besifloxacin Hydrochloride	
11.	Granisetron Hydrochloride	
12.	Azilsartan Medoxomil Potassium	
13.	Amitriptyline Hydrochloride	
14.	Teneligliptin hemipenta hydrobromide hydrate	
15.	Nitrofurantoin monohydrate	
16.	Nitrofurantoin macrocrystals	
17.	Ranolazine	
18.	Clomipramine hydrochloride	
19.	Sitagliptin Phosphate/Hydrochloride	
20.	Leuprolide Acetate	
21.	Terbinafine Hydrochloride	
22.	Levosulpiride	
23.	Rifaximin	
24.	Telmisartan	
25.	Sacubitril Valsartan trisodium	
26.	Sacubitril Sodium	
27.	Methylcobalamin	
28.	Etoricoxib	
29.	Efonidipine Hydrochloride ethanolate	
30.	Azelnidipine	
31.	Nadifloxacin	
32.	Bromopride	
33.	Seratrodast	
34.	Fenticonazole nitrate	
35.	Folic acid	
36.	Clindamycin Hydrochloride	

1/10/2021

R. K. THAKURIA  
GIC (CD)



M/S SHREE JEE LABORATORY PVT LTD, C-24 & 25, RIICO INDUSTRIAL AREA,  
SOTANALA, TEHSIL- BEHROR, DISTRICT- ALWAR.

ANNEXURE-A

37.	Haloperidol/ Haloperidol decanoate	
38.	Sugammadex Sodium	
39.	Verapamil Hydrochloride	
40.	Lifitegrast	
41.	Varenicline Tartrate	
42.	Atorvastatin Calcium	
43.	Pantoprazole Sodium	
44.	Stabilized Oxychloro Complex	
45.	Propranolol Hydrochloride	
46.	Succinylcholine chloride	
47.	Rosuvastatin Calcium	
48.	Sodium Zirconium Cyclosilicate	
49.	Lumateperone Tosylate	
50.	Lasmiditan Hemisuccinate	
51.	Upadacitinib Hemihydrate	
52.	Elagolix Sodium	
53.	Ursodeoxycholic Acid	
54.	Ticagrelor	
55.	Baclofen	
56.	Clozapine Hydrochloride	
57.	Obeticholic Acid	
58.	Favipiravir	
59.	Hydroxychloroquine	
60.	Elafibranor	
61.	General Active Pharmaceutical Ingredients	
62.	R&D Products	
<b>B</b>	<b>STEROID</b>	
1.	Finasteride	<b>8 TPA</b>
2.	Loteprednol Etabonate	
3.	Mifepristone	
4.	Deflazacort	
5.	Ulipristal Acetate	
6.	Dydrogesterone & its granules	
7.	Progesterone	
<b>C</b>	<b>Total No. of Products A+B = (62+7) = 69 no of products</b>	<b>150 TPA</b>

22  
1/10/2021

R. K. THAKURIA  
GIC (CO)



**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
 Phone: 141-5159600 Fax: 0141-5159697



Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378/337

Date:- 25/10/2021

Unit Id : 34244

**M/s Shree Jee Laboratory Pvt. Ltd.**

**C-25, RIICO Industrial Area, Sotanala , Tehsil:Behror**

**District:Alwar**

**Sub:-** Authorization for operating a facility for Collection, Disposal, Generation, Reuse, Storage of Hazardous Wastes Under Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016.

**Ref:-** Your application dated : 30/09/2020 received on 30/09/2020 and subsequent corresponde

**Sir**

- 1 Number of authorization RPCB/HWM/2021-2022/CD/HSW/45.
- 2 Application Number : 266296 dated : 30/09/2020 .
- 3 **DGM - EHS of M/s Shree Jee Laboratory Pvt. Ltd. is hereby granted an authorization based on the enclosed signed inspection report for Collection, Disposal, Generation, Reuse, Storage of Hazardous waste on the premises situated at C - 24 and 25,RIICO Industrial Area Sotanala, Tehsil: Behror District: Alwar.**

Details of Authorization

SNo	Type of Hazardous waste	Category		Quantity/ Unit	Hazardous Waste Disposal Practice
		Sch	Code		
1	Process Residues and wastes*	I	28.1	170.00 TONNES / ANNUM	Co processing in Cement Kiln/Co incineration/CTDF Udaipur
2	Spent catalyst (Pharma Industries)	I	28.2	3.50 TONNES / ANNUM	Reuse/sales to registered recyclers/CTDF
3	Spent carbon (Pharma Industries)	I	28.3	6.50 TONNES / ANNUM	CTDF Udaipur/Balotra /Co processing in cement kiln



RAJASTHAN STATE POLLUTION CONTROL BOARD  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

4	Off Specification Products (Pharma Industries)	I	28.4	23.00 TONNES / ANNUM	Co processing at Cement Industry/ CTDF Udaipur
5	Date Expired Products	I	28.5	5.50 TONNES / ANNUM	Co processing at Cement Industry/ CTDF Udaipur
6	Spent Solvent (Pharma Industries)	I	28.6	1750.00 KL/ANNUM	Reuse/sales to registered recyclers/CTDF
7	Empty barrels/ containers/ Liners contaminated with hazardous chemicals/ wastes	I	33.1	3500.00 NOS./ANNUM	Reuse/sales to registered recyclers/CTDF
8	Contaminated cotton rags or other cleaning materials	I	33.2	8.00 TONNES / ANNUM	CTDF Udaipur / Coincineration
9	Chemical sludge from waste water treatment	I	35.3	400.00 TONNES / ANNUM	Co processing in Cement Kiln/Co incineration/CTDF Udaipur
10	Oil and grease skimming	I	35.4	0.50 TONNES / ANNUM	Sales to Registered Recycler/CTDF Udaipur
11	Spent carbon or filter medium	I	36.2	4.50 TONNES / ANNUM	CTDF Udaipur/Utilization for co processing in cement plant
12	Used or spent oil	I	5.1	4.50 TONNES / ANNUM	Sales to Registered Recycler/ Reprocess
13	Wastes or residues containing oil	I	5.2	0.20 TONNES / ANNUM	CTDF Udaipur/Utilization for co processing in cement plant

4 The authorization shall be in force for period from 01/06/2021 to 31/05/2026 .



**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
Phone: 141-5159600 Fax: 0141-5159697

**Registered**

**File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378**

**Date:- 25/10/2021**

**Unit Id : 34244**

The authorization is subject to the following general and specific conditions :

**A. General conditions of Authorization**

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed



**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Registered**

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

of as per specific conditions of authorisation.

11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

**B. Specific Conditions**

- 5 That this authorization shall ceased to be valid & shall be liable to be revoked without any further notice in case of refusal/expiry of consent to operate under the provisions of Water(Prevention and Control of Pollution) Act,1974 and Air(Prevention and Control of Pollution)Act,1981 by the State Board.
- 6 That no recycling/re-processing of the hazardous waste covered under schedule IV shall be carried out without prior authorization from Rajasthan State Pollution Control Board as recycler/ re-processor of hazardous waste under the rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 7 That no hazardous waste shall be utilized for co-processing as a supplementary resource or for energy recovery, or after processing without prior & valid approval of Central Pollution Control Board under the rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 8 That in case of any expansion or change in process or product or change in mode/ practice of disposal of hazardous waste or its quantity, industry shall obtain fresh authorization.
- 9 That that arrangements for transportation of the hazardous waste for disposal shall be done by the authorized/dedicated vehicles only and any environmental damages during transportation shall be borne by sender/receiver whoever arrange the transportation.
- 10 That the industry shall ensure the compliance of all the measures stipulated/mentioned in "Emergency Response Plan" submitted by the industry during any emergency situation.



**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
Phone: 141-5159600 Fax: 0141-5159697

**Registered**

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

- 11 **That unit shall label the hazardous waste containers as per Form-8 of the Hazardous & Other Wastes(Management & Transboundary Movement)Rules, 2016.**
- 12 **That the unit shall maintain the record of hazardous waste generated and disposed as per the provisions of H&OW(M&TM) Rules, 2016.**
- 13 The authorization is subject to the conditions stated at Annexure "A" enclosed with the authorization letter and the such conditions as may be specified in the Rules for the time being forced under the Environmental (Protection) Act, 1986.
- 14 The unit has to display and maintain the data online outside the factory main gate in Hindi & English both on a 6'X 4' display board in the manner & format prescribed at Annexure "B" and the report of the Compliance along with photograph shall be submitted to this office & Regional Office, time to time.
- 15 That the annual reports/returns in the form prescribed under the Rules shall be submitted to the Board by 30th June of every year and records of hazardous waste Generation, handling & management shall be maintained according to the provisions of the Hazardous Waste (Management and Transboundary Movement) Rules, 2016 and shown & submitted to the Board as and when asked for.
- 16 The hazardous waste should not be stored for a period beyond 90 days, failing which the authorization shall deemed to be revoked.
- 17 It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016. Non compliance of the Rules or any of the conditions contained in the authorization shall be tantamount to automatic cancellation/revocation of the authorization.
- 18 The operator of the facility shall liable to comply any other conditions as per the guidelines issued by the MoEF or CPCB or State Board related to collection, disposal, reception, storage & treatment of hazardous waste.
- 19 **That Authorization is issued under the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016 from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with conditions laid down in all other for the time-being in force,rests with the industry/unit/project proponent.**



**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-5159600 Fax: 0141-5159697

**Registered**

**File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378**

**Date:- 25/10/2021**

**Unit Id : 34244**

20 That this Authorization shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This bears the approval of the competent authority.

**Yours Sincerely**

**Group Incharge**

**Copy To:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board Alwar to ensure the compliance
- 2 Master File

**Group Incharge**



# UDAIPUR CHAMBER OF COMMERCE & INDUSTRY

## उदयपुर चैम्बर ऑफ कॉमर्स एण्ड इण्डस्ट्री

(An Apex Body of Trade, Industry, Mining, Education & Tourism of Southern Rajasthan)

UCCI/HWM-845/2020-21 - 49

6<sup>th</sup> September 2020

Shree Jee Laboratory Pvt. Ltd.  
C – 24 & 25, RIICO Industrial Area,  
Sotanala, Behror,  
District : Alwar – 301701  
(Rajasthan)

Sub : Revision in Membership for the disposal of updated quantity of Hazardous Waste

Ref. : 1) Our earlier letter No. UCCI/HWMF-845/2016-17/13 dated 27/04/2016  
2) Your letter dated 26<sup>th</sup> August 2020

Dear Sirs,

We have received your above referred letter dated 26<sup>th</sup> August 2020 and noted that you want revision in your hazardous waste disposal status. Presently your HWM membership is to dispose 207 MTA of Chemical sludge from waste water treatment under category 35.3, 300 MTA of Process residues & wastes under category 28.1, 2.22 MTA of Spent catalyst/spent carbon under category 28.2, 2.04 MTA of Discarded containers/barrels/liners contaminated with hazardous wastes/chemicals under category 33.1, 1.50 MTA of Date-expired, discarded & off-specification drugs/medicines under category 28.4, 0.408 MTA of Used/spent oil under category 5.1 and 3.66 MTA of Spent organic solvents under category 28.5. Now we are pleased to revise the quantity of Waste and addition of more categories of Waste as detailed below as per your request :

S. No.	Type of Hazardous Waste	Category		Quantity / per annum
		Sch	Code	
1.	Chemical sludge from waste water treatment (Organic : ETP Sludge through MBBR)	1	35.3	60 MTA
2.	Chemical sludge from waste water treatment (Inorganic : ETP Sludge through RO-1, RO-2 and followed by MEE/ATFD)	1	35.3	340 MTA
3.	Process Residue and Waste	1	28.1	170 MTA
4.	Spent Catalyst	1	28.2	3.5 MTA
	Spent Carbon	1	28.3	6.5 MTA
	Spent Solvent	1	28.6	1750 KLA

Continued on Page 2



CHAMBER BHAWAN, MEWAR INDUSTRIAL AREA, MADRI, UDAIPUR - 313003 (Raj.)

TEL. : (0294) 2491060, 2492214-15, Website : www.ucciudaipur.com

E-mail : uccisec@gmail.com, uccisec@hotmail.com

ISO 9001, 14001, 45001 & 27001

Upgradation of Skills, Capacity Building, Communication & Infrastructure Development





UDAIPUR CHAMBER OF COMMERCE & INDUSTRY  
UDAIPUR (Rajasthan)

:: 2 ::

S. No.	Type of Hazardous Waste	Category		Quantity / per annum
		Sch	Code	
7.	Date expired Products / medicines	1	28.5	5.5 MTA
8.	Off-Specification Products/medicines	1	28.4	23 MTA
9.	Empty barrels / containers / liners contaminated with hazardous chemicals / wastes	1	33.1	3500 Nos. / Annum
10.	Contaminated cotton rags or other cleaning material	1	33.2	8 MTA
11.	Oil and grease skimming	1	35.4	0.5 MTA
12.	Spent carbon or filter medium	1	36.2	4.5 MTA
13.	Waste or residues containing oil	1	5.2	0.2 MTA

We are advising M/s Rajasthan Waste Management Project Pvt. Ltd., Gudli to accept the above quantity of waste.

Thanking you,

Yours faithfully,


For Udaipur Chamber of Commerce & Industry

Ramesh Kumar Singhvi  
President




- cc : 1) Member Secretary, Rajasthan State Pollution Control Board, Jaipur  
2) Regional Officer, Rajasthan State Pollution Control Board, Alwar  
3) Rajasthan Waste Management Project Pvt. Ltd., Udaipur

**Photographs showing Safety Display Boards & Signs**



**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan



AREA	Hand gloves	Safety shoes	Helmet	Safety Goggles	Ear plug	Nose Mask	Organic Mask	Face shield	Bubble hood	PVC Apron	PVC Suit	PA/PR
ADMIN	X											
Plant A												
Plant B												
Plant C												
Plant D												
ETP												
Utility												
OG Area												
Bottle												
SRP												
Hydrogenerator Area												
Warehouse												
QA												
DC												

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

**SHREE JEE LABORATORY PRIVATE LIMITED**  
(A Subsidiary Unit of Mankind Pharma LTD.)

Site Main Controller: **SHREE JEE** | **SHREE JEE**

List of Emergency Response Team Members

Sl. No.	Name of Team Members	Department	IN	OUT	K. No.	Name of Team Members	Department	IN	OUT
1	Animesh Choudhary	Plant-A	IN	OUT	27	Mehendra Singh	More House	IN	OUT
2	Poojesh Bhaner	Plant-A	IN	OUT	28	Kumar Gautam	Account	IN	OUT
3	Pravesh Kumar	Plant-A	IN	OUT	29	Gaushankar	END	IN	OUT
4	Kamendra Singh	Plant-B	IN	OUT	30	Dharamdas Sharma	IT	IN	OUT
5	Rajesh Singh	Plant-B	IN	OUT	31	Sandeep Maurya	Utility	IN	OUT
6	Sachin Maurya	Plant-B	IN	OUT	32	Ganesh Desai	Plant-B	IN	OUT
7	Vikram Singh	Plant-B	IN	OUT	33	Dheeraj Bhu	Plant-B	IN	OUT
8	Sachin Desai	Plant-B	IN	OUT	34	Mishra Shrivastava	Plant-B	IN	OUT
9	Naveed Chaudhan	Plant-B	IN	OUT	35	Vivek Pathak	Plant-C	IN	OUT
10	Saurabh Kumar Tiwari	Plant-C	IN	OUT	36	Ravi Raghav	Plant-C	IN	OUT
11	Poojesh Kumar	Plant-C	IN	OUT	37	Govind Chaudhan	Plant-C	IN	OUT
12	Sandeep Singh	Plant-C	IN	OUT	38	Sudendra Singh	Plant-D	IN	OUT
13	Durga Prasad Tiwari	Plant-C	IN	OUT	39	Sudendra Janki Singh	Plant-D	IN	OUT
14	Anshu Agarwal	Plant-C	IN	OUT	40	Ramesh Singh	Plant-D	IN	OUT
15	W. S. Pathan	Plant-C	IN	OUT	41	Shubhoj Singh	QA	IN	OUT
16	Saurabh Kumar	Plant-C	IN	OUT	42	Anshu Kumar Sharma	QC	IN	OUT
17	Prashant Kumar Bhand	Plant-D	IN	OUT	43	Sudesh Singh	QC	IN	OUT
18	Vinod Kumar	Plant-D	IN	OUT	44	Naveen Kumar	QC	IN	OUT
19	Sudesh Kumar	Plant-D	IN	OUT	45	Govind Singh	Engineering	IN	OUT
20	Ravi	Plant-D	IN	OUT	46	Prashant Singh	Engineering	IN	OUT
21	Rajesh Yadav	Plant-D	IN	OUT	47	Parth Chaudhan	Engineering	IN	OUT
22	Ravindra Kumar	QA	IN	OUT	48	Pankaj Bhanu	Water House	IN	OUT
23	Munesh Kumar	QC	IN	OUT	49	Dharmendra Kumar	Security Guard	IN	OUT
24	Animesh Kumar	QC	IN	OUT	50	Shubhoj Singh	QC	IN	OUT
25	Mehendra Singh	Engineering	IN	OUT	51	Rajesh Bhai	EMS	IN	OUT
26	Mangal Singh	Warehouse	IN	OUT	52	Vishal Kumar	IT	IN	OUT



**SHREE JEE LABORATORY PRIVATE LIMITED**  
(A Subsidiary Unit of Mankind Pharma LTD.)

HELMET	COLOR	FOR
	BLUE	VISITORS
	WHITE	COMPANY EMPLOYEES
	GREEN	FIRST AIDERS
	RED	FIRE FIGHTERS
	YELLOW	CONTRACT WORKERS



**SHREE JEE LABORATORY PRIVATE LIMITED**  
(A Subsidiary Unit of Mankind Pharma LTD.)

**CHEMICAL COMPATIBILITY CHART**

Represents Unsafe Combinations  
 Represents Safe Combinations

Photographs showing Online Air Monitoring Instruments



Adequate height provided to boiler stack



Bag filter attached with boiler stack



Boiler SPM Monitoring Panel



Boiler Stack Monitoring Sensor



**CUSTOMER NAME :-**  
**Shree Jee Laboratory Pvt. Ltd**  
**C-24 & 25, RIICO Industrial Area,**  
**Behror - 301701, District Alwar, Rajasthan**

### CALIBRATION CERTIFICATE

**PO No.** - 4106018536  
**Type of Instrument** - Multi-Parameter Analyzer

**Configuration Parameters** -

Parameters	COD	BOD	TSS	pH
Flow cell (mm)	5	5	5	-
Range	200	100	450	14
Display Label	COD	BOD	TSS	pH
Unit	Mg/l	Mg/l	Mg/l	pH

**Sr. No of Instrument** - 203185  
**Make** - AWA (Forbes Marshall Pvt. Ltd.)  
**Calibrated on** - 20-04-2022  
**Calibration Due Date** - 19-07-2022  
**Validity** - 3 Month

This Is to certify that Instrument has been calibrated at site by the undersigned, with reference to Standard solutions of COD, TSS and pH.

During calibration readings were as under -

Sr. No	Description	Applied Std. Standard Solution	Analyser Reading After Calibration	Remarks
1.	COD & TSS	Distilled Water	COD = 0.21 mg/l, TSS = 00.07 mg/l	O.K
2.	COD	100.00 PPM	100.1 mg/l	O.K
3.	TSS	150.00 PPM	148 mg/l	O.K
4.	pH	7.00 pH	7.00 pH	O.K
5.		4.00 pH	4.01 pH	O.K

Multi-Parameter Analyzer Calibrated and all the reading found OK with respect to standard solution, which were provided by customer.

**NOTE:**

1. The Calibration results reported in this certificate are valid at this time of and the stated condition of measurement.
2. This report should not be reproduced except in full without our prior permission in writing.



**Calibrated By - RAJEEV KUMAR SINGH**

**Date- 20-04-2022**

## CERTIFICATE OF CALIBRATION

CERTIFICATE NO: - BA/SO/21-22/390  
CERTIFICATE ISSUED DATE: -15/02/2022

Make: - BHOOMI

Model: BI 7000

Product Type: DUST MONITOR

Serial No.:- 5000590

Customer: - M/s. Shree Jee Laboratory, Rajasthan

Bhoomi Analyzers certifies that the above listed instrument was calibrated on site

Our calibration system complies with the requirements of ISO 17025:2005 standard and traceable to the International System of Units.

Sr. No.	Parameters	Values
1	Iso-Kinetic Value (IKV)	261.10 mg/Nm <sup>3</sup>
2	Avg. Dust value (E)	1.789 mg/m <sup>3</sup>
3	Dust factor (DF)	0.352

The Instrument Dust Monitor is calibrated against the above iso-kinetic values and corresponding average extinction values.

Calibration Period :- Yearly

By:   
Mr. Charanraj Shetty



## Bhoomi Process Management Pvt. Ltd.

Correspondence Address :  
409, 4th Floor, Avior, Nirmal Galaxy,  
Mulund (W) Mumbai - 400080

### Works Address :

Unit No. 201, 207, 208, G Wing, Udyog Bhavan No.: 2,  
Plot No.: K-3, Add. Ambarnath Ind. Area, Nr. Anand Nagar,  
MIDC, Ambarnath (E), Thane-421506 Maharashtra

### Contact :

☎ : +91-22-25916858 / 6916  
✉ : sales@bhoomiltd.com  
🌐 : www.bhoomiltd.com

## CALIBRATION CERTIFICATE

CERTIFICATE NO:-BA/DM/22-23/001

CERTIFICATE ISSUED DATE: -30/04/22

Make: Bhoomi

Model: BI700

Product Type: - Online Dust Monitor

Serial No.:- 5000590

Customer: M/s. Shree Jee Laboratory, Rajasthan

Bhoomi Analyzers certifies that the above listed instrument was calibrated on date noted on site.

Our calibration system complies with the requirements of ISO 17025:2005 standard and traceable to the International System of Units.

Sr. No.	Parameters	Values
1	Iso-Kinetic values (IKV)	260
2	Avg.Dust Value (E)	0.1283
3	Dust Factor (DF)	2200

The instrument Dust Monitor is calibrated according to the above Iso-Kinetic Value and corresponding average extinction value

Calibration Period: Yearly

By:   
Mr. Charanraj Shetty  


### Bhoomi Analyzers

Correspondence Address :  
409, 4th Floor, Avior, Nirmal Galaxy,  
Mulund (W) Mumbai - 400080

Works Address :

Unit No. 201, 207, 208, G Wing, Udyog Bhavan No.: 2,  
Plot No.: K-3, Add. Ambernath Ind. Area, Nr. Anand Nagar,  
MIDC, Ambernath (E), Thane-421506 Maharashtra

Contact :

☎ : +91-22-25916858 / 6911  
✉ : sales@bhoomilt.com  
🌐 : www.bhoomilt.com





25 years of success

# J. M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/FD/01** Report No.: **JME/FD/211206015/N**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **06/12/2021**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **FUGITIVE DUST EMISSION**

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Narendra Kumar Yadav (Asst. Manager)
Sampling Location	Near Main Gate
Latitude	27°49'62.5" N
Longitude	76°15'53.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Cloudy Sky
Date of Monitoring	03/12/2021 to 03/12/2021
Time of Monitoring	11:00 to 15:00Hrs
Actual duration of Monitoring, (minutes)	240.0
Ambient Temperature (°C)	Max 20°C, Min 15°C
Surrounding activity	Human & Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	SPM	IS: 5182(P-4)2019	0.121	mg/m <sup>3</sup>

\*\*End of Report\*\*

  
Sita Ram Yadav  
Tested by

  
Rajat Tandon  
Checked by

  
Raj Kumar Yadav  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/FD/02** Report No.: **JME/FD/211206016/N**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** District - **Alwar, Rajasthan** Receipt Date: **06/12/2021**  
 Sample Description: **FUGITIVE DUST EMISSION**

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Mool Chand Yadav (Asst. Manager)
Sampling Location	Plant A
Latitude	27°49'52.4" N
Longitude	76°15'50.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Cloudy Sky
Date of Monitoring	03/12/2021 to 03/12/2021
Time of Monitoring	15:40 to 19:40Hrs
Actual duration of Monitoring, (minutes)	240.0
Ambient Temperature (°C)	Max 20°C, Min 15°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	SPM	IS: 5182 (P-4) 2019	0.109	mg/m <sup>3</sup>

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Jandon  
Checked by

Raj Kumar Yadav  
Authorized Signatory

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduced except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



# J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/FD/03** Report No.: **JME/FD/211206017/N**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **06/12/2021**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **FUGITIVE DUST EMISSION**

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Narendra Kumar Yadav (Asst. Manager)
Sampling Location	Plant B
Latitude	27°49'52.4" N
Longitude	76°15'51.2" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/04
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Cloudy Sky
Date of Monitoring	04/12/2021 to 04/12/2021
Time of Monitoring	11:35 to 15:35Hrs
Actual duration of Monitoring, (minutes)	240.0
Ambient Temperature (°C)	Max 21°C, Min 15°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	SPM	IS: 5182 (P-4) 2019	0.118	mg/m <sup>3</sup>

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/FD/01 Report No.: JME/FD/220204025/N  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd. Format No.: 7.5 F-02  
 Bulk Drugs Manufacturing Party Reference No. Nil  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant Reporting Date: 08/02/2022  
 at Plot No. C- 24 & 25, RIICO Industrial Area, District - Alwar, Rajasthan Receipt Date: 04/02/2022  
 Sample Description: FUGITIVE DUST EMISSION

### General Information

Client Representative (Name & Designation) Mr. Amit Yadav (E.H.S.)  
 Sample collected by Mr. Raman Tiwari  
 Sampling Location Near Main Gate  
 Latitude 27°49'62.5" N  
 Longitude 76°15'53.5" E  
 Instrument used High Volume Sampler  
 Instrument code JME/HVS/01/02  
 Instrument calibration status Calibrated  
 Meteorological condition during monitoring Clear Sky  
 Date of Monitoring 02/02/2022 to 02/02/2022  
 Time of Monitoring 11:00 to 15:00Hrs  
 Actual duration of Monitoring, (minutes) 240.0  
 Ambient Temperature (°C) Max 22°C, Min 19°C  
 Surrounding activity Human & Vehicular Activities  
 Scope of Monitoring Regulatory Requirement  
 Sampling & Analysis Protocol IS-5182  
 Parameter Required Suspended Particulate Matter (SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	SPM	IS: 5182(P-4)2019	0.123	mg/m <sup>3</sup>

\*\*End of Report\*\*

Sita Ram Yadav

**Tested by**

Rajat Tandon

**Checked by**

Rajkumar Yadav

**Authorized Signatory**


- Note:
1. This test report is prepared only on request and test results pertain to the tested sample received.
  2. This report is for your reference only and not to be used for any legal purpose.
  3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  4. Total liability arising from any case of dispute is limited to the invoice raised by the laboratory.
  5. The sample will be destroyed after retention time unless otherwise specified specially.
  6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
  7. Report shall not be reproduced except in full without approval of the laboratory.
  8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/FD/02** Report No.: **JME/FD/220204026/N**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **08/02/2022**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,**  
**Village - Sotanala, Tehsil - Behror,** Receipt Date: **04/02/2022**  
**District - Alwar, Rajasthan**

Sample Description: **FUGITIVE DUST EMISSION**

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Lokesh Koshik
Sampling Location	Plant A
Latitude	27°49'52.4" N
Longitude	76°15'50.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/02
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	02/02/2022 to 02/02/2022
Time of Monitoring	15:40 to 19:40Hrs
Actual duration of Monitoring, (minutes)	240.0
Ambient Temperature (°C)	Max 20°C, Min 16°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	SPM	IS: 5182 (P-4) 2019	0.111	mg/m <sup>3</sup>

\*\*End of Report\*\*

Sita Ram Yadav

**Tested by**

*Rajat Tandon*  
Rajat Tandon

**Checked by**

*Rajkumar Yadav*  
Rajkumar Yadav

**Authorized Signatory**

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)



25 years of success

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/FD/03 Report No.: JME/FD/220204027/N  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd. Format No.: 7.5 F-02  
 Bulk Drugs Manufacturing Party Reference No. Nil  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant Reporting Date: 08/02/2022  
 at Plot No. C- 24 & 25, RIICO Industrial Area, District - Alwar, Rajasthan Receipt Date: 04/02/2022  
 Sample Description: FUGITIVE DUST EMISSION

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Raman Tiwari
Sampling Location	Plant B
Latitude	27°49'52.4" N
Longitude	76°15'51.2" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/02
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	03/02/2022 to 03/02/2022
Time of Monitoring	11:30 to 15:30Hrs
Actual duration of Monitoring, (minutes)	240.0
Ambient Temperature (°C)	Max 15°C, Min 13°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter(SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	SPM	IS: 5182 (P-4) 2019	0.121	mg/m <sup>3</sup>

\*\*End of Report\*\*

Sita Ram Yadav  
Tested byRajat Tandon  
Checked by

 Rajkumar Yadav  
Authorized Signatory

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This reports is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

**J. M. ENVIROLAB PVT. LTD.**

TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

**TEST REPORT**

Sample Number: **JME/SJLPL/A/01** Report No.: **JME/A/211206011**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **06/12/2021**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **AMBIENT AIR QUALITY MONITORING**

**General Information**

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**

Sample collected by **Mr. Moolchand Yadav (Asst. Manager)**

Sampling Location **Plant Site**

Latitude **27°49'60.2" N**

Longitude **76°15'50.2" E**

Instrument used **RDS, FPS&BS**

Instrument code **ME/RDS/01/07 & JME/FPS/01/06 & JME/BS/01/01**

Instrument calibration status **Calibrated**

Meteorological condition during monitoring **Cloudy Sky**

Date of Monitoring **03/12/2021 to 03/12/2021**

Time of Monitoring **09:15 to 17:15Hrs**

Actual duration of Monitoring, (minutes) **480.0**

Ambient Temperature (°C) **Max 20°C, Min 15°C**

Surrounding activity **ETP Plant Operation & Vehicular Activities**

Scope of Monitoring **Regulatory Requirement**

Sampling & Analysis Protocol **IS-5182**

Parameter Required **As per work order**

**TEST RESULTS**

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	35.02	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	65.45	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	21.02	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	10.30	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	24.55	µg/m <sup>3</sup>	180

Page 1 of 2

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

**Note:**


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

**Reg. Office & Lab.**

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

**Corporate Office**

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:

JME/SJLPL/A/01

Report No.:

JME/A/211206011

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.74	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	12.14	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo (a) pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Raj Kumar Yadav  
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.


Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





## TEST REPORT

Sample Number: **JME/SJLPL/A/02** Report No.: **JME/A/211206012**  
 Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **06/12/2021**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **AMBIENT AIR QUALITY MONITORING**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Narendra Kumar Yadav (Asst. Manager)**  
 Sampling Location **Near Ware House**  
 Latitude **27°49'60.8" N**  
 Longitude **76°15'56.6" E**  
 Instrument used **RDS, FPS&BS**  
 Instrument code **JME/RDS/01/07, JME/FPS/01/06& JME/BS/01/01**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Cloudy Sky**  
 Date of Monitoring **04/12/2021 to 04/12/2021**  
 Time of Monitoring **11:20 to 19:20 Hrs**  
 Actual duration of Monitoring, (minutes) **480.0**  
 Ambient Temperature (°C) **Max 21°C, Min 15°C**  
 Surrounding activity **Vehicular Activities**  
 Scope of Monitoring **Regulatory Requirement**  
 Sampling & Analysis Protocol **IS-5182**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	32.74	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	60.53	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	19.86	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	9.57	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	18.63	µg/m <sup>3</sup>	180

*Sita Ram Yadav*  
**Sita Ram Yadav**  
 Tested by


*Rajat Tandon*  
**Rajat Tandon**  
 Checked by

*Raj Kumar Yadav*  
**Raj Kumar Yadav**  
 Authorized Signatory

- Note
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

**Reg. Office & Lab.**  
 424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

**Corporate Office**  
 Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/A/02

Report No.: JME/A/211206012

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.72	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	11.69	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo (a) pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Sita Ram Yadav  
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/A/03** Report No.: **JME/A/211206013**  
 Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **06/12/2021**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **AMBIENT AIR QUALITY MONITORING**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Moolchand Yadav (Asst. Manager)**  
 Sampling Location **Near ETP**  
 Latitude **27°49'52.3" N**  
 Longitude **76°15'53.6" E**  
 Instrument used **RDS, FPS & BS**  
 Instrument code **JME/RDS/01/37 & JME/FPS/01/32 & JME/BS/01/01**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Cloudy Sky**  
 Date of Monitoring **03/12/2021 to 04/12/2021**  
 Time of Monitoring **10:50 to 18:50Hrs**  
 Actual duration of Monitoring, (minutes) **480.0**  
 Ambient Temperature (°C) **Max 21°C, Min 15°C**  
 Surrounding activity **Vehicular Activities**  
 Scope of Monitoring **Regulatory Requirement**  
 Sampling & Analysis Protocol **IS-5182**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	30.67	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	63.33	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	26.96	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	09.68	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	23.01	µg/m <sup>3</sup>	180

Page 1 of 2

Sifa Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Raj Kumar Yadav  
Authorized Signatory

#### Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/A/03

Report No.: JME/A/211206013

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.90	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	18.57	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo (a) pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Authorized Signatory  
Rajkumar Yadav

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/A/04** Report No.: **JME/A/211206014**  
 Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **06/12/2021**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **AMBIENT AIR QUALITY MONITORING**

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Narendra kumar Yadav (Asst. Manager)
Sampling Location	Near Admin Block
Latitude	27°49'49.9" N
Longitude	76°15'53.4" E
Instrument used	RDS, FPS &BS
Instrument code	JME/RDS/01/37 & JME/FPS/01/32 & JME/BS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Cloudy Sky
Date of Monitoring	03/12/2021 to 03/12/2021
Time of Monitoring	12:30 to 10:30Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (°C)	Max 21°C, Min 15°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	25.38	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	54.17	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	17.79	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	9.53	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	14.34	µg/m <sup>3</sup>	180

Page 1 of 2

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Raikumar Yadav  
Authorized Signatory

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This reports is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:

JME/SJLPL/A/04

Report No.:

JME/A/211206014

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.71	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	12.13	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo(a)pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

Sita Ram Yadav  
Tested by

Rajat Randori  
Checked by

Rajat Yadav  
Authorized Signatory

**Note:**

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

**Reg. Office & Lab.**

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

**Corporate Office**

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/A/01** Report No.: **JME/A/220204055**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
at Plot No. C- 24 & 25, RIICO Industrial Area,  
Village - Sotanala, Tehsil - Behror,  
District - Alwar, Rajasthan** Format No.: **7.5 F-02**

Party Reference No. **Nil**

Reporting Date: **09/02/2022**

Sample Description: **AMBIENT AIR QUALITY MONITORING** Receipt Date: **04/02/2022**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**

Sample collected by **Mr. Raman Tiwari**

Sampling Location **Plant Site**

Latitude **27°49'60.2" N**

Longitude **76°15'50.2" E**

Instrument used **RDS, FPS&BS**

Instrument code **ME/RDS/01/07 & JME/FPS/01/06 & JME/BS/01/01**

Instrument calibration status **Calibrated**

Meteorological condition during monitoring **Clear Sky**

Date of Monitoring **02/02/2022 to 02/02/2022**

Time of Monitoring **09:15 to 17:15Hrs**

Actual duration of Monitoring, (minutes) **480.0**

Ambient Temperature (°C) **Max 22°C, Min 18°C**

Surrounding activity **ETP Plant Operation & Vehicular Activities**

Scope of Monitoring **Regulatory Requirement**

Sampling & Analysis Protocol **IS-5182**

Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	39.95	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	76.71	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	21.27	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	10.43	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	24.68	µg/m <sup>3</sup>	180

Page 1 of 2

*Sita Ram Yadav*  
Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Rajat Tandon  
Checked by

*Rajkumar Yadav*  
Rajkumar Yadav  
Authorized Signatory

#### Note:


- This test report is valid only for the test results pertain to the tested sample received.
- This report is for information only and not to be used for any legal purpose.
- Any objection to the test report or any remarks regarding the test results shall be brought to our attention immediately on the date of issue of the report.
- Liability of workmanship in case of dispute is limited to the invoice raised by the laboratory.
- This report will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/A/01

Report No.: JME/A/220204055

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.75	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	12.27	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo(a)pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

*Sita Ram Yadav*  
Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Rajat Tandon  
Checked by

*Raj Kumar Yadav*  
Raj Kumar Yadav  
Authorized Signatory

## Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.


## Reg. Office &amp; Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

## Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/A/02 Report No.: JME/A/220204056

Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
at Plot No. C- 24 & 25, RIICO Industrial Area,  
Village - Sotanala, Tehsil - Behror,  
District - Alwar, Rajasthan

Format No.: 7.5 F-02  
Party Reference No. Nil  
Reporting Date: 09/02/2022

Sample Description: AMBIENT AIR QUALITY MONITORING Receipt Date: 04/02/2022

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Lokesh Koshik
Sampling Location	Near Ware House
Latitude	27°49'60.8" N
Longitude	76°15'56.6" E
Instrument used	RDS, FPS&BS
Instrument code	JME/RDS/01/37, JME/FPS/01/32& JME/BS/01/02
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	02/02/2022 to 02/02/2022
Time of Monitoring	11:20 to 19:20 Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (°C)	Max 22°C, Min 17°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	36.59	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	71.71	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	20.05	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	9.69	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	18.74	µg/m <sup>3</sup>	180

Page 1 of 2

Sita Ram Yadav  
Tested by

Rajat Yadav  
Checked by

Raj Kumar Yadav  
Authorized Signatory


- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This reports is for your reference only and not to be used for any legal purpose
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



# J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

## TEST REPORT

Sample Number:

JME/SJLPL/A/02

Report No.:

JME/A/220204056

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.73	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	11.86	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo(a)pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Rajat Tandon  
Checked by

*Raj Kumar Yadav*  
Raj Kumar Yadav  
Authorized Signatory

## Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

## Reg. Office &amp; Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

## Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:	JME/SJLPL/A/03	Report No.:	JME/A/220204057
Name & Address of Unit	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No.:	7.5 F-02
		Party Reference No.	Nil
		Reporting Date:	09/02/2022
Sample Description:	AMBIENT AIR QUALITY MONITORING	Receipt Date:	04/02/2022

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Raman Tiwari
Sampling Location	Near ETP
Latitude	27°49'52.3" N
Longitude	76°15'53.6" E
Instrument used	RDS, FPS & BS
Instrument code	JME/RDS/01/07 & JME/FPS/01/06&JME/BS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	03/02/2022 to 03/02/2022
Time of Monitoring	10:50 to 18:50Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (°C)	Max 15°C, Min 13°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	35.52	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	76.49	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	27.34	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	09.81	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	23.19	µg/m <sup>3</sup>	180

Page 1 of 2

Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Rajat Tandon  
Checked by

*Raj Kumar Yadav*  
Raj Kumar Yadav  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.


80

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:

JME/SJLPL/A/03

Report No.:

JME/A/220204057

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.91	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	18.69	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo(a)pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Rajat Tandon

Checked by

*Rajkumar Yadav*  
Rajkumar Yadav  
Authorized Signatory

Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/A/04 Report No.: JME/A/220204058

Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
at Plot No. C- 24 & 25, RIICO Industrial Area,  
Village - Sotanala, Tehsil - Behror,  
District - Alwar, Rajasthan

Format No.: 7.5 F-02  
Party Reference No. Nil

Reporting Date: 09/02/2022

Sample Description: AMBIENT AIR QUALITY MONITORING Receipt Date: 04/02/2022

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Lokesh Koshik
Sampling Location	Near Admin Block
Latitude	27°49'49.9" N
Longitude	76°15'53.4" E
Instrument used	RDS, FPS & BS
Instrument code	JME/RDS/01/37 & JME/FPS/01/32 & JME/BS/01/02
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	03/02/2022 to 03/02/2022
Time of Monitoring	12:30 to 20:30Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (°C)	Max 15°C, Min 13°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	PM2.5	IS: 5182 (P-24), 2019	32.15	µg/m <sup>3</sup>	60
2.	PM10	IS: 5182 (P-23), 2017	65.27	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	17.98	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide	IS: 5182 (P-2), 2017	9.67	µg/m <sup>3</sup>	80
5.	Ozone	IS: 5182 (P-9), 2019	14.45	µg/m <sup>3</sup>	180

Page 1 of 2

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

ENVIROLAB PVT. LTD.  
Authorized Signatory  
Rajat Sita Ram Yadav  
Authorized Signatory

#### Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:

JME/SJLPL/A/04

Report No.:

JME/A/220204058

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
6.	Lead	IS: 5182 (P-22), 2019	BDL (DL 0.02)	µg/m <sup>3</sup>	1
7.	Carbon Mono oxide	IS: 5182 (P-10), 2019	0.72	mg/m <sup>3</sup>	4
8.	Ammonia	Method of Air Sampling & Analysis (3rd edition-1988)	12.26	µg/m <sup>3</sup>	400
9.	Benzene	IS:5182 (P-11), 2017	BDL (DL 1.0)	µg/m <sup>3</sup>	5
10.	Benzo(a)pyrene	IS: 5182 (P-12), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	1
11.	Arsenic	IS: 5182 (P-22), 2019	BDL (DL 0.5)	ng/m <sup>3</sup>	6
12.	Nickel	IS: 5182 (P-26), 2020	BDL (DL 1.0)	ng/m <sup>3</sup>	20

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

Page 2 of 2

Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Rajat Tandon

Checked by

*Rajkumar Yadav*  
Rajkumar Yadav

Authorized Signatory

## Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

## Reg. Office &amp; Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.net](http://www.jmenvirolab.net)

## Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)

Annexure 8

Photographs for Control Measures of Fugitive Dust Emission



Cemented Road at the Plant Site



Covered Storage at the Plant Site



Material Transportation at Plant Site



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/ST/01  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
 at Plot No. C- 24 & 25, RIICO Industrial Area,  
 Village - Sotanala, Tehsil - Behror,  
 District - Alwar, Rajasthan

Report No.: JME/ST/211206021  
 Format No.: 7.50 F-03  
 Party Reference No.: Nil  
 Reporting Date: 10/12/2021

Sample Description: STACK EMISSION MONITORING  
 Receipt Date: 06/12/2021

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Narendra Kumar Yadav (Manager)
Date of Sampling & Time	03/12/2021 (12:45 to 13:45 Hrs)
Sampling Location & Code	Boiler Stack (Capacity 2 TPH)
Sampling duration (Minutes)	60 min.
Stack attached to	Boiler
Diameter of stack	1.0 mtr.
Height of stack	
(i) From the source of emission	--
(ii) From roof level	--
(iii) From Ground level	35.0 mtr.
Operating Schedule (Hrs/day)	As per Requirement
Purpose of Monitoring	Regulatory Requirement
Control measure if any	Bag Filter
Operating condition at the time of Sampling	On Load
Type of fuel used	Briquettes
Meteorological Condition	Cloudy Sky
Instrument code	JME/SMK/01/09
Instrument calibration status	Calibrated
Ambient Temperature - Ta (°C)	21.0
Temperature of Stack Gases - Ts (°C)	93.0
Velocity of Stack Gases (m/sec.)	8.07
Flow rate of PM (LPM)	27.0
Flow rate of Gas (LPM)	2.0
Volumetric Flow (NM3/Hr.)	17505
Sampling condition	Isokinetic
Sampling & Analysis Protocol	IS-11255 & CPCB Guidelines
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit as Per CTO
1.	Particulate Matter	IS : 11255 (Part-1), 2019	259.82	mg/Nm3	1200
2.	Sulphur Dioxide	IS - 11255 (Part - 2) 2019	87.13	mg/Nm3	600
3.	Oxides of Nitrogen	IS : 11255 (Part-7), 2017	49.35	mg/Nm3	300

\*\*End of Report\*\*

*Sita Yadav*  
 Sita Yadav  
 Tested by

*Rajat Tandon*  
 Rajat Tandon  
 Checked by

*Rajkumar Yadav*  
 Rajkumar Yadav  
 Authorized Signatory

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)





25 years of success

**J.M. ENVIROLAB PVT. LTD.**

CIN No. U74220HR2011PTC085756



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

**TEST REPORT**

Sample Number: **JME/SJLPL/ST/02** Report No.: **JME/ST/211206022**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-03**  
**Bulk Drugs Manufacturing** Party Reference No.: **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**  
 Sample Description: **STACK EMISSION MONITORING** Receipt Date: **06/12/2021**

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Narendra Kumar Yadav (Manager)**  
 Date of Sampling & Time **03/12/2021 (14:40 to 15:40 Hrs)**  
 Sampling Location & Code **750 KVA DG Set**  
 Sampling duration (Minutes) **60 min.**  
 Stack attached to **DG Set**  
 Diameter of stack **0.25 mtr.**  
 Height of stack  
 (i) From the source of emission **13.0 mtr. (height of port hole from ground level)**  
 (ii) From roof level **--**  
 (iii) From Ground level **21.0 mtr.**  
 Operating Schedule (Hrs/day) **As per Requirement**  
 Purpose of Monitoring **Regulatory Requirement**  
 Control measure if any **--**  
 Operating condition at the time of Sampling **On Load**  
 Type of fuel used **HSD**  
 Meteorological Condition **Cloudy Sky**  
 Instrument code **JME/SMK/01/09**  
 Instrument calibration status **Calibrated**  
 Ambient Temperature - Ta (°C) **21.0**  
 Temperature of Stack Gases - Ts (°C) **188.0**  
 Velocity of Stack Gases (m/sec.) **10.86**  
 Flow rate of PM (LPM) **29.0**  
 Flow rate of Gas (LPM) **2.0**  
 Volumetric Flow (NM3/Hr.) **1207**  
 Sampling condition **Isokinetic**  
 Sampling & Analysis Protocol **IS-11255 & CPCB Guidelines**  
 Parameter Required **As per work order**

**TEST RESULTS**

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter	IS : 11255 (Part-1), 2019	0.10	g/KW-hr	0.2
2.	Oxides of Nitrogen	IS : 11255 (Part-7), 2017	0.71	g/KW-hr	4.0
3.	Methane	IS : 11255 (Part-13), 2019	0.22	g/KW-hr	
4.	Carbon mono oxide	IS : 13270, 2019	0.43	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

\*\*End of Report\*\*

**Sita Ram Yadav**  
 Tested by

**Rajat Tandon**  
 Checked by

**Raikumar Yadav**  
 Authorized Signatory

## Note

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

**Reg. Office & Lab.**

424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

**Corporate Office**

Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)



# J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number **JME/SJLPL/ST/03** Report No.: **JME/ST/211206023**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No. **7.50 F-03**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**


Sample Description: **STACK EMISSION MONITORING** Receipt Date **06/12/2021**

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Narendra Kumar Yadav (Manager)
Date of Sampling & Time	03/12/2021 (16:30 to 17:30 Hrs)
Sampling Location & Code	500 KVA DG Set
Sampling duration (Minutes)	60 min.
Stack attached to	DG Set
Diameter of stack	0.25 mtr.
Height of stack	
(i) From the source of emission	13.0 mtr. (height of port hole from ground level)
(ii) From roof level	--
(iii) From Ground level	21.0 mtr.
Operating Schedule (Hrs/day)	As per Requirement
Purpose of Monitoring	Regulatory Requirement
Control measure if any	--
Operating condition at the time of Sampling	On Load
Type of fuel used	HSD
Meteorological Condition	Cloudy Sky
Instrument code	JME/SMK/01/09
Instrument calibration status	Calibrated
Ambient Temperature - Ta (°C)	21.0
Temperature of Stack Gases - Ts (°C)	182.0
Velocity of Stack Gases (m/sec.)	11.71
Flow rate of PM (LPM)	32.0
Flow rate of Gas (LPM)	2.0
Volumetric Flow (NM3/Hr.)	1309
Sampling condition	Isokinetic
Sampling & Analysis Protocol	IS-11255 & CPCB Guidelines
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter	IS : 11255 (Part-1), 2019	0.11	g/KW-hr	0.2
2.	Oxides of Nitrogen	IS : 11255 (Part-7), 2017	0.52	g/KW-hr	4.0
3.	Methane	IS : 11255 (Part-13), 2019	0.19	g/KW-hr	
4.	Carbon mono oxide	IS : 13270, 2019	0.33	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

  
Sita Ram Yadav  
Tested by

\*\*End of Report\*\*  
  
Rajat Jandon  
Checked by

  
Rajkumar Yadav  
Authorized Signatory

#### Note

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



# J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



## TEST REPORT

Sample Number: JME/SJLPL/ST/01  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
 at Plot No. C- 24 & 25, RIICO Industrial Area,  
 Village - Sotanala, Tehsil - Behror,  
 District - Alwar, Rajasthan

Report No.: JME/ST/220204031  
 Format No.: 7.50 F-03  
 Party Reference No.: Nil  
 Reporting Date: 08/02/2022

Sample Description: STACK EMISSION MONITORING  
 Receipt Date: 04/02/2022

Client Representative (Name & Designation) Mr. Amit Yadav (E.H.S.)  
 Sample collected by Mr. Raman Tiwari  
 Date of Sampling & Time 02/02/2022 (10:25 to 11:25 Hrs)  
 Sampling Location & Code Boiler Stack (Capacity 2 TPH)  
 Sampling duration (Minutes) 60 min.  
 Stack attached to Boiler  
 Diameter of stack 1.0 mtr.  
 Height of stack  
 (i) From the source of emission --  
 (ii) From roof level --  
 (iii) From Ground level 35.0 mtr.  
 Operating Schedule (Hrs/day) As per Requirement  
 Purpose of Monitoring Regulatory Requirement  
 Control measure if any Bag Filter  
 Operating condition at the time of Sampling On Load  
 Type of fuel used Briquettes  
 Meteorological Condition Clear Sky  
 Instrument code JME/SMK/01/09  
 Instrument calibration status Calibrated  
 Ambient Temperature - Ta (°C) 21.0  
 Temperature of Stack Gases - Ts (°C) 99.0  
 Velocity of Stack Gases (m/sec.) 8.13  
 Flow rate of PM (LPM) 27.0  
 Flow rate of Gas (LPM) 2.0  
 Volumetric Flow (NM3/Hr.) 17921  
 Sampling condition Isokinetic  
 Sampling & Analysis Protocol IS-11255 & CPCB Guidelines  
 Parameter Required As per work order

### TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit as Per CTO
1.	Particulate Matter	IS : 11255 (Part-1), 2019	261.24	mg/Nm3	1200
2.	Sulphur Dioxide	IS - 11255 (Part - 2) 2019	87.45	mg/Nm3	600
3.	Oxides of Nitrogen	IS : 11255 (Part-7), 2017	49.52	mg/Nm3	300

\*\*End of Report\*\*

Sita Ram Yadav  
 Tested by

Rajat Tandon  
 Checked by

Rajkumar Yadav  
 Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)



## TEST REPORT

Sample Number: **JME/SJLPL/ST/02** Report No.: **JME/ST/220204032**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-03**  
**Bulk Drugs Manufacturing** Party Reference No.: **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **08/02/2022**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** Receipt Date: **04/02/2022**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**

Sample Description: **STACK EMISSION MONITORING**

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Raman Tiwari**  
 Date of Sampling & Time **02/02/2022 (12:30 to 13:30 Hrs)**  
 Sampling Location & Code **750 KVA DG Set**  
 Sampling duration (Minutes) **60 min.**  
 Stack attached to **DG Set**  
 Diameter of stack **0.25 mtr.**  
 Height of stack  
 (i) From the source of emission **13.0 mtr. (height of port hole from ground level)**  
 (ii) From roof level **--**  
 (iii) From Ground level **21.0 mtr.**  
 Operating Schedule (Hrs/day) **As per Requirement**  
 Purpose of Monitoring **Regulatory Requirement**  
 Control measure if any **--**  
 Operating condition at the time of Sampling **On Load**  
 Type of fuel used **HSD**  
 Meteorological Condition **Clear Sky**  
 Instrument code **JME/SMK/01/09**  
 Instrument calibration status **Calibrated**  
 Ambient Temperature - Ta (°C) **22.0**  
 Temperature of Stack Gases - Ts (°C) **202.0**  
 Velocity of Stack Gases (m/sec.) **10.95**  
 Flow rate of PM (LPM) **11.0**  
 Flow rate of Gas (LPM) **2.2**  
 Volumetric Flow (NM<sup>3</sup>/Hr.) **1167**  
 Sampling condition **Isokinetic**  
 Sampling & Analysis Protocol **IS-11255 & CPCB Guidelines**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter	IS : 11255 (Part-1), 2019	0.11	g/KW-hr	0.2
2.	Oxides of Nitrogen	IS : 11255 (Part-7), 2017	0.72	g/KW-hr	4.0
3.	Methane	IS : 11255 (Part-13), 2019	0.23	g/KW-hr	
4.	Carbon mono oxide	IS : 13270, 2019	0.44	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

*Rajat Tandon*  
Checked by

*Rakumar Yadav*  
Authorized Signatory

- Note
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduced except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvironet@hotmail.com](mailto:jmenvironet@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number	JME/SJLPL/ST/03	Report No.:	JME/ST/220204033
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No.	7.50 F-03
Sample Description:	STACK EMISSION MONITORING	Party Reference No.	Nil
		Reporting Date	08/02/2022
		Receipt Date	04/02/2022

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Raman Tiwari
Date of Sampling & Time	02/02/2022 (15:00 to 16:00 Hrs)
Sampling Location & Code	500 KVA DG Set
Sampling duration (Minutes)	60 min.
Stack attached to	DG Set
Diameter of stack	0.25 mtr.
Height of stack	
(i) From the source of emission	13.0 mtr. (height of port hole from ground level)
(ii) From roof level	--
(iii) From Ground level	21.0 mtr.
Operating Schedule (Hrs/day)	As per Requirement
Purpose of Monitoring	Regulatory Requirement
Control measure if any	--
Operating condition at the time of Sampling	On Load
Type of fuel used	HSD
Meteorological Condition	Clear Sky
Instrument code	JME/SMK/01/09
Instrument calibration status	Calibrated
Ambient Temperature - Ta (°C)	19.0
Temperature of Stack Gases - Ts (°C)	195.0
Velocity of Stack Gases (m/sec.)	11.12
Flow rate of PM (LPM)	11.0
Flow rate of Gas (LPM)	2.8
Volumetric Flow (NM <sup>3</sup> /Hr.)	1217
Sampling condition	Isokinetic
Sampling & Analysis Protocol	IS-11255 & CPCB Guidelines
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter	IS : 11255 (Part-1), 2019	0.12	g/KW-hr	0.2
2.	Oxides of Nitrogen	IS : 11255 (Part-7), 2017	0.53	g/KW-hr	4.0
3.	Methane	IS : 11255 (Part-13), 2019	0.20	g/KW-hr	
4.	Carbon mono oxide	IS : 13270, 2019	0.34	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:	JME/SJLPL/WW/01	Report No.:	JME/WW/211206001
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No.:	7.5 F-01
Sample Description:	WASTE WATER	Party Reference:	Nil
Sample Location:	ETP Outlet	Reporting Date:	11/12/2021
Client Representative (Name & Designation):	Mr. Amit Yadav (E.H.S.)	Receipt Date:	06/12/2021
Sample collected by (Name & Designation):	Mr. Narendra Kumar Yadav (Asst. Manager)	Sampling Date:	04/12/2021
Latitude :	27°49'60.2" N	Sampling Type:	Grab
Longitude :	76°15'50.2" E	Preservation:	Refrigerated
Protocol Used :	IS 3025, APHA 23 <sup>rd</sup> Edition 2017	Sample Quantity:	2.0 litre
		Parameter Required:	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	Limit as per CTO
1.	pH (at 25°C)	IS 3025 : Part -11: 2017	6.98	-	6.0 to 8.5
2.	COD	IS 3025 : Part - 58: 2017	24.0	mg/l	250
3.	BOD (3 Days at 27°C)	IS 3025 : Part - 44: 2019	6.4	mg/l	30
4.	Total Suspended Solids	IS 3025 : Part -17: 2017	7.5	mg/l	100
5.	Oil and Grease	IS 3025 : Part - 39 : 2019	BDL (DL 0.40)	mg/l	10
6.	Ammonical Nitrogen as N	IS 3025 : Part - 34: 2019	BDL (DL 1.0)	mg/l	75
7.	Cyanide (as CN)	IS:3025 (Part-27): 2019	BDL (DL 0.02)	mg/l	0.1
8.	Arsenic as as	IS:3025 (Part-37): 2019	BDL (DL 0.005)	mg/l	0.2
9.	Mercury as Hg	IS 3025 (Part 48): 2019	BDL (DL 0.001)	mg/l	0.01
10.	Lead (as Pb)	IS 3025 (Part 47): 2019	BDL (DL 0.008)	mg/l	0.1
11.	Hexa Chromium as Cr <sup>+6</sup>	IS:3025 (Part-52): 2019	BDL (DL 0.03)	mg/l	0.1
12.	Chromium as Cr	IS 3025 (Part 52): 2019	BDL (DL 0.002)	mg/l	2.0
13.	Copper (Cu)	IS 3025 (Part 42): 2019	BDL (DL 0.02)	mg/l	3.0
14.	Zinc (as Zn)	IS 3025 (Part 49): 2019	BDL (DL 0.1)	mg/l	5.0
15.	Sulphide	IS 3025 (Part 29): 2019	BDL (DL 0.1)	mg/l	2.0
16.	Phenolic compounds	IS:3025 (Part-43): 2019	BDL (DL 0.001)	mg/l	1.0
17.	Phosphate as PO <sub>4</sub>	IS:3025 (Part-31): 2019	BDL (DL 0.2)	mg/l	5.0

Note: BDL- Below Detection Limit, DL- Detection Limit

\*\*End of Report\*\*

Abhishek Tiwari  
Tested by

Rajat Pandey  
Checked by

Authorized Signatory  
Rajendra Yadav


- Note:
1. This test report is for the use of the client and test results pertain to the tested sample received.
  2. This report is not to be used for any other purpose.
  3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge immediately after the receipt of the report.
  4. Total of 10% of the sample is retained for the purpose of re-testing by the laboratory.
  5. The client will be notified after 7 days of the receipt of the report unless otherwise specified specially.
  6. This report is for the product tested by the laboratory. It is not to be used for any other purpose.
  7. Report shall not be produced except in full without approval of the laboratory.
  8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



# J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:	JME/SJLPL/WW/01	Report No.:	JME/WW/211206001/N
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No.:	7.5 F-01
Sample Description:	WASTE WATER	Party Reference:	Nil
Sample Location:	ETP Outlet	Reporting Date:	11/12/2021
Client Representative (Name & Designation):	Mr. Amit Yadav (E.H.S.)	Receipt Date:	06/12/2021
Sample collected by (Name & Designation):	JMELPL Team	Sampling Date:	04/12/2021
Latitude :	27°49'60.2" N	Sampling Type:	Grab
Longitude :	76°15'50.2" E	Preservation:	Refrigerated
Protocol Used :	IS 3025, APHA 23 <sup>rd</sup> Edition 2017	Sample Quantity:	2.0 litre
		Parameter Required:	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	Limit as per CTO
1.	Bioassay test	APHA 23rd Edition, 8910C	90% survival after 96 hours with 100% effluent	%	90% survival after 96 hours with fish at 100% effluent

\*\*End of Report\*\*

Abhishek  
Abhishek Tiwari  
Tested by

Rajat Tandon  
Checked by

Authorized Signatory  
Rajkumar Yadav


- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduced except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:	JME/SJLPL/WW/01	Report No.:	JME/WW/220204001
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No. :	7.5 F-01
Sample Description:	WASTE WATER	Party Reference:	Nil
Sample Location:	ETP Outlet	Reporting Date:	09/02/2022
Client Representative (Name & Designation):	Mr. Amit Yadav (E.H.S.)	Receipt Date:	04/02/2022
Sample collected by (Name & Designation):	Mr. Raman Tiwari	Sampling Date:	03/02/2022
Latitude :	27°49'60.2" N	Sampling Type:	Grab
Longitude :	76°15'50.2" E	Preservation:	Refrigerated
Protocol Used :	IS 3025, APHA 23 <sup>rd</sup> Edition 2017	Sample Quantity:	2.0 litre
		Parameter Required:	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	Limit as per CTO
1.	pH (at 25°C)	IS 3025 : Part -11: 2017	7.10	-	6.0 to 8.5
2.	COD	IS 3025 : Part - 58: 2017	18.0	mg/l	250
3.	BOD (3 Days at 27°C)	IS 3025 : Part - 44: 2019	4.8	mg/l	30
4.	Total Suspended Solids	IS 3025 : Part -17: 2017	10.2	mg/l	100
5.	Oil and Grease	IS 3025 : Part - 39 : 2019	BDL (DL 0.40)	mg/l	10
6.	Ammonical Nitrogen as N	IS 3025 : Part - 34: 2019	BDL (DL 1.0)	mg/l	75
7.	Cyanide (as CN)	IS:3025 (Part-27): 2019	BDL (DL 0.02)	mg/l	0.1
8.	Arsenic as as	IS:3025 (Part-37): 2019	BDL (DL 0.005)	mg/l	0.2
9.	Mercury as Hg	IS 3025 (Part 48): 2019	BDL (DL 0.001)	mg/l	0.01
10.	Lead (as Pb)	IS 3025 (Part 47): 2019	BDL (DL 0.008)	mg/l	0.1
11.	Hexa Chromium as Cr <sup>+6</sup>	IS:3025 (Part-52): 2019	BDL (DL 0.03)	mg/l	0.1
12.	Chromium as Cr	IS 3025 (Part 52): 2019	BDL (DL 0.002)	mg/l	2.0
13.	Copper (Cu)	IS 3025 (Part 42): 2019	BDL (DL 0.02)	mg/l	3.0
14.	Zinc (as Zn)	IS 3025 (Part 49): 2019	BDL (DL 0.1)	mg/l	5.0
15.	Sulphide	IS 3025 (Part 29): 2019	BDL (DL 0.1)	mg/l	2.0
16.	Phenolic compounds	IS:3025 (Part-43): 2019	BDL (DL 0.001)	mg/l	1.0
17.	Phosphate as PO <sub>4</sub>	IS:3025 (Part-31): 2019	BDL (DL 0.2)	mg/l	5.0

Note: BDL- Below Detection Limit, DL- Detection Limit

\*\*End of Report\*\*

*Abhishek Tiwari*  
Abhishek Tiwari  
Tested by

*Rajat Tandon*  
Rajat Tandon  
Checked by

*Rajkumar Yadav*  
Rajkumar Yadav  
Authorized Signatory

- Note
- This test report has been at your request and test results pertain to the tested sample received.
  - This reports is for your reference only and not to be used for any legal purpose
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:	JME/SJLPL/WW/01	Report No.:	JME/WW/220204001/N
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No. :	7.5 F-01
Sample Description:	WASTE WATER	Party Reference:	Nil
Sample Location:	ETP Outlet	Reporting Date:	09/02/2022
Client Representative (Name & Designation):	Mr. Amit Yadav (E.H.S.)	Receipt Date:	04/02/2022
Sample collected by (Name & Designation):	Mr. Raman Tiwari	Sampling Date:	03/02/2022
Latitude :	27°49'60.2" N	Sampling Type:	Grab
Longitude :	76°15'50.2" E	Preservation:	Refrigerated
Protocol Used :	IS 3025, APHA 23 <sup>rd</sup> Edition 2017	Sample Quantity:	2.0 litre
		Parameter Required:	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	Limit as per CTO
1.	Bioassay test	APHA 23rd Edition, 8910C	90% survival after 96 hours with 100% effluent	%	90% survival after 96 hours with fish at 100% effluent

\*\*End of Report\*\*

*Abhishek Tiwari*  
Abhishek Tiwari  
Tested by

*Rajat Tandon*  
Rajat Tandon  
Checked by

*Rajkumar Yadav*  
Rajkumar Yadav  
Authorized Signatory

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

## Undertaking

I, N. Srinivasa Rao Site Head Operations of Shree Jee Laboratory Pvt. Ltd. give this undertaking to the effect that condition laid down in Statutory Compliance no. III (iv) Environmental Clearance issued by MoEF&CC, New Delhi vide letter **F1 (4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.5(F)B2(18048)/2019-20** dated **5th June, 2020** for **Bulk Drugs Manufacturing [API (142 TPA) and Steroid (8 TPA)]** Plant at Plot No. C-24 &25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan. Total fresh water requirement from RIICO Industrial Area & Borewellwater supply will not exceed 50 KLD & we will comply with all the terms and conditioned specified by MoEF&CC, SPCB & CPCB.

Date: 08/11/2021

Place: Sotanala

For & behalf of M/s Shree Jee Laboratory Pvt. Ltd.

For Shree Jee Laboratory Pvt. Ltd.

*N. Srinivasa Rao*  
Authorized Signatory

N. Srinivasa Rao

Site Head (Operations)

**RIICO**  
The Industrial Catalyst

Rajasthan State Industrial Development & Investment  
Corporation Ltd., Neemrana Distt. Alwar.  
Tel. No. 01494-246215-Fax-01494-246214  
Email : [neemrana@riico.co.in](mailto:neemrana@riico.co.in)

No. .... *RJA/148* .....

Date. .... *13-11-2014* .....

## OFFICE ORDER

Sanction is hereby accorded for immediate release of water connection of size  
*25mm* ..... on the premises of Plot No. *C-25* ..... of industrial area,  
*(Sota Nala)*  
EPIP Neemrana allotted to M/s *Shree Jee Laboratory (P) Ltd C-25* ..... the applicant  
has deposited initial payment as per the details below..

- |  |                             |
|--|-----------------------------|
| 1. Security money of water connection    | Rs. <i>1140/-</i>           |
| 2. Connection fee/Reconnection fee       | Rs. <i>385/-</i>            |
| 3. Road Cutting Charges                  | <i>m/1</i> Rs. <i>200/-</i> |
| 4. Water Connection Application Form fee | Rs. <i>100/-</i>            |


Receipt No. *17/6/147*

Dated *13-11-2014*

Asstt. Regional Manager

Copy to :-

1. M/s *Shree Jee Laboratory (P) Ltd C-25*
2. Fitter ..... *JIA Sota Nala*

  
Asstt. Regional Manager  
RIICO Ltd.  
EPIP Neemrana



भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन, नदी विकास  
और गंगा संरक्षण विभाग  
केन्द्रीय भूमि जल प्राधिकरण  
Government of India  
Ministry of Jal Shakti  
Department of Water Resources,  
River Development & Ganga Rejuvenation  
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

**NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION**

Project Name:	Shree Jee Laboratory Private Limited		
Project Address:	C - 24, 25, Riico Industrial Area, Sotanala, Distt. Alwar		
Village:	Neemrana (ct)	Block:	Nimrana
District:	Alwar	State:	Rajasthan
Pin Code:			
Communication Address:	C- 24, 25, Riico Industrial Area, Sotanala, , Alwar, Rajasthan - 301701		
Address of CGWB Regional Office :	Central Ground Water Board Western Region, 6-a, Jhalana Doongri, Jaipur, Rajasthan - 302004		

1. <b>NOC No.:</b>	CGWA/NOC/IND/ORIG/2021/10667											
2. Application No.:	21-4/2682/RJ/IND/2017	3. Category: (GWRE 2017)	Over Exploited									
4. Project Status:	Existing Project		5. NOC Type:	New								
6. <b>Valid from:</b>	27/01/2021	7. <b>Valid up to:</b>	26/01/2023									
8. Ground Water Abstraction Permitted:												
	Fresh Water		Saline Water		Dewatering		Total					
	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day	m <sup>3</sup> /year				
	32.32	9696.00										
9. Details of ground water abstraction /Dewatering structures												
	<b>Total Existing No.:0</b>						<b>Total Proposed No.:1</b>					
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	0	0	0	0	0	0	0	1	0	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps												
10. Ground Water Abstraction/Restoration Charges paid (Rs.):							116352.00					
11. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers						Monitoring Mechanism					
							Manual	DWLR**	DWLR With Telemetry			
**DWLR - Digital Water Level Recorder	1						1	0	0			

**(Compliance Conditions given overleaf)**

This is an auto generated document &amp; need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये  
SAVE WATER - SAVE LIFE

**Validity of this NOC shall be subject to compliance of the following conditions:**

**Mandatory conditions:**

- 1) Installation of digital water flow meter (conforming to BIS/ IS standards) having telemetry system in the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate through the web-portal.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines . Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) The firm shall submit the water audit report in case of water requirement is in excess of 100 m3/day through certified auditors within three months of completion of the same to CGWA.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

**General conditions:**


- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.

**(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)**

**Annexure 12**

**Photographs showing dyke wall to avoid mixing of spillage with domestic drain**





25 years of success

# J. M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

## TEST REPORT

Sample Number: **JME/SJPL/PS/01** Report No.: **JME/PS/211206024**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.**  
**Bulk Drugs Manufacturing**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan** Format No.: **7.50 F-04**  
 Party Reference No. **Nil**  
 Reporting Date **10/12/2021**

Sample Description: **POINT SOURCE NOISE** Receipt Date **06/12/2021**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**

Sample collected by **Mr. Rohit Choudhary (Field Assistant)**

Sampling Location **DG Set 500 KVA**

Latitude **27°49'50.2" N**

Longitude **76°15'53.5" E**

Date of Monitoring **03/12/2021**

Time of Monitoring **15:35 to 16:35 Hrs**

Instrument used **Sound Level Meter**

Instrument code **JME/SLM/01/15**

Instrument calibration status **Calibrated**

Meteorological condition during monitoring **Cloudy Sky**

Ambient Temperature (°C) **21.0**

Surrounding activity **DG Set Operation**

Purpose of Monitoring **Regulatory Requirement**

Control measure if Any **--**

Sampling & Analysis Protocol **CPCB Guidelines & IS-4758**

Sampling Duration **30 minutes**

Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758, 2019	97.9	dB(A)
2.	Leq (Outside the room)	IS: 4758, 2019	72.5	dB(A)
3.	Insertion Loss	--	25.4	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

\*\*Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

\*\*\*End of Report\*\*\*

Sita Ram Yadav

Tested by

Rajat Tandon

Checked by

Rakumar Yadav

Authorized Signatory

#### Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJPL/PS/02** Report No.: **JME/PS/211206025**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-04**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**  
 Sample Description: **POINT SOURCE NOISE** Receipt Date **06/12/2021**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Rohit Choudhary (Field Assistant)**  
 Sampling Location **DG Set 750 KVA**  
 Latitude **27°49'50.2" N**  
 Longitude **76°15'53.5" E**  
 Date of Monitoring **03/12/2021**  
 Time of Monitoring **14:45 to 15:45 Hrs**  
 Instrument used **Sound Level Meter**  
 Instrument code **JME/SLM/01/15**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Cloudy Sky**  
 Ambient Temperature (°C) **21.0**  
 Surrounding activity **DG Set Operation**  
 Purpose of Monitoring **Regulatory Requirement**  
 Control measure if Any **--**  
 Sampling & Analysis Protocol **CPCB Guidelines & IS-4758**  
 Sampling Duration **30 minutes**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758, 2019	98.2	dB(A)
2.	Leq (Outside the room)	IS: 4758, 2019	72.6	dB(A)
3.	Insertion Loss	--	25.6	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

\*\*Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

\*\*\*End of Report\*\*\*

**Sita Ram Yadav**  
 Tested by

**Rajat Tandon**  
 Checked by

**Rajkumar Yadav**  
 Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.


#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJPL/PS/01 Report No.: JME/PS/220204024

Name & Address of Unit M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
at Plot No. C- 24 & 25, RIICO Industrial Area,  
Village - Sotanala, Tehsil - Behror,  
District - Alwar, Rajasthan

Format No.: 7.50 F-04  
Party Reference No. Nil  
Reporting Date 08/02/2022

Sample Description: POINT SOURCE NOISE Receipt Date 04/02/2022

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Rohit Choudhary (Field Assistant)
Sampling Location	DG Set 500 KVA
Latitude	27°49'50.2" N
Longitude	76°15'53.5" E
Date of Monitoring	02/02/2022
Time of Monitoring	11:20 to 12:20 Hrs
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	21.0
Surrounding activity	DG Set Operation
Purpose of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-4758
Sampling Duration	30 minutes
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758, 2019	98.1	dB(A)
2.	Leq (Outside the room)	IS: 4758, 2019	72.6	dB(A)
3.	Insertion Loss	--	25.5	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

\*\*Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

\*\*\*End of Report\*\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJPL/PS/02** Report No.: **JME/PS/220204025**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-04**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date **08/02/2022**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,**  
**Village - Sotanala, Tehsil - Behror,**  
**District - Alwar, Rajasthan**  
 Sample Description: **POINT SOURCE NOISE** Receipt Date **04/02/2022**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Rohit Choudhary (Field Assistant)**  
 Sampling Location **DG Set 750 KVA**  
 Latitude **27°49'50.2" N**  
 Longitude **76°15'53.5" E**  
 Date of Monitoring **02/02/2022**  
 Time of Monitoring **13:40 to 14:40 Hrs**  
 Instrument used **Sound Level Meter**  
 Instrument code **JME/SLM/01/15**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Clear Sky**  
 Ambient Temperature (°C) **21.0**  
 Surrounding activity **DG Set Operation**  
 Purpose of Monitoring **Regulatory Requirement**  
 Control measure if Any **--**  
 Sampling & Analysis Protocol **CPCB Guidelines & IS-4758**  
 Sampling Duration **30 minutes**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758, 2019	98.7	dB(A)
2.	Leq (Outside the room)	IS: 4758, 2019	72.9	dB(A)
3.	Insertion Loss	--	25.8	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

\*\*Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

\*\*\*End of Report\*\*\*

Sita Ram Yadav

Tested by

Rajat Tandon

Checked by

Rajkumar Yadav

Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/AN/01 Report No.: JME/AN/211206011

Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
at Plot No. C- 24 & 25, RIICO Industrial Area,  
Village - Sotanala, Tehsil - Behror,  
District - Alwar, Rajasthan

Format No.: 7.5 F-04

Party Ref. No.: Nil

Reporting Date: 10/12/2021

Sample Description: AMBIENT NOISE LEVEL MONITORING

Receipt Date: 06/12/2021

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Moolchand Yadav (Asst. Manager)
Sampling Location	Near Plant Site
Latitude	27°49'52.3" N
Longitude	69°15'53.6" E
Date of Monitoring	03/12/2021 to 04/12/2021
Time of Monitoring	06:00 hrs. to 06:00 hrs.
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/16
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Cloudy Sky
Ambient Temperature (°C)	Max 20°C, Min 15°C
Surrounding activity	Human and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-9989
Actual duration of Monitoring	24 Hrs
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	58.8	50.0	dB(A)
2.	Lmin	IS-9989:2014	45.3	36.6	dB(A)
3.	Leq	IS-9989:2014	54.0	39.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/AN/02  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
 at Plot No. C- 24 & 25, RIICO Industrial Area,  
 Village - Sotanala, Tehsil - Behror,  
 District - Alwar, Rajasthan  
 Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/211206012  
 Format No.: 7.5 F-04  
 Party Ref. No.: Nil  
 Reporting Date: 10/12/2021  
 Receipt Date: 06/12/2021

### General Information

Client Representative (Name & Designation) Mr. Amit Yadav (E.H.S.)  
 Sample collected by Mr. Narendra Yadav (Asst. Manager)  
 Sampling Location Near Ware House  
 Latitude 27°49'50.68" N  
 Longitude 69°15'51.79" E  
 Date of Monitoring 04/12/2021 to 05/12/2021  
 Time of Monitoring 06:00 hrs. to 06:00 hrs.  
 Instrument used Sound Level Meter  
 Instrument code JME/SLM/01/15  
 Instrument calibration status Calibrated  
 Meteorological condition during monitoring Cloudy Sky  
 Ambient Temperature (°C) Max 21°C, Min 15°C  
 Surrounding activity Vehicular Activities  
 Scope of Monitoring Regulatory Requirement  
 Control measure if any --  
 Sampling & Analysis Protocol CPCB Guidelines & IS-9989  
 Actual duration of Monitoring 24 Hrs  
 Parameter Required As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	70.8	61.5	dB(A)
2.	Lmin	IS-9989:2014	48.7	48.0	dB(A)
3.	Leq	IS-9989:2014	61.4	58.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav

Tested by

Rajat Tandon

Checked by

Rajkumar Yadav  
Authorized Signatory


- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This reports is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/AN/03** Report No.: **JME/AN/211206013**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-04**  
**Bulk Drugs Manufacturing** Party Ref. No.: **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** District - **Alwar, Rajasthan** Receipt Date: **06/12/2021**  
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Moolchand Yadav (Asst. Manager)**  
 Sampling Location **Near ETP**  
 Latitude **27°49'50.81" N**  
 Longitude **69°15'50.57" E**  
 Date of Monitoring **04/12/2021 to 05/12/2021**  
 Time of Monitoring **06:00 hrs. to 06:00 hrs.**  
 Instrument used **Sound Level Meter**  
 Instrument code **JME/SLM/01/10**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Cloudy Sky**  
 Ambient Temperature (°C) **Max 21°C, Min 15°C**  
 Surrounding activity **ETP Plant Operation & Vehicular Activities**  
 Scope of Monitoring **Regulatory Requirement**  
 Control measure if any **--**  
 Sampling & Analysis Protocol **CPCB Guidelines & IS-9989**  
 Actual duration of Monitoring **24 Hrs**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	66.4	59.8	dB(A)
2.	Lmin	IS-9989:2014	54.5	50.5	dB(A)
3.	Leq	IS-9989:2014	61.7	57.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Jandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: **JME/SJLPL/AN/04** Report No.: **JME/AN/211206014**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-04**  
**Bulk Drugs Manufacturing** Party Ref. No.: **Nil**  
**150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant** Reporting Date: **10/12/2021**  
**at Plot No. C- 24 & 25, RIICO Industrial Area,** District - **Alwar, Rajasthan** Receipt Date: **06/12/2021**  
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

### General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (E.H.S.)**  
 Sample collected by **Mr. Narendra Lal Yadav (Manager)**  
 Sampling Location **Near Admin Block**  
 Latitude **27°49'50.59" N**  
 Longitude **69°15'49.48" E**  
 Date of Monitoring **03/12/2021 to 04/12/2021**  
 Time of Monitoring **06:00 hrs. to 06:00 hrs.**  
 Instrument used **Sound Level Meter**  
 Instrument code **JME/SLM/01/06**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Cloudy Sky**  
 Ambient Temperature (°C) **Max 21°C, Min 15°C**  
 Surrounding activity **Plant Operation & Vehicular Activities**  
 Scope of Monitoring **Regulatory Requirement**  
 Control measure if any **--**  
 Sampling & Analysis Protocol **CPCB Guidelines & IS-9989**  
 Actual duration of Monitoring **24 Hrs**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	63.8	56.2	dB(A)
2.	Lmin	IS-9989:2014	43.6	37.3	dB(A)
3.	Leq	IS-9989:2014	56.0	44.7	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

#### Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number:	JME/SJLPL/AN/01	Report No.:	JME/AN/220204031
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan	Format No.:	7.5 F-04
Sample Description:	AMBIENT NOISE LEVEL MONITORING	Party Ref. No.:	Nil
		Reporting Date:	08/02/2022
		Receipt Date:	04/02/2022

### General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (E.H.S.)
Sample collected by	Mr. Raman Tiwari
Sampling Location	Near Plant Site
Latitude	27°49'52.3" N
Longitude	69°15'53.6" E
Date of Monitoring	02/02/2022 to 03/02/2022
Time of Monitoring	06:00 hrs. to 06:00 hrs.
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/10
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 22°C, Min 10°C
Surrounding activity	Human and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring	24 Hrs
Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	59.4	50.5	dB(A)
2.	Lmin	IS-9989:2014	45.6	36.9	dB(A)
3.	Leq	IS-9989:2014	54.4	39.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav

Tested by

*Rajat Tandon*  
Rajat Tandon

Checked by

*Raj Kumar Yadav*  
Raj Kumar Yadav  
Authorized Signatory

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
  - This report is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduced except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/AN/02 Report No.: JME/AN/220204032  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
 at Plot No. C- 24 & 25, RIICO Industrial Area,  
 Village - Sotanala, Tehsil - Behror,  
 District - Alwar, Rajasthan  
 Sample Description: AMBIENT NOISE LEVEL MONITORING  
 Format No.: 7.5 F-04  
 Party Ref. No.: Nil  
 Reporting Date: 08/02/2022  
 Receipt Date: 04/02/2022

### General Information

Client Representative (Name & Designation) Mr. Amit Yadav (E.H.S.)  
 Sample collected by Mr. Narendra Yadav (Asst. Manager)  
 Sampling Location Near Ware House  
 Latitude 27°49'50.68" N  
 Longitude 69°15'51.79" E  
 Date of Monitoring 03/02/2022 to 04/02/2022  
 Time of Monitoring 06:00 hrs. to 06:00 hrs.  
 Instrument used Sound Level Meter  
 Instrument code JME/SLM/01/10  
 Instrument calibration status Calibrated  
 Meteorological condition during monitoring Clear Sky  
 Ambient Temperature (°C) Max 15°C, Min 11°C  
 Surrounding activity Vehicular Activities  
 Scope of Monitoring Regulatory Requirement  
 Control measure if any --  
 Sampling & Analysis Protocol IS-9989  
 Actual duration of Monitoring 24 Hrs  
 Parameter Required As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	71.2	61.8	dB(A)
2.	Lmin	IS-9989:2014	49.1	48.5	dB(A)
3.	Leq	IS-9989:2014	61.9	59.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Raj Kumar Yadav  
Authorized Signatory

- Note-
- This test report has been at your request and test results pertain to the tested sample received.
  - This reports is for your reference only and not to be used for any legal purpose.
  - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
  - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
  - The sample will be destroyed after retention time unless otherwise specified specially.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduce except in full without approval of the laboratory
  - All disputes are subject to exclusive jurisdiction of Jaipur court only.


### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



TC-6821

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/AN/03 Report No.: JME/AN/220204033  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
 at Plot No. C- 24 & 25, RIICO Industrial Area,  
 Village - Sotanala, Tehsil - Behror,  
 District - Alwar, Rajasthan  
 Sample Description: AMBIENT NOISE LEVEL MONITORING  
 Format No.: 7.5 F-04  
 Party Ref. No.: Nil  
 Reporting Date: 08/02/2022  
 Receipt Date: 04/02/2022

### General Information

Client Representative (Name & Designation) Mr. Amit Yadav (E.H.S.)  
 Sample collected by Mr. Raman Tiwari  
 Sampling Location Near ETP  
 Latitude 27°49'50.81" N  
 Longitude 69°15'50.57" E  
 Date of Monitoring 03/02/2022 to 04/02/2022  
 Time of Monitoring 06:00 hrs. to 06:00 hrs.  
 Instrument used Sound Level Meter  
 Instrument code JME/SLM/01/12  
 Instrument calibration status Calibrated  
 Meteorological condition during monitoring Clear Sky  
 Ambient Temperature (°C) Max 15°C, Min 11°C  
 Surrounding activity ETP Plant Operation & Vehicular Activities  
 Scope of Monitoring Regulatory Requirement  
 Control measure if any --  
 Sampling & Analysis Protocol IS-9989  
 Actual duration of Monitoring 24 Hrs  
 Parameter Required As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	66.8	60.2	dB(A)
2.	Lmin	IS-9989:2014	54.9	50.8	dB(A)
3.	Leq	IS-9989:2014	62.1	57.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

#### Note:-

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

#### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

#### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

## TEST REPORT

Sample Number: JME/SJLPL/AN/04 Report No.: JME/AN/220204034

Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant  
at Plot No. C- 24 & 25, RIICO Industrial Area,  
Village - Sotanala, Tehsil - Behror,  
District - Alwar, Rajasthan

Format No.: 7.5 F-04

Party Ref. No.: Nil

Reporting Date: 08/02/2022

Sample Description: AMBIENT NOISE LEVEL MONITORING

Receipt Date: 04/02/2022

### General Information

Client Representative (Name & Designation) Mr. Amit Yadav (E.H.S.)

Sample collected by Mr. Lokesh Koshik

Sampling Location Near Admin Block

Latitude 27°49'50.59" N

Longitude 69°15'49.48" E

Date of Monitoring 02/02/2022 to 03/02/2022

Time of Monitoring 06:00 hrs. to 06:00 hrs.

Instrument used Sound Level Meter

Instrument code JME/SLM/01/12

Instrument calibration status Calibrated

Meteorological condition during monitoring Clear Sky

Ambient Temperature (°C) Max 22°C, Min 10°C

Surrounding activity Plant Operation & Vehicular Activities

Scope of Monitoring Regulatory Requirement

Control measure if any --

Sampling & Analysis Protocol IS-9989

Actual duration of Monitoring 24 Hrs

Parameter Required As per work order

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989:2014	64.2	56.7	dB(A)
2.	Lmin	IS-9989:2014	43.9	37.8	dB(A)
3.	Leq	IS-9989:2014	56.4	45.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

Sita Ram Yadav  
Tested by

Rajat Tandon  
Checked by

Rajkumar Yadav  
Authorized Signatory

- Note:
- The test report is prepared only on the basis of test results pertain to the tested sample received.
  - The test report is for information only and is not to be used for any legal purpose.
  - Any discrepancy in the test report or any queries regarding the test results shall be brought to our knowledge with the date of the issue of the report.
  - Our liability is restricted to the extent of dispute limited to the scope of service provided by the laboratory.
  - The test report is valid only for the reference time unless specified any as specified separately.
  - Endorsement of the product tested by the laboratory is neither inferred nor implied.
  - Report shall not be reproduced except in full without approval of the laboratory.
  - All disputes are subject to exclusive jurisdiction of Jaipur, India only.

### Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

### Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)

Annexure 15  
Photographs showing Greenbelt and plantation developed



**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**  
**At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan**



**Photographs showing Fire safety Arrangements**



**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan





# कार्यालय अग्निशमन अधिकारी नगर पालिका बहरोड (अलवर)



फोन व फॅक्स : 01494-220090

behror.jaipur@gmail.com

क्रमांक:न.पा.ब./2021-22/ 220

दिनांक: 04/03/2022

## अग्निशमन अनापत्ति प्रमाण-पत्र

**M/S SHREE JEE LABORATORY PVT.LTD., C-24&25 RIICO INDUSTRIAL AREA SOTANALA, BEHROR** जिला अलवर का मौका निरीक्षण किया गया। ईकाई में लगे फायर सुरक्षा उपकरणों की जाँच की गई जो कार्यशील अवस्था में पाये गये।

अतः निम्नलिखित शर्तों की पालना के निर्देश देते हुए अग्निशमन अनापत्ति प्रमाण पत्र को नवीनीकरण किया जाता है।

### शर्त :-

1. सभी अग्निशमन उपकरणों को हर समय चालू रखना होगा।
2. सभी अग्निशमन उपकरणों की समय-समय पर आपके फायर प्रशिक्षित कार्मिक द्वारा देखभाल की जावेगी।
3. परिसर में लगे सभी अग्निशमन उपकरणों की समय-समय पर रिफिलिंग एवं मरम्मत करावें।
4. किसी भी प्रकार की दुर्घटनाओं के लिए स्वयं संस्थापक जिम्मेदार होगा ना की जिला प्रशासन अलवर/नगर पालिका बहरोड प्रशासन होगा।
5. यह प्रमाण-पत्र स्वामित्व दस्तावेज नहीं माना जावें।
6. औचक निरीक्षण के दौरान अग्निशमन यंत्र बंद पाये जाने पर अग्निशमन अनापत्ति प्रमाण स्वतः ही निरस्त माना जावेगा।
7. फायर NOC की अवधि समाप्त होने से 15 दिवस पूर्व नवीनीकरण के लिये आवेदन करना होगा अन्यथा विलम्ब शास्ति के रूप में 10000 रुपये अतिरिक्त शुल्क देय होगा।
8. यह प्रमाण-पत्र दिनांक. 20/02/2022 से. 19/02/2023 तक मान्य होगा।



(अजय सिंह)

सहायक अग्निशमन अधिकारी  
नगर पालिका बहरोड  
सहायक अग्निशमन अधिकारी  
नगरपालिका बहरोड

**Photographs showing Occupational Health & Safety Trainings**





# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

## “Memorandum – of – Understanding”

Today, the 06<sup>th</sup> day of Apr 2021, the agreement is sought between M/s Pulse Hospital Multi Specialty Hospital & Research Centre (A ‘unit of Raja Bhrathari Healthcare Pvt. Ltd.), having its operations Office at Kotputli, Opp RTM Hotel N.H. 08, Jaipur – Delhi Highway, Kotputli Rajasthan (Hereinafter referred to as “Hospital”).

And

M/S Shree Jee Laboratory Pvt. Ltd., situated at C-24&25, RIICO Industrial Area Sotanala, Behror (Rajasthan) (Hereinafter referred to as “Company”).

The Hospital, is the healthcare provider and ready to provide its services to company for the purpose of pre and periodical health checkup of its employees at the rates mentioned below;

### Rate List

Medical Check-up	Package Rate
<ul style="list-style-type: none"> <li>• General Physical Examination</li> <li>• Systematic Examination including vision Test</li> <li>• Investigations:               <ul style="list-style-type: none"> <li>➤ Blood test (CBC)</li> <li>➤ ESR</li> <li>➤ Urine</li> <li>➤ Blood Sugar R</li> <li>➤ ECG</li> <li>➤ Chest X-Ray</li> <li>➤ Spirometry</li> <li>➤ Audiometry</li> </ul> </li> </ul>	Rs. 650/-

The above rates shall be on credit basis to the company, which invoice shall be furnished on last day of the month wherein said services is being taken by the company from Hospital.

Hospital is willing to conduct on-site health checkups camp for company employees with the complete diagnostic tools and equipment as required for above mentioned test along with

**C-24 & 25, RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)**  
**Phone No : 01494-223000, E-mail: shrijeelaboratory@gmail.com**  
**CIN : U24232DL2011PTC272907**

# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)



Doctors without any extra charges. Provided, the number of health checkups should not be less than fourteen for such on-site health checkup camp.


Hospital is also agreeing to provide required Medicines to the company on discounted rate for company's Occupational Health Centre, on credit basis.

Company, through e-mail, in advance will intimate hospital to conduct pre & post health checkups of its employee be it on site or at Hospital's address.

Company will settle service bill within 30 days from the date it is raised or received, whichever is later. Hope that this MOU will be in our mutual interest and will help in strengthening our relations further.

In case of any dispute or misunderstanding or miscommunication, the matter is to be resolved mutually. For legal matters, if any, will be confined to Alwar (Rajasthan) jurisdiction only.

Hope for a stronger bond between both of us, we agree to remain fair & transparent to each other.

  
(M.D)  
Pulse Multi Specialty Hospital & Research Center  
(Abhishek Chaudhary)


Witness:

1. \_\_\_\_\_  
2. \_\_\_\_\_

(Site Head)

M/s: Shree Jee Laboratory Pvt. Ltd.

Witness:

1.  \_\_\_\_\_  
2. \_\_\_\_\_



SOP No.: HRD-001  
HEALTH CHECK -UP

811

(Pre-employment / Periodical Medical Examination Record)

<input checked="" type="checkbox"/> Pre-employment Medical Examination	<input checked="" type="checkbox"/> Periodical Medical Examination
Date <u>16/09/2021</u>	
Name <u>Chandert Lal Singh</u>	Employee code <u>10231455</u>
Father's Name <u>Nehal Singh</u>	Date of Joining <u>09/09/2021</u>
Date of birth <u>18/02/79</u>	Age <u>42</u>
Plant / Department <u>Planning</u>	Area of Work <u>Planning</u>
Home Address <u>D2/1-SF, Sodehi Hill Side Meeran</u>	
Phone No. _____	Res _____
Mobile No <u>7097186175</u>	Blood Group <u>AB+</u>

<b>Personal History:</b>			
Regular Medication	No/ Yes <input checked="" type="checkbox"/>	If Yes	Since <u>NA</u> Yrs.
Name of Medicine	_____		
Drugs Known To Cause Allergy	No/ Yes <input checked="" type="checkbox"/>	If Yes _____	
If Yes Name Of Medicines	<u>NA</u>		
Past History Of Major Illness	<u>None.</u>		
Surgery: No/ Yes <input checked="" type="checkbox"/>	If Yes <u>NA</u>		

<b>Family History (Relation):</b>					
Diabetes	No/ Yes <input checked="" type="checkbox"/>	<u>NA</u>	Tuberculosis	No/ Yes <input checked="" type="checkbox"/>	<u>NA</u>
High B.P.	No/ Yes <input checked="" type="checkbox"/>	<u>FATHER</u>	Fits	No/ Yes <input checked="" type="checkbox"/>	<u>NA</u>
Heart Disease	No/ Yes <input checked="" type="checkbox"/>	<u>NA</u>	Other diseases	No/ Yes <input checked="" type="checkbox"/>	<u>NA</u>



SOP No.: HRD-001  
HEALTH CHECK-UP

811

(Pre-employment / Periodical Medical Examination Record)

<b>General Examination:</b>			
Weight	<u>85</u> Kg	Height	<u>165</u> cm
BMI	<u>31.25</u> Kg/ m <sup>2</sup>	Pulse Rate	<u>84</u> /Minute
B.P.	<u>122/80</u> mm of Hg		

<b>Systematic Examination:</b>					
<b>(A) Cardiovascular</b>					
Heart Sounds	:	<input checked="" type="checkbox"/> Normal/ <input type="checkbox"/> Abnormal	Signs of CHF	:	<input checked="" type="checkbox"/> Absent/ <input type="checkbox"/> Present
<b>(B) Chest</b>					
Breath Sounds	:	<input checked="" type="checkbox"/> Normal/ <input type="checkbox"/> Abnormal	Respiratory Rate	:	<u>16/min</u>
<b>(C) Abdomen</b>					
Liver	:	<input checked="" type="checkbox"/> Not Palpable/ <input type="checkbox"/> Palpable	Spleen	:	<input checked="" type="checkbox"/> Not Palpable/ <input type="checkbox"/> Palpable
<b>(D) Musculoskeletal</b>					
Joint Swelling	:	<input checked="" type="checkbox"/> Absent/ <input type="checkbox"/> Present	Joint Tenderness	:	<input checked="" type="checkbox"/> Absent/ <input type="checkbox"/> Present
<b>(E) Nervous System</b>					
Cranial Nerves	:	<input checked="" type="checkbox"/> Normal/ <input type="checkbox"/> Abnormal	Sensory System	:	<input checked="" type="checkbox"/> Normal/ <input type="checkbox"/> Abnormal
<b>(F) Eye Examination</b>		Without Spectacles		With Spectacles	
		Right	Left	Right	Left
Vision	Distant		Near		
Cataract		Yes/ No	<u>No</u>		
Eye Infection		Yes/ No	<u>No</u>		
Color Blindness		Yes/ No	<u>No</u>		
<b>(G) Skin Examination</b>		:	<u>None</u>		
<b>(H) Any Other Examination</b>		:	<u>None</u>		



SOP No.: HRD-001  
HEALTH CHECK-UP

811

(Pre-employment / Periodical Medical Examination Record)

Investigations:					
Compulsory Test					
A)	Blood test	:		Normal	
B)	ESR	:		Normal	
C)	Urine	:		Normal	
D)	Blood Sugar R	:		Normal	
E)	ECG Report	:		Normal/ Abnormal	
Optional Test					
F)	Spirometry	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Not required	:	Not
G)	Chest X-Ray	<input checked="" type="checkbox"/> Required	<input checked="" type="checkbox"/> Not required	:	Normal
H)	Audiometry	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Not required	:	Not
I)	Other Investigations	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Not required	:	Not

Remarks: Person examined has been found to be free from / not free from tuberculosis, skin and other communicable/ contagious diseases.

Signature of Medical officer or designee:

**PULSE HOSPITAL**  
**MULTISPECIALITY HOSPITAL & TRAUMA CENTRE**  
**OPP. R.T.M HOTEL, N.H.8, KOTPUTLI**

A UNIT OF:- RAJA BHRATHARI HEALTHCARE PVT. LTD.

**Mob No:- 9461206565, 9461216565**

**Email: pulsech2011@gmail.com**

**#PHONE NO#CASH RECEIPT**

**Out Patient Dept.**

ReceiptNo.:	R-0016536	Date :	16/09/2021
UHID No. :	21-047894	Category :	GENERAL
Name :	Mr CHANDRESH PAL	Rec.Time :	12:34 PM
Age :	42 Years	Sex :	Male
Consultant:	DR. VISHNU KUMAR SAINI	Ref. By :	
Address :	MUJAFFARNAGAR	Phone No.:	9997186175

Particular	Amount
CONSULTATION CHARGES-OPD	200.00
Net Amount	----- 200.00
Less : Discount	200.00
Total Amount	----- 0.00
( )	-----

Mode: By Cash

Remark :

User Name : SAMUNDER

Receipt Valid upto : 18/09/2021

597

(48)



## TEST REPORT




Print Time: 16-09-2021 16:37

ID: 210916048  
Age: 42 year  
Sample: Venous

Name: CHANDRESHPAL  
Department:  
RecordNo.: 48 OPD

Gender: male  
Blood:  
BedNo.:

Item	Result	Unit	Limits	Alert
WBC	6.4	x 10 <sup>9</sup> /L	4.0-11.0	
LYM%	26.4	%	20.0-40.0	
MID%	5.6	%	1.0-15.0	
NEUT%	68.0	%	50.0-70.0	
LYM#	1.7	x 10 <sup>9</sup> /L	0.6-4.1	
MID#	0.4	x 10 <sup>9</sup> /L	0.1-1.8	
NEUT#	4.3	x 10 <sup>9</sup> /L	2.0-7.8	
RBC	4.56	x 10 <sup>12</sup> /L	3.50-5.50	
HGB	10.2	g/dL	12.0-18.0	↓
HCT	31.6	%	36.0-51.0	↓
MCV	69.3	fL	75.0-99.0	↓
MCH	22.3	pg	26.0-32.0	↓
MCHC	32.2	g/dL	32.0-36.0	
RDW-SD	39.0	fL	37.0-54.0	
RDW-CV	15.3	%	11.5-14.5	↑
PLT	208	x 10 <sup>9</sup> /L	100-450	
MPV	13.1	fL	7.4-10.4	↑
PDW	15.3	%	10.0-17.0	
PCT	0.27	%	0.10-0.28	
P-LCR	55.6	%	13.0-43.0	↑



Doctor: VKS  
Checker:

Operator:  
Time: 16-09-2021 16:37

Notice:



**Pulse Hospital**  
Multispeciality Hospital & Research Centre  
(A UNIT OF RAJA BHRATHARI HEALTHCARE PVT. LTD.)



## TEST REPORT

Name : Mr CHANDRESHPAL      Age /Sex : 42 Years/male  
Ref. By. : Dr. VISHNU KUMAR SAINI      OPD/IPD : OPD  
Reg. No.      Receipt No.  
Reported On : 16/09/2021 1:15:18 PM      LAB/X-Ray No.

HAEMATOLOGY

Test Name	Results		
ABORH	" AB " +		
Blood Group	POSITIVE		

  
TECHNOLOGIST

PATHOLOGIST

**THESE REPORTS ARE NOT VALID FOR M.L.C. PURPOSE**

Investigations have their limitations. These are helping in diagnosing the diseases in concert with clinical picture and should be interpreted accordingly.  
**PLEASE CORRELATE CLINICALLY.**







# Pulse Hospital

Multispeciality Hospital & Research Centre

(A UNIT OF RAJA BHRATHARI HEALTHCARE PVT. LTD.)



## TEST REPORT

Name : Mr CHANDRESH PAL Age /Sex : 42Years/male  
Ref. By. DR. VISHNU KUMAR SAINI OPD/IPD OPD  
Reg. No Receipt No.  
Reported On 16/09/2021 1:15:18 PM LAB/X-Ray No.

### BIOCHEMISTRY

Test Name	Results	Units	Normal Range
RBS	96.0	mg%	110-140

  
TECHNOLOGIST

PATHOLOGIST

**THESE REPORTS ARE NOT VALID FOR M.L.C. PURPOSE**

Investigations have there limitations. These are helping in diagnosing the diseases in concord with clinical picture and should be interpreted accordingly.

**PLEASE CORLEATE CLINICALY .**



**Pulse Hospital**  
Multispeciality Hospital & Research Centre  
(A UNIT OF RAJA BHRATHARI HEALTHCARE PVT. LTD.)



## TEST REPORT

Name : Mrs CHANDRESH PAL      Age /Sex : 42Years/male  
Ref. By. Dr. DR. VISHNU KUMAR SAINI      OPD/IPD      OPD  
Reg. No      Receipt No.  
Reported On 16/09/2021 11:15:18 PM      LAB/X-Ray No.  
Ref By

### HAEMATOLOGY

Test Name	Results	Units	Normal Range
ESR	12.0	mm/1st hrs.	0-9

  
TECHNOLOGIST

PATHOLOGIST

**THESE REPORTS ARE NOT VALID FOR M.L.C. PURPOSE**

Investigations have their limitations. These are helping in diagnosing the diseases in concert with clinical picture and should be interpreted accordingly.

**PLEASE CORRELATE CLINICALLY .**

Chandres pal  
42 Years

Male

9/16/2021 1:50:02 PM

PULSE HOSPITAL, KOTPUTLI

ECG

Rate 92 . Sinus rhythm.....normal P axis, V-rate 50- 99


PR 174  
QRSD 93  
QT 350  
QTc 433

--AXIS--  
P 48  
QRS 46  
T 28

- NORMAL ECG -

12 Lead; Standard Placement

Unconfirmed Diagnosis



Device:

Speed: 25 mm/sec

Limb: 10 mm/mV

Chest: 10.0 mm/mV

F 50~0.15-100 Hz

PH100B CL

P9



# Advance CT Scan & Diagnostic Center

Opp. RTM Hotel, N.H. 8, KOTPUTLI (Jaipur)

**Dr. Abhimanyu Yadav**

D.M.R.D. (Radiodiagnosis)

Mob. 9461206565, 9461216565



PATIENT'S NAME	CHANDERESH PAL	-	AGE&SEX:- 42YRS/M
REF.BY DR.	V K SAINI	-	DATE:- 16/9/2021

## CHEST X RAY PA VIEW

- BOTH LUNG FIELDS ARE CLEAR.
- BOTH CP ANGLE ARE CLEAR .
- CARDIAC SIZE WNL.
- MEDIASTINUM APPEAR NORMAL
- TRACHEA IS CENTERED.

**IMPRESSION :- NORMAL STUDY OF CHEST.**

Dr Abhimanyu singh  
M.B.B.S., D.M.R.D.  
RMC Reg.No.34697/17504  
Consultant Radiologist



SOP No.: HRD-001  
HEALTH CHECK -UP

800

(Pre-employment / Periodical Medical Examination Record)

<input type="checkbox"/> Pre-employment Medical Examination	<input checked="" type="checkbox"/> Periodical Medical Examination
Date <u>Abhinesh Tiwari-28/01/2021</u>	
Name <u>Abhinesh Tiwari</u>	Employee code <u>10030322</u>
Father's Name <u>Shrikumar Tiwari</u>	Date of Joining <u>19 July 2021</u>
Date of birth <u>26/01/1998</u>	Age _____
Plant / Department <u>D.I.</u>	Area of Work <u>Admin Block</u>
Home Address <u>Behsoy</u>	
Phone No. _____	Res <u>N/A</u> Mobile No _____ Blood Group <u>UN</u>

<b>Personal History:</b>			
Regular Medication	No/ Yes <input checked="" type="checkbox"/>	If Yes	Since <u>N/A</u> Yrs.
Name of Medicine _____			
Drugs Known To Cause Allergy	No/ Yes <input checked="" type="checkbox"/>	If Yes _____	
If Yes Name Of Medicines	<u>No</u>		
Past History Of Major Illness	<u>None</u>		
Surgery: No/ Yes <input checked="" type="checkbox"/>	If Yes <u>N/A</u>		

<b>Family History (Relation):</b>				
Diabetes	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>	Tuberculosis	No/ Yes <input checked="" type="checkbox"/> <u>N/A</u>
High B.P.	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>	Fits	No/ Yes <input checked="" type="checkbox"/> <u>N/A</u>
Heart Disease	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>	Other diseases	No/ Yes <input checked="" type="checkbox"/> <u>N/A</u>



SOP No.: HRD-001  
HEALTH CHECK-UP

800

(Pre-employment / Periodical Medical Examination Record)

**General Examination:**

Weight	<u>60</u> Kg	Height	<u>1680</u> cm
BMI	<u>21.22</u> Kg/ m <sup>2</sup>	Pulse Rate	<u>87</u> /Minute
B.P.	<u>122/80</u> mm of Hg		

**Systematic Examination:**

**(A) Cardiovascular**

Heart Sounds	: <input checked="" type="checkbox"/> Normal/ <input checked="" type="checkbox"/> Abnormal	Signs of CHF	: <input checked="" type="checkbox"/> Absent/ <input checked="" type="checkbox"/> Present
--------------	--	--------------	---

**(B) Chest**

Breath Sounds	: <input checked="" type="checkbox"/> Normal/ <input checked="" type="checkbox"/> Abnormal	Respiratory Rate	: <u>14/10</u>
---------------	--	------------------	----------------

**(C) Abdomen**

Liver	: <input checked="" type="checkbox"/> Not Palpable/ <input checked="" type="checkbox"/> Palpable	Spleen	: <input checked="" type="checkbox"/> Not Palpable/ <input checked="" type="checkbox"/> Palpable
-------	--	--------	--

**(D) Musculoskeletal**

Joint Swelling	: <input checked="" type="checkbox"/> Absent/ <input checked="" type="checkbox"/> Present	Joint Tenderness	: <input checked="" type="checkbox"/> Absent/ <input checked="" type="checkbox"/> Present
----------------	---	------------------	---

**(E) Nervous System**

Cranial Nerves	: <input checked="" type="checkbox"/> Normal/ <input checked="" type="checkbox"/> Abnormal	Sensory System	: <input checked="" type="checkbox"/> Normal/ <input checked="" type="checkbox"/> Abnormal
----------------	--	----------------	--

**(F) Eye Examination**

		Without Spectacles		With Spectacles	
		Right	Left	Right	Left
Vision	Distant	<u>6/6</u>			<u>6/6</u>
	Near				
Cataract		Yes/ No			
Eye Infection		Yes/ No			
Color Blindness		Yes/ No			

**(G) Skin Examination**

	: <u>Normal</u>
--	-----------------

**(H) Any Other Examination**

	: <u>Normal</u>
--	-----------------



SOP No.: HRD-001  
HEALTH CHECK-UP

800

(Pre-employment / Periodical Medical Examination Record)

**Investigations:**

**Compulsory Test**

A)	Blood test	:	Normal
B)	ESR	:	10 Normal
C)	Urine	:	Normal
D)	Blood Sugar R	:	70.82
E)	ECG Report	:	Normal/ Abnormal

**Optional Test**

F)	Spirometry	<input checked="" type="checkbox"/> Required	<input checked="" type="checkbox"/> Not required	:	NA
G)	Chest X-Ray	<input type="checkbox"/> Required	<input checked="" type="checkbox"/> Not required	:	Normal
H)	Audiometry	<input checked="" type="checkbox"/> Required	<input checked="" type="checkbox"/> Not required	:	NA
I)	Other Investigations	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Not required	:	NA

Remarks: Person examined has been found to be free from / not free from tuberculosis, skin and other communicable/ contagious diseases.

Signature of Medical officer or designee:



**PULSE HOSPITAL**  
**MULTISPECIALITY HOSPITAL & TRAUMA CENTRE**  
**OPP. R.T.M HOTEL, N.H.8, KOTPUTLI**

A UNIT OF:- RAJA BHRATHARI HEALTHCARE PVT. LTD.

**Mob No:- 9461206565, 9461216565**

**Email: pulsech2011@gmail.com**

**#PHONE NO#CASH RECEIPT**

**Out Patient Dept.**

ReceiptNo.:	R-0010646	Date :	28/07/2021
UHID No. :	21-045617	Category :	GENRAL
Name :	Mr ABHINESH	Rec.Time :	10:50 AM
Age :	23 Years	Sex :	Male
Consultant:	DR. VISHNU KUMAR SAINI	Ref. By :	
Address :	KESWANA	Phone No.:	8962229950

Particular	Amount
CONSULTATION CHARGES-OPD	200.00
Net Amount	----- 200.00
Less : Discount	200.00
Total Amount	----- 0.00 -----

( )

Mode: By Cash

Remark :

User Name : POOJA

Receipt Valid upto : 01/08/2021

583

Acc

CBL

ESN

Crime clm.

RBS

Fees.

CPA

---



# Pulse Hospital

Multispeciality Hospital & Research Centre

(A UNIT OF RAJA BHRATHARI HEALTHCARE PVT. LTD.)



## TEST REPORT

Print Time: 28-07-2021 11:33

ID: 210728003

Name: MR ABHINESH

Gender: male

Age: 23 year

Department:




Blood:

Sample: Venous

RecordNo.: 05 OPD

BedNo.:

Item	Result	Unit	Limits	Alert
WBC	6.7	x 10 <sup>9</sup> /L	4.0-11.0	
LYM%	23.4	%	20.0-40.0	
MID%	6.6	%	1.0-15.0	
NEUT%	70.0	%	50.0-70.0	
LYM#	1.6	x 10 <sup>9</sup> /L	0.6-4.1	
MID#	0.4	x 10 <sup>9</sup> /L	0.1-1.8	
NEUT#	4.7	x 10 <sup>9</sup> /L	2.0-7.8	
RBC	4.37	x 10 <sup>12</sup> /L	3.50-5.50	
HGB	13.7	g/dL	12.0-18.0	
HCT	40.7	%	36.0-51.0	
MCV	93.3	fL	75.0-99.0	
MCH	31.3	pg	26.0-32.0	
MCHC	33.6	g/dL	32.0-36.0	
RDW-SD	46.5	fL	37.0-54.0	
RDW-CV	13.5	%	11.5-14.5	
PLT	219	x 10 <sup>9</sup> /L	100-450	
MPV	11.1	fL	7.4-10.4	↑
PDW	15.2	%	10.0-17.0	
PCT	0.24	%	0.10-0.28	
P-LCR	39.3	%	13.0-43.0	



Doctor: VKS

Checker:

Operator:

Time: 28-07-2021 11:33

Notice:



Patient's Name: MR. ABHINAV Age 23 Sex Am Date: 28/07/21

Ref. By Dr. N.K.S. 21 M.D Sample Received/IPD/Emergency

BLOOD EXAMINATION					HAEMATOLOGY	
WBC Total.....c/cu.mm	Haematocrit.....				.....mm 1/2 hr	
DLC	Haemoglobin.....gms				E.S.R. <u>10</u> .....mm 1st hr. (Westergren)	
Neutrophil.....%	Total RBC.....mil/cu.mm				.....mm 2nd hr	
Lymphocytes.....%	MCV.....ug				Platelets.....L/cu.mm	
Eosinophils.....%	MCH.....pg				Bleeding Time.....Min.....Sec (Duke Method)	
Monocytes.....%	MCHC.....%				Clotting Time.....Min.....Sec (Lee&White Method)	
Basophils.....%	R.B.S. <u>78.8.2</u>				V.D.R.L.....	
Others.....%	Prothrombin Time				H.C.V. ....	
T.E.C.....c/cu.mm	Control.....Sec				Hapatitis-B.....	
V.E.C.....%	Patient.....Sec				H.I.V-I&II (Tri-Dot).....	
Blood Group.....	INR.....				RA Factor.....	
Rh Factor.....	Mantoux Test (5tu PPD):..... After 72hr.				ASLO Titre.....	
<b>WIDAL (Semi-Quantitative Method)</b>					MP	PV Kit Method
	1 : 40	1 : 80	1 : 160	1 : 320	1 : 640	PF
S. Typhi 'O'						Dengue IgM
S. typhi 'H'						IgG
S. paratyphi 'AH'						NS1
S. paratyphi 'BH'						Typhoid IgG
<b>INTERFERENCE</b> 1. Individuals vaccinated with Typhoid Vaccine (1,3)(TAB) may show moderately elevated titre of all three 'H' antibodies. 2. Repeated subclinical infection may give high titres due to previous antibodies. <sup>(1)</sup> 3. Treatment with antibiotic such as Chloramphenicol before the test gives false negative results 'O' agglutinins. In that case diagnostic should be based on the significant elevation of 'H' agglutinins in the paired sera. <sup>(1)</sup> 4. Patients of chronic active Liver disease may give high titres due to failure of antigens in discriminating the specific antibodies from the Dysglobulinaemia of chronic active Liver disease. <sup>(1,4)</sup> 5. Infection with many non-Salmonella organisms like Malaria, Dengue, Miliary Tuberculosis, Endocartitis, Brucellosis, Influenza etc. may give anamnestic response. <sup>(3,5)</sup> 6. Potential carriers of the disease exhibit negative results due to high antibody concentration. <sup>(3)</sup> 7. Immunological disorders such as Rheumatoid arthritis, Rheumatic Fever or Nephritic Syndrome demonstrate high titre of 'O' and 'H' agglutinin. <sup>(1)</sup> 8. Narcotic addicts demonstrate non-specific activity to the Widal test. 9. Vi antigen may block the 'O' antigen from agglutinating with 'O' antibody. 10. In endemic areas, people usually show moderately elevated level of 'O' and 'H' agglutinins.					Igm	
					Chikumgunia IgM.....	
					Clof Retraction (CRT).....Normal (48 to 64%)	
					Scrub Typhus.....	
					CRP Titre.....Normal (0 - 6 mg/L )	
<b>CLINICALS SIGNIFICANCE</b> CRP in an acute phase protein present in normal serum, which increases significantly after most forms of tissue injuries, bacterial and virus infections, inflammation and malignant neoplasia. During tissue and inflammation resulting from microbial infections, the CRP concentration can rise by more than 300 mg/L in 12-24 h. Clinical diagnosis should not be made on a single test result; it should integrate clinical and other laboratory data.						

TECHNOLOGIST

PATHOLOGIST

Investigations have their limitations. These are helping in diagnosing the diseases in concord with clinical picture and should be interpreted accordingly.

Opp. RTM Hotel, N. H. 8 Kotputli (Jaipur) 303108 Cont. 9461206565, 9461216565



पल्स है तो लाइफ है

# पल्स हॉस्पिटल

मल्टी स्पेशलिटी हॉस्पिटल एवं रिसर्च सेंटर

RTM होटल के सामने, N.H.-8, कोटपूतली

## Lab Use Only

Patient's Name : A.B.N.ESH.....Age/Sex : 23/25 MaleRef by Dr. : Mahendra Singh PalsaniaDate : 28/07/21

URINE EXAMINATION		STOOL EXAMINATION	
<b>MACROSCOPIC EXAMINATION</b>		<b>PHYSICAL EXAMINATION</b>	
Appearance	: <u>Spaulubous</u>	Appearance	:
Colour	: <u>Normal</u>	Colour	:
<b>CHEMICAL EXAMINATION</b>		<b>CHEMICAL EXAMINATION</b>	
Albumin	: <u>NIL</u>	Rbc'S	:
Sugar	: <u>NIL</u>	Mucus	:
Sp. Gravity	: <u>1.020</u>	Ph	:
pH	: <u>6.0</u>	Reducing Sub:	:
<b>MICROSCOPIC EXAMINATION</b>		<b>MICROSCOPIC EXAMINATION</b>	
Pus Cells/HpF	: <u>0-4</u>	Occult Blood	:
Rbc's/HpF	: <u>NIL</u>	Ova	:
Epithelial Cells/HpF	: <u>1-2</u>	Cyst	:
Caste/HpF	: <u>NIL</u>	Parasits	:
Crystals/HpF	: <u>NIL</u>	Pus cells	:
Others	: <u>NIL</u>	Rbc's	:
<b>[Methodology: Strip Method, Microscopy with Urine]</b>		Others	:

## Sensitivity and Test Range of QDX Urine Test Urinalysis Strips

Test Parameters	Sensitivity	Visual Test Range	Instrument Test Range
Urobilinogen (mg/dl)	0.05-0.3		0.05-2.5
Bilirubin (mg/dl)	0-15-0.30		Negative-1.8
Ketone (acetoacetic acid) (mg/dl)	10-20	Negative-300	Negative-150
Blood (Ery/uL)	5-15		Negative-200
Protein (mg/dl)	15-30	Negative-2000	Negative-300
Nitrite (mg/dl)	0.25-0.4		Negative-Positive
Leucocytes (leuko/uL)	5-15		Negative-500
Glucose (mg/dl)	50-100		Negative-1000
Specific Gravity		1.000-1.030	1.005-1.030
pH		5.0-8.5	5.0-9.0
Microalbmim (mg/dl)	10-15	Negative-15	Negative ->15
<b>PREGNANCY TEST</b>			

TECHNOLOGIST

PATHOLOGIST

All Investigations have their limitations regulating the sensitivity & Specificity of individual assay Procedures. Isolated Laboratory. Investigations never confirm the final diagnosis of the disease. they only help in arriving at a diagnose is in conjunction with Clinical presentation and other related investigation. subject to Jaipur jurisdiction only.



# Advance CT Scan & Diagnostic Center

Opp. RTM Hotel, N.H. 8, KOTPUTLI (Jaipur)

Mob. 9461206565, 9461216565

Dr. Abhimanyu Yadav

MD Radiodiagnosis

PATIENT'S NAME	ABHINESH	-	AGE&SEX:-23YRS/M
REF.BY DR.	V K SAINI	-	DATE:- 28/7/2021

## CHEST X RAY PA VIEW

- BOTH LUNG FIELDS ARE CLEAR.
- BOTH CP ANGLE ARE CLEAR .
- CARDIAC SIZE WNL.
- MEDIASTINUM APPEAR NORMAL
- TRACHEA IS CENTERED.

IMPRESSION :- NORMAL STUDY OF CHEST.

Dr Abhimanyu singh  
M.B.B.S., D.M.R.D.  
RMC Reg.No.34697/17504  
Consultant Radiologist

СУЛИНСКИ  
23 Years

Male

11/28/2021 11:29:30 AM

PULSE HOSPITAL, КОРПУСЪТЪ

ECG

Rate 84 Sinus rhythm.....normal P axis, V-rate 50- 99


PR 130  
QRSD 81  
QT 341  
QTc 404

--AXIS--  
P 60  
QRS 66  
T 27

- NORMAL ECG -

12 Lead: Standard Placement

Unconfirmed Diagnosis



Device:

Speed: 25 mm/sec

Limbs: 10 mm/mV

Chest: 10.0 mm/mV

F 50~ 0.15-100 Hz

PH100B CL

P?



SOP No.: HRD-001  
HEALTH CHECK -UP

793

(Pre-employment / Periodical Medical Examination Record)

<input checked="" type="checkbox"/> Pre-employment Medical Examination	<input type="checkbox"/> Periodical Medical Examination		
Date <u>12-05-2021</u>			
Name <u>MuJib Zakir Pirsani</u>	Employee code <u>10029309</u>		
Father's Name _____	Date of Joining <u>21/04/2021</u>		
Date of birth <u>08-05-1998</u>	Age _____		
Plant / Department <u>Progr.</u>	Area of Work <u>P-R</u>		
Home Address <u>Neemran</u>			
Phone No. _____	Res <u>N/A</u>	Mobile No _____	Blood Group <u>B+</u>

<b>Personal History:</b>			
Regular Medication	No/ Yes <input checked="" type="checkbox"/>	If Yes	Since <u>N/A</u> Yrs.
Name of Medicine _____			
Drugs Known To Cause Allergy	No/ Yes <input checked="" type="checkbox"/>	If Yes	
If Yes Name Of Medicines	<u>N/A</u>		
Past History Of Major Illness	<u>No.</u>		
Surgery: No/ Yes <input checked="" type="checkbox"/>	If Yes <u>Hand surgery for #1(2011)</u>		

<b>Family History (Relation):</b>					
Diabetes	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>	Tuberculosis	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>
High B.P.	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>	Fits	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>
Heart Disease	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>	Other diseases	No/ Yes <input checked="" type="checkbox"/>	<u>N/A</u>



SOP No.: HRD-001  
HEALTH CHECK-UP

793

(Pre-employment / Periodical Medical Examination Record)

<b>General Examination:</b>			
Weight	<u>77</u> Kg	Height	<u>5'8"</u> cm
BMI	<u>24.2</u> Kg/ m <sup>2</sup>	Pulse Rate	<u>78.</u> /Minute
B.P.	<u>132/74</u> mm of Hg		

<b>Systematic Examination:</b>					
<b>(A) Cardiovascular</b>					
Heart Sounds	:	<u>Normal</u> / Abnormal	Signs of CHF	:	Absent/ <u>Present</u>
<b>(B) Chest</b>					
Breath Sounds	:	<u>Normal</u> / Abnormal	Respiratory Rate	:	<u>16/min</u>
<b>(C) Abdomen</b>					
Liver	:	<u>Not Palpable</u> / Palpable	Spleen	:	<u>Not Palpable</u> / Palpable
<b>(D) Musculoskeletal</b>					
Joint Swelling	:	<u>Absent</u> / Present	Joint Tenderness	:	<u>Absent</u> / Present
<b>(E) Nervous System</b>					
Cranial Nerves	:	<u>Normal</u> / Abnormal	Sensory System	:	<u>Normal</u> / Abnormal
<b>(F) Eye Examination</b>		Without Spectacles		With Spectacles	
		Right	Left	Right	Left
Vision	Distant		Near		
Cataract		Yes/ No			
Eye Infection		Yes/ No			
Color Blindness		Yes/ No			
<b>(G) Skin Examination</b>		: <u>no</u>			
<b>(H) Any Other Examination</b>		: <u>no</u>			



Investigations:				
Compulsory Test				
A)	Blood test	:	:	Normal
B)	ESR	:	:	Normal
C)	Urine	:	:	Normal
D)	Blood Sugar R	:	:	
E)	ECG Report	:	:	Normal/ Abnormal
Optional Test				
F)	Spirometry	<input type="checkbox"/> Required	<input type="checkbox"/> Not required	:
G)	Chest X-Ray	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Not required	: MR Normal
H)	Audiometry	<input type="checkbox"/> Required	<input type="checkbox"/> Not required	:
I)	Other Investigations	<input type="checkbox"/> Required	<input checked="" type="checkbox"/> Not required	: NA

Remarks: Person examined has been found to be free from / not free from tuberculosis, skin and other communicable/ contagious diseases.

Signature of Medical officer or designee:

डॉ. विष्णु कुमार सेनी  
एम.बी.डी.एस., एम.डी. (मेडिसिन)  
फिजिशियन एवं इंटेन्सिस्ट  
RMC Reg.No.: 13838  
पल्स हॉस्पिटल, कोटपूतली



# पलस हॉस्पिटल

क्षेत्र का प्रथम NABH हॉस्पिटल

मल्टी स्पेशियलिटी हॉस्पिटल एण्ड रिसर्च सेन्टर

(A UNIT OF RAJA BHRATHARI HEALTHCARE PVT. LTD.)



R.T.M. होटल के सामने, एन. एच. 8, कोटपूतली, हैल्पलाईन नं. 9461206565, 9461216565

## डॉ. महेन्द्रसिंह पलसानिया

डायरेक्टर

नवजात शिशु व बाल रोग विशेषज्ञ  
पूर्व चिकित्सक जे.के. लोन अस्पताल, जयपुर  
मो. 9413236699

## डॉ. प्रीतिसिंह पलसानिया

डायरेक्टर

स्त्री एवं प्रसूति रोग विशेषज्ञ  
पूर्व चिकित्सक महिला एवं जनना अस्पताल, जयपुर

## डॉ. विष्णु सेनी

एम.बी.बी.एस., एम.डी. ( मेडिसिन )  
पूर्व चिकित्सक एस.एम.एस.अस्पताल, जयपुर  
मो. 9828216565

## डॉ. भीमसिंह

लेप्रोस्कोपिक सर्जन  
मो. 9828386565

## डॉ. रवि गुप्ता

मनोचिकित्सक एवं नशा मुक्ति रोग विशेषज्ञ  
पूर्व चिकित्सक SMS अस्पताल, जयपुर  
मो. 9772766565

## डॉ. दीपक

हड्डी एवं जोड़ रोग विशेषज्ञ  
एम.एस. आर्थो  
मो. 8239846565

## डॉ. ज्योति बंसल

यूरोलोजी  
मूत्र एवं गुर्दा रोग विशेषज्ञ  
मो. 8696426565

## डॉ. जयदीप भट्ट

नाक, कान, गला रोग विशेषज्ञ  
एम.एस., ई.एन.टी.  
( प्रत्येक रविवार )  
मो. 8239846565

## डॉ. निशित धोका

एम.बी.बी.एस., एम.एस.  
नेत्र रोग विशेषज्ञ एवं फेको सर्जन  
मो. 9828426565

## डॉ. जितेन्द्र

एम. सी. एच., प्लास्टिक सर्जन  
मो. 8239846565

## डॉ. जुगल शर्मा

कार्डियोलोजी ( हृदय रोग विशेषज्ञ )  
हर माह के प्रत्येक शुक्रवार को 3.00 से 5.00 बजे तक

## डॉ. मालाराम यादव

दन्त रोग विशेषज्ञ

ECHS ( भूतपूर्व सैनिक ), ESIC, राजस्थान सरकार कर्मचारी एवं पेंशनर्स,

आयुष्मान - भामाशाह, चिरंजीवी स्वास्थ्य बीमा योजना, सरस डेयरी, अमूल डेयरी व सभी प्रमुख TPA से अधिकृत ईलाज की सुविधा

Rx Myrah Zalem, Pingari, 23/07/2022

In, TyPBAR 0.5ml 1ml 5ml  
Bute NoIn Hepatic B Vaccine (8 Dose) 1ml 1ml 5ml  
( General B 7

NOT VALID FOR MEDICO LEGAL PURPOSE

### प्रमुख विशेषताएँ

- डायालिसिस, CT स्कैन, BLOOD की सुविधा
- वेंटिलेटर की सुविधा (NICU, PICU, ICU), द्रोमा/एक्सीडेन्ट की इमरजेंसी सुविधाएँ
- लेजर मशीन द्वारा (बिना टांका व चीरा के) गुर्दे की पथरी से छुटकारा
- दूरबीन द्वारा सभी प्रकार के ऑपरेशन (बच्चेदानी, पित्त की थैली, अपेन्डिक्स, हर्मिया एवं कान, नाक गला)
- फेको मशीन द्वारा मोतियाबिन्द का ऑपरेशन (बिना चीरा, बिना टांके व बिना पट्टी के)

हमारा उद्देश्य :- स्वच्छ एवं सात्विक वातावरण में गुणवत्तापूर्ण अत्याधुनिक चिकित्सा सेवाएँ न्यूनतम दरों पर उपलब्ध कराना

गम्भीर मरीज व प्रसूता को अस्पताल पहुँचाने के लिए 24 घण्टे एम्बुलेंस सुविधा (मो. 9462546565)



**Pulse Hospital**  
Multispeciality Hospital & Research Centre  
(A UNIT OF RAJA BHRATHARI HEALTHCARE PVT. LTD.)



## TEST REPORT

Name : Mr MUJIB ZAKAR  
Ref. By.  
Reg. No  
Reported On 12/05/2021 2:08:18 PM

Age /Sex : 23Years/Male  
OPD/IPD : OPD  
Receipt No.  
LAB/X-Ray No.

### HAEMATOLOGY

Test Name	Results	Units	Normal Range
WBC	12.0	*10 <sup>9</sup> /L	4.0-11.0
RBC	5.70	*10 <sup>12</sup> /L	3.50-5.50
HGB	14.4	g/dL	12.0-18.0
HCT	46.0	%	36.0-51.0
MCV	80.7	fl	75.0-99.0
MCH	25.3	pg	26-32
MCHC	31.3	%	32.0-36.0
PLT	367.0	*10 <sup>9</sup> /L	100-450
LYM%	30.5	%	20.0-40.0
MID%	11.3	%	1.0-15.0
NEUT%	58.2	%	50.0-70.0
LYM#	3.7	*10 <sup>9</sup> /L	0.6-4.1
MID#	1.4	*10 <sup>9</sup> /L	0.1-1.8
NEUT#	6.9	*10 <sup>9</sup> /L	0.1-1.8
RDW-SD	41.4	FL	37.0-54.0
RDW-CV	13.0	%	11.5-14.5

  
TECHNOLOGIST

PATHOLOGIST

**THESE REPORTS ARE NOT VALID FOR M.L.C. PURPOSE**

Investigations have their limitations. These are helping in diagnosing the diseases in concert with clinical picture and should be interpreted accordingly.  
PLEASE CORRELATE CLINICALLY .

Opp. RTM Hotel, N.H.8, Kotputli (Jaipur) Mob.- 9772586565  
Helpline No. : 9461206565, 9461216565 E-mail : pulsech2011@gmail.com



## TEST REPORT

Name : Mr. MUJIB ZAKR                      Age /Sex : 23Years/Male  
Ref. By. DR. VISHNU KUMAR SAINI              OPD/IPD              OPD  
Reg. No    Receipt No.  
Reported On 12/05/2021 2:08:18 PM              LAB/X-Ray No.

### BIOCHEMISTRY

Test Name	Results	Units	Normal Range
SGOT	28.0	U/L	0-38
SGPT	40.0	U/L	0-40
Cholesterol	158.0	mg/dL	150-200
Serum Creatinine	0.78	mg%	0.6-1.40
ESR	15.0	mm1st hrs.	0-9
ABORH Blood Group	POSITIVE "B" (+VE)		

TECHNOLOGIST

PATHOLOGIST

**THESE REPORTS ARE NOT VALID FOR M.L.C. PURPOSE**

Investigations have their limitations. These are helping in diagnosing the diseases in concert with clinical picture and should be interpreted accordingly.  
**PLEASE CORRELATE CLINICALLY .**



## TEST REPORT

Name : Mr . MUJIB ZAKR      Age /Sex : 23Years/Male  
Ref. By. DR. VISHNU KUMAR SAINI      OPD/IPD      OPD  
Reg. No      Receipt No.  
Reported On 12/05/2021 2:08:13 PM      LAB/X-Ray No.

### Urine Examination

#### PHYSICAL EXAMINATION

Color :P.Yellow  
Apperance: Cloudy  
Specific Gravity :1.030

#### CHEMICAL EXAMINATION

Reaction (Ph) :5.0  
Albumin :Nil  
Sugar :Nil

#### MICROSCOPIC EXAMINATION

W.B.C.(Pus Cells)/Hpf :3-4  
R.B.C./Hpf :Nil  
Epithelial Cells/Hpf :2-3  
Crystal :Nil  
Cast :Nil  
Others :Nil

TECHNOLOGIST

PATHOLOGIST

**THESE REPORTS ARE NOT VALID FOR M.L.C. PURPOSE**

Investigations have there limitations. These are helping in diagnosing the diseases in concerd with clinical picture and should be interpreted accordigly.  
PLEASE CORLEATE CLINICALY .



# Advance CT Scan & Diagnostic Center

Opp. RTM Hotel, N.H. 8, KOTPUTLI (Jaipur)

Mob. 9461206565, 9461216565

Dr. Abhimanyu Yadav

MD Radiodiagnosis

PATIENT'S NAME	MUJIB ZAKIR PINJARI -	AGE&SEX:-23YRS/M
REF. BY DR.	MANKIND PHARMA -	DATE:- 12/5/2021

## CHEST X RAY PA VIEW

- BOTH LUNG FIELDS ARE CLEAR.
- BOTH CP ANGLE ARE CLEAR .
- CARDIAC SIZE WNL.
- MEDIASTINUM APPEAR NORMAL
- TRACHEA IS CENTERED.

**IMPRESSION :- NORMAL STUDY OF CHEST.**

---

Dr Abhimanyu singh  
M.B.B.S., D.M.R.D.  
RMC Reg.No.34697/17504  
Consultant Radiologist



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

This is to certify that Bulk Drugs Manufacturing [API(72 TPA) and Steroid(8TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village – Sotanala, Tehsil-Behror, District –Alwar, Rajasthan by **Shree Jee Laboratory Pvt. Ltd.** has conducted Corporate Social Responsibility (CSR) activity under condition laid down in General Condition, no. "ix." in Environmental Clearance issued by MoEF & CC, New Delhi vide letter J-11011/505/2017-IA II (I) dated 4<sup>th</sup> April, 2018.

The activity includes CSR done for financial year 2020-2021 and invested in Health and care area for COVID patients during pandemic. The detail of investment done is given below:

Name of Health Centre : Sachiv MRS Community Health Centre, Mandhan (Alwar)

Amount : Rs. 5 Lakhs

Cheque No. : 002586

Date : 14.07.2021

Date:26-08-2021

Place:Alwar

For Shree Jee Laboratory Pvt. Ltd.

Authorized Signatory

For & behalf of M/s Shree Jee Laboratory Pvt. Ltd.

*Cheques  
Received*

*विद्युत अधिकारी प्रभारी  
सामुदायिक केंद्र मांडण (अलवर)*



# ENVIRONMENT, HEALTH, SAFETY AND SUSTAINABILITY POLICY

**At Mankind Pharma we are fully committed to achieve excellence in Environment, Health, Safety and Sustainability and conduct our activities in more responsible way.**

## **We achieve the same by**

- We Comply with all applicable laws and regulations and other requirements in which the company operates.
- We ensure protection of Environment and prevention of Pollution throughout supply chain and at all levels of operations.
- We provide safe working environment for our employees, contractors, visitors and other stake holders.
- Energy conservation, recovery, recycling, reuse and reduction of waste, minimising hazards and risks, preventing injury and ill health.
- We provide system to encourage employees and contractors to identify and report all incidents / unsafe acts / conditions including near miss and correcting it by taking appropriate CAPA in a time bound program.
- We integrate sustainability considerations into all business decisions and processes with the aim of creating value, mitigating future risks by committing product stewardship across the product life cycle.
- We provide the frame work and adequate resources for effective and continual improvement in the EHS management system, sustainability objectives and targets and its performance through periodic audits and compliances.
- Adopting best practices in EHS management system through effective communication; consultation and participation and provide necessary training to all employees and contractors.

**R.C. Juneja**  
Chairman


July 01, 2021  
New Delhi





Document No: ST/EHS/00

### ENVIRONMENT HEALTH & SAFETY DEPARTMENT ORGANOGRAM



Prepared By: \_\_\_\_\_  
(Sign & Date)

Approved By: \_\_\_\_\_  
(Sign & Date)

GSOP-085/F4-00





**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

<p><b>Bharatpur Sambhag</b></p>	<p><b>Gangapur City Patrika</b></p>
<p><b>Patrika Rajasthan</b></p>	<p><b>Sunday Patrika Citizen</b></p>



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

Dated: 29.07.2020

To

Chief Municipal Officer  
Nagarpalika Behror  
Alwar, Rajasthan - 301701

**Subject:** Proposed expansion in Bulk Drug manufacturing 80 to 150 TPA [API (72 to 142 TPA) & Steroid (8 TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan) by M/s. Shree Jee Laboratory Pvt. Ltd. - **Regarding copy of Environment Clearance for your records**

**Ref:** EC vide File No. F1 (4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.5(F)B2(18048)2019-20 dated 5<sup>th</sup> June, 2020

Respected Sir

With reference to the aforesaid subject and above cited reference, this is to apprise you that we have obtained Environment Clearance for our project, "Proposed expansion in Bulk Drug manufacturing 80 to 150 TPA [API (72 to 142 TPA) & Steroid (8 TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan) by M/s. Shree Jee Laboratory Pvt. Ltd" from State Level Environment Impact Assessment Authority (SEIAA), Rajasthan on 5<sup>th</sup> June, 2020.

In compliance to Point no, X (ii) of our EC we are herewith submitting a copy of the Environment Clearance received for our expansion proposal for your records as well.

Thanking you and with Regards,

Yours faithfully

For Shree Jee Laboratory Pvt. Ltd.

For Shree Jee Laboratory Pvt. Ltd.

  
Authorised Signatory  
Dr. Anil Kumar (Chief Scientific Officer)

Authorised Signatory

---

C-24 & 25, RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)

Phone No : 01494 - 660888, E-mail: shrijeelaboratory@gmail.com

CIN : U24232DL2011PTC272907



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

Dated: 29.07.2020

To

Regional Officer  
Rajasthan State Pollution Control Board  
D – Block, Ambedkar Nagar,  
Alwar, Rajasthan - 301701

**Subject:** Proposed expansion in Bulk Drug manufacturing 80 to 150 TPA [API (72 to 142 TPA) & Steroid (8 TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan) by M/s. Shree Jee Laboratory Pvt. Ltd. - **Regarding copy of Environment Clearance for your records**

**Ref:** EC vide File No. F1 (4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.5(F)B2(18048)2019-20 dated 5<sup>th</sup> June, 2020

Respected Sir

With reference to the aforesaid subject and above cited reference, this is to apprise you that we have obtained Environment Clearance for our project, "Proposed expansion in Bulk Drug manufacturing 80 to 150 TPA [API (72 to 142 TPA) & Steroid (8 TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan) by M/s. Shree Jee Laboratory Pvt. Ltd" from State Level Environment Impact Assessment Authority (SEIAA), Rajasthan on 5<sup>th</sup> June, 2020.

In compliance to Point no, X (ii) of our EC we are herewith submitting a copy of the Environment Clearance received for our expansion proposal for your records as well.

Thanking you and with Regards,

Yours faithfully

For Shree Jee Laboratory Pvt. Ltd.

For Shree Jee Laboratory Pvt. Ltd.

  
Authorised Signatory  
Dr. Anil Kumar (Chief Scientific Officer)

Authorised Signatory

---

C-24 & 25, RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)

Phone No : 01494 - 660888, E-mail: shrijeelaboratory@gmail.com

CIN : U24232DL2011PTC272907

**Bulk Drugs Manufacturing 150 TPA [API (142 TPA) & Steroid (8 TPA)] Plant**

At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

**Annexure 24**

**Emission Results Display Board**

<p><b>SHREE JEE LABORATORY PRIVATE LIMITED</b> C-24 &amp; 25 RIICO INDUSTRIAL AREA, SOTANALA BEHROR, 301701, DIST ALWAR (RAJ) <b>ENVIRONMENTAL DATA BOARD</b></p> <p>WATER &amp; AIR POLLUTION CONSENT TO OPERATE No. 2021-2922/10/4534 VALID UP TO: 30 06 2028</p> <p><b>A) EFFLUENT CHARACTERISTICS</b> REPORT DATE: 01-06-2024</p> <table border="1"> <thead> <tr> <th>No.</th> <th>PARAMETER</th> <th>UNIT</th> <th>MAX STANDARD LIMIT</th> <th>ACTUAL VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>pH</td> <td></td> <td>6.0-8.5</td> <td>7.79</td> </tr> <tr> <td>2</td> <td>COD</td> <td>mg/l</td> <td>250</td> <td>20.40</td> </tr> <tr> <td>3</td> <td>BOD</td> <td>mg/l</td> <td>30</td> <td>6.2</td> </tr> <tr> <td>4</td> <td>TSS</td> <td>mg/l</td> <td>100</td> <td>5.5</td> </tr> <tr> <td>5</td> <td>OIL &amp; Grease</td> <td>mg/l</td> <td>10</td> <td>0.01</td> </tr> </tbody> </table> <p>Threated Waste Water Mode of Disposal: ZLD PLANT</p> <p><b>B) BOILER EMISSIONS</b> REPORT DATE: 01-06-2024</p> <table border="1"> <thead> <tr> <th>No.</th> <th>PARAMETER</th> <th>UNIT</th> <th>MAX EMISSION LIMIT</th> <th>ACTUAL VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Particulate (PM) For Category of 1000</td> <td>mg/Sec</td> <td>1200</td> <td>100</td> </tr> <tr> <td>2</td> <td>Particulate (PM) For Category of 1000</td> <td>mg/Sec</td> <td>500</td> <td>234.69</td> </tr> <tr> <td>3</td> <td>Particulate (PM) For Category of 1000</td> <td>mg/Sec</td> <td>500</td> <td>500</td> </tr> </tbody> </table> <p><b>C) DG STACK EMISSIONS</b> REPORT DATE: 01-06-2024</p> <table border="1"> <thead> <tr> <th>No.</th> <th>PARAMETER</th> <th>UNIT</th> <th>MAX EMISSION LIMIT</th> <th>DG-I</th> <th>DG-II</th> <th>DG-III</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PM</td> <td>g/Sec-hr</td> <td></td> <td>500KVA</td> <td>750KVA</td> <td>250KVA</td> </tr> </tbody> </table> <p><b>D) AMBIENT NOISE FOR INDUSTRIAL AREA (at BOUNDARY WALL)</b> REPORT DATE: 01-06-2024</p> <table border="1"> <thead> <tr> <th>No.</th> <th>Day Time</th> <th>(dB(A))</th> <th>Night Time</th> <th>(dB(A))</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Day Time <td>73</td> <td>Night Time</td> <td>65.0</td> </td></tr> <tr> <td>2</td> <td>Night Time <td>79</td> <td></td> <td>55.5</td> </td></tr> </tbody> </table> <p><b>E) HAZARDOUS WASTE</b> AUTHORIZATION No. EP/13/99M/2021-2022/13/Nov/45 VALID UP TO: 31-05-2026</p> <table border="1"> <thead> <tr> <th>No.</th> <th>HAZARDOUS WASTE</th> <th>CATEGORY</th> <th>UNIT</th> <th>MAX QTY</th> <th>STORED QUANTITY TILL DATE</th> <th>DISPOSAL METHOD</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Process Residue and Waste</td> <td>28.1</td> <td>MT/Year</td> <td>300</td> <td>12.35 kg</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>2</td> <td>Solvent Residue</td> <td>28.2</td> <td>MT/Year</td> <td>2.22</td> <td>0.51</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>3</td> <td>Dist. Residue</td> <td>26.4</td> <td>MT/Year</td> <td>1.5</td> <td>0.12 kg</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>4</td> <td>Solvent Organic Solvents</td> <td>26.5</td> <td>Nm/Year</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>5</td> <td>Solvent Organic Solvents</td> <td>26.5</td> <td>Nm/Year</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>6</td> <td>Solvent Organic Solvents</td> <td>26.5</td> <td>Nm/Year</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>7</td> <td>Solvent Organic Solvents</td> <td>26.5</td> <td>Nm/Year</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> </tbody> </table> <p><b>F) BIO MEDICAL WASTE</b> AUTHORIZATION No. EP/13/99M/2021-2022/13/Nov/45 VALID UP TO: 31-05-2026</p> <table border="1"> <thead> <tr> <th>No.</th> <th>TYPE</th> <th>CATEGORY</th> <th>UNIT</th> <th>QUANTITY</th> <th>STORED QUANTITY TILL DATE</th> <th>DISPOSAL METHOD</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Solid</td> <td>Yellow</td> <td>MT/Year</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>2</td> <td>Sharps</td> <td>White</td> <td>MT/Year</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>3</td> <td>Contaminated Waste</td> <td>Red</td> <td>MT/Year</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>4</td> <td>Glassware</td> <td>Blue</td> <td>MT/Year</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>5</td> <td>Waste Sharps</td> <td>White</td> <td>MT/Year</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> </tbody> </table> <p><b>G) CHEMICAL NAME</b> UNIT: KG, QUANTITY: 50, METHOD OF STORAGE: UNDER GROUND STORAGE TANK</p>	No.	PARAMETER	UNIT	MAX STANDARD LIMIT	ACTUAL VALUE	1	pH		6.0-8.5	7.79	2	COD	mg/l	250	20.40	3	BOD	mg/l	30	6.2	4	TSS	mg/l	100	5.5	5	OIL & Grease	mg/l	10	0.01	No.	PARAMETER	UNIT	MAX EMISSION LIMIT	ACTUAL VALUE	1	Particulate (PM) For Category of 1000	mg/Sec	1200	100	2	Particulate (PM) For Category of 1000	mg/Sec	500	234.69	3	Particulate (PM) For Category of 1000	mg/Sec	500	500	No.	PARAMETER	UNIT	MAX EMISSION LIMIT	DG-I	DG-II	DG-III	1	PM	g/Sec-hr		500KVA	750KVA	250KVA	No.	Day Time	(dB(A))	Night Time	(dB(A))	1	Day Time <td>73</td> <td>Night Time</td> <td>65.0</td>	73	Night Time	65.0	2	Night Time <td>79</td> <td></td> <td>55.5</td>	79		55.5	No.	HAZARDOUS WASTE	CATEGORY	UNIT	MAX QTY	STORED QUANTITY TILL DATE	DISPOSAL METHOD	1	Process Residue and Waste	28.1	MT/Year	300	12.35 kg	TRIP - UG/TANK	2	Solvent Residue	28.2	MT/Year	2.22	0.51	TRIP - UG/TANK	3	Dist. Residue	26.4	MT/Year	1.5	0.12 kg	TRIP - UG/TANK	4	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK	5	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK	6	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK	7	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK	No.	TYPE	CATEGORY	UNIT	QUANTITY	STORED QUANTITY TILL DATE	DISPOSAL METHOD	1	Solid	Yellow	MT/Year	1.0	0.12	TRIP - UG/TANK	2	Sharps	White	MT/Year	1.0	0.12	TRIP - UG/TANK	3	Contaminated Waste	Red	MT/Year	1.0	0.12	TRIP - UG/TANK	4	Glassware	Blue	MT/Year	1.0	0.12	TRIP - UG/TANK	5	Waste Sharps	White	MT/Year	1.0	0.12	TRIP - UG/TANK	<p><b>श्रीजी लैबोराट्री प्राइवेट लिमिटेड</b> सी-24, 25 रिफो औद्योगिक क्षेत्र, सतानाला, बेहरोर, 301701, जिला - अलवर ( राज. ) <b>पर्यावरण डेटा बोर्ड</b></p> <p>पानी व वायु प्रदूषण परमिशन नं. 2021-2922/10/4534 वैधता अवधि: 30 06 2028</p> <p><b>क) प्रवाही प्रदूषण</b> रिपोर्ट तिथि: 01-06-2024</p> <table border="1"> <thead> <tr> <th>क्र.सं.</th> <th>परामीटर</th> <th>इकाई</th> <th>अधिकतम मानक सीमा</th> <th>वास्तविक मान</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>पीएच</td> <td></td> <td>6.0-8.5</td> <td>7.79</td> </tr> <tr> <td>2</td> <td>सीओडी</td> <td>एमजी/ली</td> <td>250</td> <td>20.40</td> </tr> <tr> <td>3</td> <td>बीओडी</td> <td>एमजी/ली</td> <td>30</td> <td>6.2</td> </tr> <tr> <td>4</td> <td>टीएस</td> <td>एमजी/ली</td> <td>100</td> <td>5.5</td> </tr> <tr> <td>5</td> <td>ऑइल एंड ग्रेस</td> <td>एमजी/ली</td> <td>10</td> <td>0.01</td> </tr> </tbody> </table> <p>उत्पन्न कचरा पानी निपटारा का तरीका: ZLD PLANT</p> <p><b>ख) बॉयलर का प्रदूषण</b> रिपोर्ट तिथि: 01-06-2024</p> <table border="1"> <thead> <tr> <th>क्र.सं.</th> <th>परामीटर</th> <th>इकाई</th> <th>अधिकतम अनुमति इकाई</th> <th>वास्तविक मान</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Particulate (PM) For Category of 1000</td> <td>mg/Sec</td> <td>1200</td> <td>100</td> </tr> <tr> <td>2</td> <td>Particulate (PM) For Category of 1000</td> <td>mg/Sec</td> <td>500</td> <td>234.69</td> </tr> <tr> <td>3</td> <td>Particulate (PM) For Category of 1000</td> <td>mg/Sec</td> <td>500</td> <td>500</td> </tr> </tbody> </table> <p><b>ग) डी जे स्टैक प्रदूषण</b> रिपोर्ट तिथि: 01-06-2024</p> <table border="1"> <thead> <tr> <th>क्र.सं.</th> <th>परामीटर</th> <th>इकाई</th> <th>अधिकतम अनुमति इकाई</th> <th>DG-I</th> <th>DG-II</th> <th>DG-III</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PM</td> <td>g/Sec-hr</td> <td></td> <td>500KVA</td> <td>750KVA</td> <td>250KVA</td> </tr> </tbody> </table> <p><b>घ) औद्योगिक क्षेत्र के लिए परिसर की दीवार (बाउंडरी वॉल)</b> रिपोर्ट तिथि: 01-06-2024</p> <table border="1"> <thead> <tr> <th>क्र.सं.</th> <th>दिन के समय</th> <th>डेसीबल (dB(A))</th> <th>रात के समय</th> <th>डेसीबल (dB(A))</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>दिन के समय</td> <td>73</td> <td>रात के समय</td> <td>65.0</td> </tr> <tr> <td>2</td> <td>रात के समय</td> <td>79</td> <td></td> <td>55.5</td> </tr> </tbody> </table> <p><b>च) खतरा भरी कचरा</b> अनुमति नं.: EP/13/99M/2021-2022/13/Nov/45 वैधता अवधि: 31-05-2026</p> <table border="1"> <thead> <tr> <th>क्र.सं.</th> <th>खतरा भरी कचरा</th> <th>श्रेणी</th> <th>इकाई</th> <th>अधिकतम मात्रा</th> <th>अब तक संग्रहित मात्रा</th> <th>निपटारा विधि</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>प्रक्रिया अवशेष</td> <td>28.1</td> <td>एमटी/वर्ष</td> <td>300</td> <td>12.35 kg</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>2</td> <td>सॉल्वेंट अवशेष</td> <td>28.2</td> <td>एमटी/वर्ष</td> <td>2.22</td> <td>0.51</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>3</td> <td>डिस्टिलेट अवशेष</td> <td>26.4</td> <td>एमटी/वर्ष</td> <td>1.5</td> <td>0.12 kg</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>4</td> <td>सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स</td> <td>26.5</td> <td>एमटी/वर्ष</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>5</td> <td>सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स</td> <td>26.5</td> <td>एमटी/वर्ष</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>6</td> <td>सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स</td> <td>26.5</td> <td>एमटी/वर्ष</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>7</td> <td>सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स</td> <td>26.5</td> <td>एमटी/वर्ष</td> <td>3.08</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> </tbody> </table> <p><b>छ) बायो मेडिकल कचरा</b> अनुमति नं.: EP/13/99M/2021-2022/13/Nov/45 वैधता अवधि: 31-05-2026</p> <table border="1"> <thead> <tr> <th>क्र.सं.</th> <th>प्रकार</th> <th>श्रेणी</th> <th>इकाई</th> <th>मात्रा</th> <th>अब तक संग्रहित मात्रा</th> <th>निपटारा विधि</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>ठोस</td> <td>पीला</td> <td>एमटी/वर्ष</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>2</td> <td>खुरदरा कचरा</td> <td>सफेद</td> <td>एमटी/वर्ष</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>3</td> <td>दूषित कचरा</td> <td>लाल</td> <td>एमटी/वर्ष</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>4</td> <td>कचरा</td> <td>नीला</td> <td>एमटी/वर्ष</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> <tr> <td>5</td> <td>खतरा भरी कचरा</td> <td>सफेद</td> <td>एमटी/वर्ष</td> <td>1.0</td> <td>0.12</td> <td>TRIP - UG/TANK</td> </tr> </tbody> </table> <p><b>ज) रासायनिक नाम</b> इकाई: KG, मात्रा: 50, निपटारा का तरीका: UNDER GROUND STORAGE TANK</p>	क्र.सं.	परामीटर	इकाई	अधिकतम मानक सीमा	वास्तविक मान	1	पीएच		6.0-8.5	7.79	2	सीओडी	एमजी/ली	250	20.40	3	बीओडी	एमजी/ली	30	6.2	4	टीएस	एमजी/ली	100	5.5	5	ऑइल एंड ग्रेस	एमजी/ली	10	0.01	क्र.सं.	परामीटर	इकाई	अधिकतम अनुमति इकाई	वास्तविक मान	1	Particulate (PM) For Category of 1000	mg/Sec	1200	100	2	Particulate (PM) For Category of 1000	mg/Sec	500	234.69	3	Particulate (PM) For Category of 1000	mg/Sec	500	500	क्र.सं.	परामीटर	इकाई	अधिकतम अनुमति इकाई	DG-I	DG-II	DG-III	1	PM	g/Sec-hr		500KVA	750KVA	250KVA	क्र.सं.	दिन के समय	डेसीबल (dB(A))	रात के समय	डेसीबल (dB(A))	1	दिन के समय	73	रात के समय	65.0	2	रात के समय	79		55.5	क्र.सं.	खतरा भरी कचरा	श्रेणी	इकाई	अधिकतम मात्रा	अब तक संग्रहित मात्रा	निपटारा विधि	1	प्रक्रिया अवशेष	28.1	एमटी/वर्ष	300	12.35 kg	TRIP - UG/TANK	2	सॉल्वेंट अवशेष	28.2	एमटी/वर्ष	2.22	0.51	TRIP - UG/TANK	3	डिस्टिलेट अवशेष	26.4	एमटी/वर्ष	1.5	0.12 kg	TRIP - UG/TANK	4	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK	5	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK	6	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK	7	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK	क्र.सं.	प्रकार	श्रेणी	इकाई	मात्रा	अब तक संग्रहित मात्रा	निपटारा विधि	1	ठोस	पीला	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK	2	खुरदरा कचरा	सफेद	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK	3	दूषित कचरा	लाल	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK	4	कचरा	नीला	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK	5	खतरा भरी कचरा	सफेद	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK
No.	PARAMETER	UNIT	MAX STANDARD LIMIT	ACTUAL VALUE																																																																																																																																																																																																																																																																																																																																																															
1	pH		6.0-8.5	7.79																																																																																																																																																																																																																																																																																																																																																															
2	COD	mg/l	250	20.40																																																																																																																																																																																																																																																																																																																																																															
3	BOD	mg/l	30	6.2																																																																																																																																																																																																																																																																																																																																																															
4	TSS	mg/l	100	5.5																																																																																																																																																																																																																																																																																																																																																															
5	OIL & Grease	mg/l	10	0.01																																																																																																																																																																																																																																																																																																																																																															
No.	PARAMETER	UNIT	MAX EMISSION LIMIT	ACTUAL VALUE																																																																																																																																																																																																																																																																																																																																																															
1	Particulate (PM) For Category of 1000	mg/Sec	1200	100																																																																																																																																																																																																																																																																																																																																																															
2	Particulate (PM) For Category of 1000	mg/Sec	500	234.69																																																																																																																																																																																																																																																																																																																																																															
3	Particulate (PM) For Category of 1000	mg/Sec	500	500																																																																																																																																																																																																																																																																																																																																																															
No.	PARAMETER	UNIT	MAX EMISSION LIMIT	DG-I	DG-II	DG-III																																																																																																																																																																																																																																																																																																																																																													
1	PM	g/Sec-hr		500KVA	750KVA	250KVA																																																																																																																																																																																																																																																																																																																																																													
No.	Day Time	(dB(A))	Night Time	(dB(A))																																																																																																																																																																																																																																																																																																																																																															
1	Day Time <td>73</td> <td>Night Time</td> <td>65.0</td>	73	Night Time	65.0																																																																																																																																																																																																																																																																																																																																																															
2	Night Time <td>79</td> <td></td> <td>55.5</td>	79		55.5																																																																																																																																																																																																																																																																																																																																																															
No.	HAZARDOUS WASTE	CATEGORY	UNIT	MAX QTY	STORED QUANTITY TILL DATE	DISPOSAL METHOD																																																																																																																																																																																																																																																																																																																																																													
1	Process Residue and Waste	28.1	MT/Year	300	12.35 kg	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
2	Solvent Residue	28.2	MT/Year	2.22	0.51	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
3	Dist. Residue	26.4	MT/Year	1.5	0.12 kg	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
4	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
5	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
6	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
7	Solvent Organic Solvents	26.5	Nm/Year	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
No.	TYPE	CATEGORY	UNIT	QUANTITY	STORED QUANTITY TILL DATE	DISPOSAL METHOD																																																																																																																																																																																																																																																																																																																																																													
1	Solid	Yellow	MT/Year	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
2	Sharps	White	MT/Year	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
3	Contaminated Waste	Red	MT/Year	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
4	Glassware	Blue	MT/Year	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
5	Waste Sharps	White	MT/Year	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
क्र.सं.	परामीटर	इकाई	अधिकतम मानक सीमा	वास्तविक मान																																																																																																																																																																																																																																																																																																																																																															
1	पीएच		6.0-8.5	7.79																																																																																																																																																																																																																																																																																																																																																															
2	सीओडी	एमजी/ली	250	20.40																																																																																																																																																																																																																																																																																																																																																															
3	बीओडी	एमजी/ली	30	6.2																																																																																																																																																																																																																																																																																																																																																															
4	टीएस	एमजी/ली	100	5.5																																																																																																																																																																																																																																																																																																																																																															
5	ऑइल एंड ग्रेस	एमजी/ली	10	0.01																																																																																																																																																																																																																																																																																																																																																															
क्र.सं.	परामीटर	इकाई	अधिकतम अनुमति इकाई	वास्तविक मान																																																																																																																																																																																																																																																																																																																																																															
1	Particulate (PM) For Category of 1000	mg/Sec	1200	100																																																																																																																																																																																																																																																																																																																																																															
2	Particulate (PM) For Category of 1000	mg/Sec	500	234.69																																																																																																																																																																																																																																																																																																																																																															
3	Particulate (PM) For Category of 1000	mg/Sec	500	500																																																																																																																																																																																																																																																																																																																																																															
क्र.सं.	परामीटर	इकाई	अधिकतम अनुमति इकाई	DG-I	DG-II	DG-III																																																																																																																																																																																																																																																																																																																																																													
1	PM	g/Sec-hr		500KVA	750KVA	250KVA																																																																																																																																																																																																																																																																																																																																																													
क्र.सं.	दिन के समय	डेसीबल (dB(A))	रात के समय	डेसीबल (dB(A))																																																																																																																																																																																																																																																																																																																																																															
1	दिन के समय	73	रात के समय	65.0																																																																																																																																																																																																																																																																																																																																																															
2	रात के समय	79		55.5																																																																																																																																																																																																																																																																																																																																																															
क्र.सं.	खतरा भरी कचरा	श्रेणी	इकाई	अधिकतम मात्रा	अब तक संग्रहित मात्रा	निपटारा विधि																																																																																																																																																																																																																																																																																																																																																													
1	प्रक्रिया अवशेष	28.1	एमटी/वर्ष	300	12.35 kg	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
2	सॉल्वेंट अवशेष	28.2	एमटी/वर्ष	2.22	0.51	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
3	डिस्टिलेट अवशेष	26.4	एमटी/वर्ष	1.5	0.12 kg	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
4	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
5	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
6	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
7	सॉल्वेंट ऑर्गेनिक सॉल्वेंट्स	26.5	एमटी/वर्ष	3.08	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
क्र.सं.	प्रकार	श्रेणी	इकाई	मात्रा	अब तक संग्रहित मात्रा	निपटारा विधि																																																																																																																																																																																																																																																																																																																																																													
1	ठोस	पीला	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
2	खुरदरा कचरा	सफेद	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
3	दूषित कचरा	लाल	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
4	कचरा	नीला	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
5	खतरा भरी कचरा	सफेद	एमटी/वर्ष	1.0	0.12	TRIP - UG/TANK																																																																																																																																																																																																																																																																																																																																																													
<p><b>Display in English</b></p>	<p><b>Display in Hindi</b></p>																																																																																																																																																																																																																																																																																																																																																																		



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

Ref No.: SJLPL/EHS/21-22/41

Date: 29.11.2021

To,  
The Member Secretary,  
Ministry of Environment, Forest & Climate Change  
Indira Paryavaran Bhavan, Jor bagh Road  
Delhi - 110003

श्री जे लैब. अनुगम द्वारा प्राप्त किया  
Received by CR Section  
पर्यावरण, वन, जलवायु परिवर्तन मंत्रालय  
Ministry of Environment, Forest & Climate Change  
पर्यावरण भवन/Indira Paryavaran Bhavan  
नई दिल्ली/India  
Ministry of Environment, Forest & Climate Change  
Indira Paryavaran Bhavan, Jor bagh Road, New Delhi  
नई दिल्ली/India-110003

Sub: Submission of Half-Yearly Compliance Report (April'2021 to September'2021) for Bulk Drug Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C-24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan by M/s Shree Jee Laboratory Pvt. Ltd.

Ref. : EC Letter Vide No. F1(4)/SEIAA/SEAC-Raj/Secct/Project/Cat.5(F)B2(18048)/2019-20 dated 5<sup>th</sup> June, 2020

Sir,

With reference to the aforesaid subject and above cited reference matter, we are hereby submitting the Half Yearly Compliance Report (April'2021 to September'2021) of the conditions stipulated in our Environment Clearance letter issued by MoEFCC, New Delhi.

This is for your kind consideration and records.

Thanking you and with regards,

Yours Faithfully,

Shree Jee Laboratory Pvt. Ltd.  
For Shree Jee Laboratory Pvt. Ltd.

N. S. R. = 6159 les  
Authorized Signatory

(Authorized Signatory)

Enclosed: Half Yearly Compliance Report (April'2021 to September'2021)

C-24 & 25, RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)  
Phone No : 01494-223000, E-mail: shrijeelaboratory@gmail.com  
CIN : U24232DL2011PTC272907



---

**Six Monthly Compliance Report ( April 2021 to September 2021)**

1 message

---

**Shree Jee Laboratory** <shrijeelaboratory@gmail.com>  
To: mscb.cpcb@nic.in

Tue, Nov 30, 2021 at 1:22 PM

Respected Sir,

This is with reference to the aforesaid subject and Environmental Clearance letter obtained vide letter number **F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5th June, 2020** to our project for Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan by M/s Shree Jee Laboratory Pvt. Ltd.

In compliance to the Ministry of Environment, Forest and Climate Change Notification dated 26<sup>th</sup> November, 2018, we have uploaded the six monthly compliance report of our project for the period April'2021 to September'2021 on 30<sup>th</sup> November, 2021 at the ministry's portal.

Also we are hereby submitting (attached) the six monthly compliance report for the period April'2021 to September'2021 for your kind reference & records please.

Thank You for your kind consideration.

Yours sincerely

For **Shree Jee Laboratory Pvt. Ltd.**

**Authorised Signatory**

**Prabhash Kumar Choudhary (GM- EHS)**

**Mobile: 8283066733**



**SMR (April to Sept.'21)\_Shree Jee Laboratory.pdf**  
21660K

---

**Six Monthly Compliance Report (April 2021 to September 2021)**

1 message

---

**Shree Jee Laboratory** <shrijeelaboratory@gmail.com>  
To: member-secretary@rpcb.nic.in

Tue, Nov 30, 2021 at 1:29 PM

Respected Sir,

This is with reference to the aforesaid subject and Environmental Clearance letter obtained vide letter number **F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5th June, 2020** to our project for Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan by M/s Shree Jee Laboratory Pvt. Ltd.

In compliance to the Ministry of Environment, Forest and Climate Change Notification dated 26<sup>th</sup> November, 2018, we have uploaded the six monthly compliance report of our project for the period April'2021 to September'2021 on 30<sup>th</sup> November, 2021 at the ministry's portal.

Also we are hereby submitting (attached) the six monthly compliance report for the period April'2021 to September'2021 for your kind reference & records please.


Thank You for your kind consideration.

Yours sincerely

For **Shree Jee Laboratory Pvt. Ltd.**

**Authorised Signatory****Prabhash Kumar Choudhary (GM-EHS)**  
**Mobile: 8283066733**

---

 **SMR (April to Sept.'21)\_Shree Jee Laboratory.pdf**  
21661K

---

**Six Monthly Compliance Report (April 2021 to Sept. 2021)**

1 message

---

**Shree Jee Laboratory** <shrijeelaboratory@gmail.com>  
To: rocz.lko-mef@nic.in

Tue, Nov 30, 2021 at 1:26 PM

Respected Sir/Madam,

This is with reference to the aforesaid subject and Environmental Clearance letter obtained vide letter number **F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5th June, 2020** to our project for Bulk Drugs Manufacturing 150 TPA [API (142 TPA) and Steroid (8 TPA)] Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village - Sotanala, Tehsil - Behror, District - Alwar, Rajasthan by M/s Shree Jee Laboratory Pvt. Ltd.

In compliance to the Ministry of Environment, Forest and Climate Change Notification dated 26<sup>th</sup> November, 2018, we have uploaded the six monthly compliance reports of our project for the period April'2021 to September'2021 on 30<sup>th</sup> November, 2021 at the ministry's portal.

Also we are hereby submitting (attached) the six monthly compliance reports for the period April 2021 to September 2021 for your kind reference & records please.


Thank You for your kind consideration.

Yours sincerely

For **Shree Jee Laboratory Pvt. Ltd.**

**Authorised Signatory****Prabhash Kumar Choudhary (GM-EHS)**  
**Mobile: 8283066733**

---

 **SMR (April to Sept.'21)\_Shree Jee Laboratory.pdf**  
21660K



# SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

Ref. No. : SJLPL/EHS/21-22/24

Date: 30/9/2021

To,  
The Member Secretary  
Rajasthan State Pollution Control Board,  
4, Institutional Area, Jhalana Doongri  
Jaipur-302004 (Raj.)

**Sub:** Submission of Environmental Statement Report (2020-2021) for Bulk Drug Manufacturing Plant at plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District- Alwar, Rajasthan of by M/s Shree Jee Laboratory Pvt. Ltd.

Ref. : EC Letter Vide No. J-11011/176/2014-IA II(I) dated 25th June, 2015  
EC Letter Vide No. J-11011/505/2017-IA II (I) dated 4th April, 2018  
EC Letter Vide No. F91/SEIAA/SEAC-Raj/Sectt/Project/Cat.5(F)B2(18048)/2019-20 dated 5th June, 2020

Sir,

With reference to the aforesaid subject and above cited reference matter, this is to apprise you that M/s Shree Jee Laboratory Pvt. Ltd. has obtained Environment Clearance vide letter no. J-11011/176/2014-IA II(I) dated 25th June, 2015 for Bulk Drug Manufacturing [(API (65 TPA) and Steroid (5 TPA))] Plant and further Environmental Clearance vide letter no. J-11011/505/2017-IA II (I) dated 4th April, 2018 for expansion of bulk drugs manufacturing [(API (65 to 72 TPA) and Steroid (5 to 8 TPA))] plant. Also, M/s Shree Jee Laboratory Pvt. Ltd has obtained Environmental Clearance vide Letter no. F91/SEIAA/SEAC-Raj/Sectt/Project/Cat.5(F)B2(18048)/2019-20 dated 5th June, 2020 for expansion in Bulk Drug manufacturing 80 to 150 TPA {API (72 to 142) & Steroid (8 TPA)} Plant at Plot No. C- 24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District- Alwar, Rajasthan.

During financial year 2020-2021, the plant was running on last EC dated 4th April, 2018 basis only and will be operational as per latest EC after obtaining Consent to Operate for the same.

Therefore, we are herewith submitting the Environment Statement Report (Form-V) for Bulk Drug Manufacturing [(API (72 TPA) and Steroid (8 TPA))] Plant at plot No. C- 24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District- Alwar, Rajasthan of by M/s Shree Jee Laboratory Pvt. Ltd. for the financial Year, 2020-2021.

Thanking you and with regards,

Yours faithfully

M/s. Shree Jee Laboratory Pvt. Ltd.

For Shree Jee Laboratory Pvt. Ltd.

(Authorized Signatory)  
(Mr. Rajesh Gupta, General Manager)



Encl.: Environmental Statement Report (Financial Year, 2020-21)  
C-24 & 25, RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)  
Phone No : 01494-223000, E-mail: shrijeelaboratory@gmail.com  
CIN : U24232DL2011PTC272907