



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/A/01** Report No.: **JME/A/200925004**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan** Format No.: **7.50 F-02**

Party Reference No. **Nil**

Reporting Date: **29/09/2020**

Sample Description: **AMBIENT AIR QUALITY MONITORING** Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation) **Mr. Amit Yadav (EHS)**

Sample collected by (Name & Designation) **Mr. Kamlesh Yadav(Asst. Manager)**

Sampling Location **Near ETP**

Latitude **27°49'60.2" N**

Longitude **76°15'50.2" E**

Instrument used **RDS& FPS, OVS**

Instrument code **JME/RDS/01/24 & JME/FPS/01/22**

Instrument calibration status **Calibrated**

Meteorological condition during monitoring **Clear Sky**

Date of Monitoring **23/09/2020 to 23/09/2020**

Time of Monitoring **10:15 to 18:15Hrs**

Actual duration of Monitoring, (minutes) **478.0**

Ambient Temperature (0°C) **Max 34°C, Min 30°C**

Surrounding activity **ETP Plant Operation & Vehicular Activities**

Scope of Monitoring **Regulatory Requirement**

Control measure if Any **--**

Sampling & Analysis Protocol **IS-5182**

Parameter Required **As per work order**

TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	37.16	µg/m ³	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	86.35	µg/m ³	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	28.47	µg/m ³	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	10.20	µg/m ³	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.83	mg/m ³	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	4.14	µg/m ³	--

*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Tested by
Tested by

Checked by
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: JME/SJLPL/A/02 Report No.: JME/A/200925005

Name & Address of Unit M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan Format No.: 7.50 F-02
Party Reference No. Nil

Reporting Date: 29/09/2020

Sample Description: AMBIENT AIR QUALITY MONITORING Receipt Date: 25/09/2020

General Information

Client Representative (Name & Designation) Mr. Amit Yadav (EHS)

Sample collected by (Name & Designation) Mr. Kamlesh Yadav(Asst. Manager)

Sampling Location Near Warehouse

Latitude 27°49'60.8" N

Longitude 76°15'56.6" E

Instrument used RDS& FPS,OVS

Instrument code JME/RDS/01/24 & JME/FPS/01/22

Instrument calibration status Calibrated

Meteorological condition during monitoring Clear Sky

Date of Monitoring 23/09/2020 to 24/09/2020

Time of Monitoring 18:30 to 02:30Hrs

Actual duration of Monitoring, (minutes) 475.0

Ambient Temperature (0°C) Max 30°C, Min 24°C

Surrounding activity Vehicular Activities

Scope of Monitoring Regulatory Requirement

Control measure if Any --

Sampling & Analysis Protocol IS-5182

Parameter Required As per work order

TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	33.74	µg/m ³	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	70.29	µg/m ³	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	25.17	µg/m ³	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	9.05	µg/m ³	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.72	mg/m ³	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	2.45	µg/m ³	--

*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Tested by
Tested by

Checked by
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

CIN No. : U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/A/03**
 Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.
 Bulk Drugs Manufacturing
 [API (72 TPA) & Steroid (8 TPA)] Plant
 At plot No. C-24 & 25, RIICO Industrial
 Area, Village: Sotanala, Tehsil: Behror,
 District: Alwar, Rajasthan**
 Sample Description: **AMBIENT AIR QUALITY MONITORING**

Report No.: **JME/A/200925006**
 Format No.: **7.50 F-02**
 Party Reference No. **Nil**
 Reporting Date: **29/09/2020**
 Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Lalchand Yadav (Field Asst.)
Sampling Location	Near Admin Block
Latitude	27°49'52.3" N
Longitude	76°15'53.6" E
Instrument used	RDS & FPS
Instrument code	JME/RDS/01/23 & JME/FPS/01/13
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	24/09/2020 to 25/09/2020
Time of Monitoring	17:20 to 01:05Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 34°C, Min 28°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	32.04	µg/m ³	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	80.00	µg/m ³	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	24.18	µg/m ³	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	10.32	µg/m ³	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.70	mg/m ³	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	3.01	µg/m ³	--

*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

[Signature]
Tested by

[Signature]
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

CIN No. :U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/A/04**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan**

Sample Description: **AMBIENT AIR QUALITY MONITORING**

Report No.: **JME/A/200925007**

Format No.: **7.50 F-02**

Party Reference No. **Nil**

Reporting Date: **29/09/2020**

Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Kamlesh Yadav (Asst. Manager)
Sampling Location	Plant Site
Latitude	27°49'49.9" N
Longitude	76°15'53.4" E
Instrument used	RDS & FPS
Instrument code	JME/RDS/01/24 & JME/FPS/01/22
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	24/09/2020 to 24/09/2020
Time of Monitoring	08:00 to 16:02Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 35°C, Min 32°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	46.30	µg/m ³	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	88.89	µg/m ³	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	28.34	µg/m ³	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	11.45	µg/m ³	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.82	mg/m ³	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	4.21	µg/m ³	--

*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Tested by
Tested by

Checked by
Checked by

Authorized Signatory
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab:

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/FD/01** Report No.: **JME/FD/200925001**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-02**
Bulk Drugs Manufacturing Party Reference No. **Nil**
[API (72 TPA) & Steroid (8 TPA)] Plant Reporting Date: **29/09/2020**
At plot No. C-24 & 25, RIICO Industrial District: **Alwar, Rajasthan**

Sample Description: **FUGITIVE DUST EMISSION** Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Kamlesh Yadav (Asst. Manager)
Sampling Location	Near Main Gate
Latitude	27°49'62.5" N
Longitude	76°15'53.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	23/09/2020 to 23/09/2020
Time of Monitoring	09:24 to 17:25Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 34°C, Min 32°C
Surrounding activity	Human & Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)

TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
7.	Suspended Particulate Matter (SPM)	IS: 5182(P-4,1999)	0.182	mg/m ³

End of Report

Amit Yadav
Tested by

Kamlesh Yadav
Checked by



Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/FD/02** Report No.: **JME/FD/200925002**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-02**
Bulk Drugs Manufacturing Party Reference No. **Nil**
[API (72 TPA) & Steroid (8 TPA)] Plant Reporting Date: **29/09/2020**
At plot No. C-24 & 25, RIICO Industrial Receipt Date: **25/09/2020**
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan

Sample Description: **FUGITIVE DUST EMISSION**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)
Sampling Location	Plant A
Latitude	27°49'52.4" N
Longitude	76°15'50.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	24/09/2020 to 24/09/2020
Time of Monitoring	07.10 to 15:10Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 35°C, Min 31°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)


TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	Suspended Particulate Matter (SPM)	IS: 5182(P-4,1999)	0.156	mg/m ³

End of Report

Beena
Tested by

Deepam
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/FD/03** Report No.: **JME/FD/200925003**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan** Format No.: **7.50 F-02**

Party Reference No. **Nil**

Reporting Date: **29/09/2020**

Sample Description: **FUGITIVE DUST EMISSION** Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)
Sampling Location	Plant B
Latitude	27°49'52.4" N
Longitude	76°15'51.2" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	24/09/2020 to 24/09/2020
Time of Monitoring	15:40 to 00:40Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 33°C, Min 24°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter(SPM)

TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	Suspended Particulate Matter (SPM)	IS: 5182(P-4,1999)	0.118	mg/m ³

End of Report

Amr
Tested by

Amr
Checked by



Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/AN/01**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/200925008**

Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **29/09/2020**

Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)
Sampling Location	Near Admin Block
Latitude	27°49'52.3" N
Longitude	69°15'53.6" E
Date of Monitoring	23/09/2020 to 24/09/2020
Time of Monitoring	06:00 hrs. to 06:00 hrs.
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/06
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 34°C, Min 24°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	60.4	54.8	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	45.6	39.1	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	55.7	43.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Tested by

Checked by



Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/AN/02**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/200925009**

Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **29/09/2020**

Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)
Sampling Location	Plant Site
Latitude	27°49'50.68" N
Longitude	69°15'51.79" E
Date of Monitoring	23/09/2020 to 24/09/2020
Time of Monitoring	06:00 hrs. to 06:00 hrs.
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 34°C, Min 24°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	68.8	59.4	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	45.1	43.6	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	59.3	51.4	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Tested by
Tested by

Checked by
Checked by

Authorized Signatory
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/AN/03**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/200925010**

Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **29/09/2020**

Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Lalchand Yadav (Field Asst.)
Sampling Location	Near ETP
Latitude	27°49'50.81" N
Longitude	69°15'50.57" E
Date of Monitoring	24/09/2020 to 25/09/2020
Time of Monitoring	06:00 hrs. to 06:00 hrs.
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/06
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 34°C, Min 23°C
Surrounding activity	ETP Plant Operation & Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
8.	Lmax	CPCB GuideLines / IS-9989	65.9	62.1	dB(A)
9.	Lmin	CPCB GuideLines / IS-9989	53.1	50.5	dB(A)
10.	Leq	CPCB GuideLines / IS-9989	59.4	54.8	dB(A)
11.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
12.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
13.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
14.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

[Signature]
Tested by

[Signature]
Checked by

[Signature]
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJLPL/AN/04** Report No.: **JME/AN/200925011**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan** Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **29/09/2020**

Sample Description: **AMBIENT NOISE LEVEL MONITORING** Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Lalchand Yadav (Field Asst.)
Sampling Location	Near Warehouse
Latitude	27°49'50.59" N
Longitude	69°15'49.48" E
Date of Monitoring	24/09/2020 to 25/09/2020
Time of Monitoring	06:00 hrs. to 06:00 hrs.
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 34°C, Min 23°C
Surrounding activity	ETP Plant Operation & Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	63.5	59.4	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	42.8	40.1	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	56.7	45.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Tested by
Tested by

Checked by
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number **JME/SJLPL/ST/01** Report No.: **JME/ST/200925014**
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
 Bulk Drugs Manufacturing
 [API (72 TPA) & Steroid (8 TPA)] Plant
 At plot No. C-24 & 25, RIICO Industrial
 Area, Village: Sotanala, Tehsil: Behror,
 District: Alwar, Rajasthan** Format No. **7.50 F-03**
 Party Reference No. **Nil**
 Reporting Date **29/09/2020**
 Sample Description: **STACK EMISSION MONITORING** Receipt Date **25/09/2020**

Client Representative (Name & Designation) **Mr. Amit Yadav (EHS)**
 Sample collected by **Mr. T.K. Singh (Asst. Manager)**
 Date of Sampling & Time **23/09/2020 (14:50 to 15:50 Hrs)**
 Sampling Location & Code **Boiler Capacity 1 TPH**
 Sampling duration (Minutes) **60 min.**
 Stack attached to **Boiler**
 Diameter of stack **1.0 mtr.**
 Height of stack
 (i) From the source of emission **--**
 (ii) From roof level **--**
 (iii) From Ground level **35.0 mtr.**
 Operating Schedule (Hrs/day) **As per Requirement**
 Purpose of Monitoring **Regulatory Requirement**
 Control measure if any **Bag Filter**
 Operating condition at the time of Sampling **On Load**
 Type of fuel used **Briquettes**
 Meteorological Condition **Clear Sky**
 Instrument code **JME/SMK/01/10**
 Instrument calibration status **Calibrated**
 Ambient Temperature - Ta (°C) **34.0**
 Temperature of Stack Gases - Ts (°C) **86.0**
 Velocity of Stack Gases (m/sec.) **8.19**
 Flow rate of PM (LPM) **28.0**
 Flow rate of Gas (LPM) **2.0**
 Volumetric Flow (NM3/Hr.) **18580**
 Sampling condition **Isokinetic**
 Sampling & Analysis Protocol **IS-11255 & CPCB Guidelines**
 Parameter Required **As per work order**

TEST REPORTS


S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS-11255(P- 1) Gravimetric Method	212.40	mg/Nm3	800

Note: Limit as per Environment (Protection) Rules, 1986

End of Report

Tested by
Tested by

Checked by
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122 015 (Haryana) INDIA
 E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
 IFFCO Chowk, Sector 25,
 Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number	JME/SJLPL/ST/02	Report No.:	JME/ST/200925015
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing [API (72 TPA) & Steroid (8 TPA)] Plant At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan	Format No.	7.50 F-03
		Party Reference No.	Nil
		Reporting Date	29/09/2020
Sample Description:	STACK EMISSION MONITORING	Receipt Date	25/09/2020
Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)		
Sample collected by	Mr. T.K. Singh (Asst. Manager)		
Date of Sampling & Time	24/09/2020 (10:15 to 11:15 Hrs)		
Sampling Location & Code	750 KVA DG Set		
Sampling duration (Minutes)	60 min.		
Stack attached to	DG Set		
Diameter of stack	0.25 mtr.		
Height of stack			
(i)From the source of emission	13.0 mtr. (height of port hole from ground level)		
(ii)From roof level	--		
(iii)From Ground level	21.0 mtr.		
Operating Schedule (Hrs/day)	As per Requirement		
Purpose of Monitoring	Regulatory Requirement		
Control measure if any	--		
Operating condition at the time of Sampling	On Load		
Type of fuel used	HSD		
Meteorological Condition	Clear Sky		
Instrument code	JME/SMK/01/09		
Instrument calibration status	Calibrated		
Ambient Temperature - Ta (°C)	32.0		
Temperature of Stack Gases - Ts (°C)	215.0		
Velocity of Stack Gases (m/sec.)	13.14		
Flow rate of PM (LPM)	33.0		
Flow rate of Gas (LPM)	2.0		
Volumetric Flow (NM3/Hr.)	1368		
Sampling condition	Isokinetic		
Sampling & Analysis Protocol	IS-11255 & CPCB Guidelines		
Parameter Required	As per work order		

TEST REPORTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS-11255(P- 1) Gravimetric Method	0.10	g/KW-hr	0.2
2.	Oxides of Nitrogen (NOx)	IS-11255 (P-VII) PDA Method	0.86	g/KW-hr	4.0
3.	Hydro Carbons as Methane	G.C. Method	0.07	g/KW-hr	
4.	Carbon mono oxide (CO)	IS- 13270:1992, Reaffirmed 2003	0.11	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

End of Report

Tested by
Tested by

Checked by
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number	JME/SJLPL/ST/03	Report No.:	JME/ST/200925016
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing [API (72 TPA) & Steroid (8 TPA)] Plant At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan	Format No.	7.50 F-03
Sample Description:	STACK EMISSION MONITORING	Party Reference No.	Nil
		Reporting Date	29/09/2020
		Receipt Date	25/09/2020
Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)		
Sample collected by	Mr. T.K. Singh (Asst. Manager)		
Date of Sampling & Time	24/09/2020 (11:30 to 12:30 Hrs)		
Sampling Location & Code	500 KVA DG Set		
Sampling duration (Minutes)	60 min.		
Stack attached to	DG Set		
Diameter of stack	0.25 mtr.		
Height of stack			
(i) From the source of emission	13.0 mtr. (height of port hole from ground level)		
(ii) From roof level	--		
(iii) From Ground level	21.0 mtr.		
Operating Schedule (Hrs/day)	As per Requirement		
Purpose of Monitoring	Regulatory Requirement		
Control measure if any	--		
Operating condition at the time of Sampling	On Load		
Type of fuel used	HSD		
Meteorological Condition	Clear Sky		
Instrument code	JME/SMK/01/09		
Instrument calibration status	Calibrated		
Ambient Temperature - Ta (°C)	33.0		
Temperature of Stack Gases - Ts (°C)	178.0		
Velocity of Stack Gases (m/sec.)	10.25		
Flow rate of PM (LPM)	27.0		
Flow rate of Gas (LPM)	2.0		
Volumetric Flow (NM ³ /Hr.)	1155		
Sampling condition	Isokinetic		
Sampling & Analysis Protocol	IS-11255 & CPCB Guidelines		
Parameter Required	As per work order		

TEST REPORTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS-11255(P- 1) Gravimetric Method	0.08	g/KW-hr	0.2
2.	Oxides of Nitrogen (NOx)	IS-11255 (P-VII) PDA Method	0.73	g/KW-hr	4.0
3.	Hydro Carbons as Methane	G.C. Method	0.07	g/KW-hr	
4.	Carbon mono oxide (CO)	IS- 13270:1992, Reaffirmed 2003	0.08	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

End of Report

[Signature]
Tested by

[Signature]
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJPL/PS/01** Report No.: **JME/PS/200925001**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan** Format No.: **7.50 F-04**
Party Reference No. **Nil**
Reporting Date: **29/09/2020**

Sample Description: **POINT SOURCE NOISE** Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)
Sampling Location	DG Set 500 KVA
Latitude	27°49'50.2" N
Longitude	76°15'53.5" E
Date of Monitoring	24/09/2020
Time of Monitoring	10:30 to 11:00 Hrs
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	34.0
Surrounding activity	DG Set Running
Purpose of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-4758
Sampling Duration	30 minutes
Parameter Required	As per work order

TEST REPORTS


S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758: 1968	96.7	dB(A)
2.	Leq (Outside the room)	IS: 4758: 1968	70.6	dB(A)
3.	Insertion Loss	--	26.1	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

**Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

End of Report

Tested by

Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number: **JME/SJPL/PS/02** Report No.: **JME/PS/200925002**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.
Bulk Drugs Manufacturing
[API (72 TPA) & Steroid (8 TPA)] Plant
At plot No. C-24 & 25, RIICO Industrial
Area, Village: Sotanala, Tehsil: Behror,
District: Alwar, Rajasthan** Format No.: **7.50 F-02**
Party Reference No. **Nil**
Reporting Date: **29/09/2020**

Sample Description: **POINT SOURCE NOISE** Receipt Date: **25/09/2020**

General Information

Client Representative (Name & Designation)	Mr. Amit Yadav (EHS)
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)
Sampling Location	DG Set 750 KVA
Latitude	27°49'50.2" N
Longitude	76°15'53.5" E
Date of Monitoring	24/09/2020
Time of Monitoring	11:15 to 11:45 Hrs
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	34.0
Surrounding activity	DG Set Running
Purpose of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	CPCB Guidelines & IS-4758
Sampling Duration	30 minutes
Parameter Required	As per work order

TEST REPORTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758: 1968	98.5	dB(A)
2.	Leq (Outside the room)	IS: 4758: 1968	72.7	dB(A)
3.	Insertion Loss	--	25.8	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

**Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

End of Report

Tested by
Tested by

Checked by
Checked by

Authorized Signatory
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA



25 years of success

JM ENVIROLAB PVT LTD

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

TEST REPORT

Sample Number	JME/SJLPL/WW/01	Report No	JME/WW/200925007
Name & Address of Unit	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing [API (72 TPA) & Steroid (8 TPA)] Plant At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan	Format No.	7.50 F-01
Sample Description	WASTE WATER	Party Reference No.	Nil
Sampling Location	ETP Outlet	Reporting Date	29/09/2020
Client Representative (Name & Designation)	Mr. Amit Yadav(EHS)	Receipt Date	25/09/2020
Sample collected by (Name & Designation)	Mr. Amit Pandey (Field Asst.)	Sampling Type	Grab
Latitude	27°49'60.2" N	Preservation	Refrigerated
Longitude	76°15'50.2" E	Sample Quantity	2.0 Litre
Sampling & Analysis Protocol	IS 3025, APHA 23 rd Edition 2017	Parameter Required	As per work order

TEST RESULTS


S. No.	Parameters	Testing protocol	Result	Unit	Limit As Per CPCB
1.	pH (at 25°C)	APHA 23rd Edition, 4500-H+ B	6.81	-	5.5 to 9.0
2.	COD	APHA 23rd Edition, 5220B	28.76	mg/l	250
3.	BOD (3 Days at 27°C)	IS 3025, P-44, 1999 (Reaffirmed 2003)	8.00	mg/l	30
4.	Total Suspended Solids	APHA 23rd Edition, 2540 D	BDL (DL 1.0)	mg/l	100
5.	Oil and Grease	APHA 23rd Edition, 5520 B	BDL (DL 0.40)	mg/l	10
6.	Total Residual Chlorine	APHA 23rd Edition, 2350 B	BDL (DL 0.20)	mg/l	1
7.	Ammonical Nitrogen as N	IS 3025, P-34, 1988	BDL (DL 1.0)	mg/l	50

Note: BDL- Below Detection Limit, DL- Detection Limit

End of Report

Amit
Tested by

Jayaram
Checked by



Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122 015 (Haryana) INDIA
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.com

Corporate Office

202-A, ABW Tower, MG Road,
IFFCO Chowk, Sector 25,
Gurugram - 122001 (Haryana) INDIA