



25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: JME/SJLPL/A/01 Report No.: JME/A/201211016  
 Name & Address of Unit M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 [API (72 TPA) & Steroid (8 TPA)] Plant  
 At plot No. C-24 & 25, RIICO Industrial  
 Area, Village: Sotanala, Tehsil: Behror,  
 District: Alwar, Rajasthan Format No.: 7.5 F-02  
 Party Reference No. Nil  
 Reporting Date: 18/12/2020  
 Sample Description: AMBIENT AIR QUALITY MONITORING Receipt Date: 11/12/2020

### General Information

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by (Name & Designation)	Mr. T.K. Singh (Asst. Manager)
Sampling Location	Near ETP
Latitude	27°49'60.2" N
Longitude	76°15'50.2" E
Instrument used	RDS, FPS & OVS
Instrument code	JME/RDS/01/24, JME/FPS/01/23 & JME/OVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	08/12/2020 to 08/12/2020
Time of Monitoring	9:35 to 17:35 Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 26°C, Min 15°C
Surrounding activity	ETP Plant Operation & Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	39.02	µg/m <sup>3</sup>	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	93.26	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	29.89	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	11.02	µg/m <sup>3</sup>	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.87	mg/m <sup>3</sup>	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	4.47	µg/m <sup>3</sup>	--

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

*Amr*  
Tested by

*Amr*  
Checked by

*Amr*  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab:  
 424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org  
 Corporate Office  
 Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: JME/SJLPL/A/02 Report No.: JME/A/201211017

Name & Address of Unit M/s. Shree Jee Laboratory Pvt. Ltd. Format No.: 7.50 F-02  
Bulk Drugs Manufacturing Party Reference No. Nil  
[API (72 TPA) & Steroid (8 TPA)] Plant Reporting Date: 18/12/2020  
At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan Receipt Date: 11/12/2020

Sample Description: AMBIENT AIR QUALITY MONITORING

### General Information

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by (Name & Designation)	Mr. T.K. Singh (Asst. Manager)
Sampling Location	Near Warehouse
Latitude	27°49'60.8" N
Longitude	76°15'56.6" E
Instrument used	RDS, FPS & OVS
Instrument code	JME/RDS/01/24, JME/FPS/01/23 & JME/OVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	08/12/2020 to 09/12/2020
Time of Monitoring	18:10 to 02:10 Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 21°C, Min 14°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	35.43	µg/m <sup>3</sup>	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	75.91	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	26.43	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	9.77	µg/m <sup>3</sup>	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.76	mg/m <sup>3</sup>	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	2.65	µg/m <sup>3</sup>	--

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: JME/SJLPL/A/03 Report No.: JME/A/201211018

Name & Address of Unit M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan Format No.: 7.50 F-02  
Party Reference No. Nil

Sample Description: AMBIENT AIR QUALITY MONITORING Reporting Date: 18/12/2020

Receipt Date: 11/12/2020

### General Information

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by (Name & Designation)	Mr. T.K. Singh (Asst. Manager)
Sampling Location	Near Admin Block
Latitude	27°49'52.3" N
Longitude	76°15'53.6" E
Instrument used	RDS, FPS & OVS
Instrument code	JME/RDS/01/24, JME/FPS/01/23 & JME/OVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	09/12/2020 to 09/12/2020
Time of Monitoring	08:40 to 16:40Hrs
Actual duration of Monitoring, (minutes)	476.0
Ambient Temperature (0°C)	Max 27°C, Min 14°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	30.44	µg/m <sup>3</sup>	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	78.40	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	22.97	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	10.11	µg/m <sup>3</sup>	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.67	mg/m <sup>3</sup>	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	2.95	µg/m <sup>3</sup>	--

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/A/04** Report No.: **JME/A/201211019**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan** Format No.: **7.50 F-02**  
Party Reference No. **Nil**

Reporting Date: **18/12/2020**

Sample Description: **AMBIENT AIR QUALITY MONITORING** Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by (Name & Designation)	Mr. T.K. Singh (Asst. Manager)
Sampling Location	Plant Site
Latitude	27°49'49.9" N
Longitude	76°15'53.4" E
Instrument used	RDS, FPS & OVS
Instrument code	JME/RDS/01/24, JME/FPS/01/23 & JME/OVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	09/12/2020 to 10/12/2020
Time of Monitoring	17:05 to 01:05Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 27°C, Min 15°C
Surrounding activity	Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	As per work order

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Particulate Matter (PM2.5)	JMELPL/STOP/03 (Issue Date- 09.11.2017)	50.47	µg/m <sup>3</sup>	60
2.	Particulate Matter (PM10)	IS:5182, (P-23) 2006 Reaffirmed 2017	94.22	µg/m <sup>3</sup>	100
3.	Nitrogen Dioxides (NO2)	IS: 5182, (P-6) 2006 Reaffirmed 2017	30.89	µg/m <sup>3</sup>	80
4.	Sulphur Dioxide (SO2)	IS: 5182, (P-2):2001 Reaffirmed 2017	12.14	µg/m <sup>3</sup>	80
5.	Carbon Monoxide (CO)	IS: 5182, (P-10) 1999 Reaffirmed 2014	0.89	mg/m <sup>3</sup>	4
6.	VOC (as BTX)	IS: 5182 (P-11), 2006	4.46	µg/m <sup>3</sup>	--

\*NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office &amp; Lab:

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: JME/SJLPL/FD/01 Report No.: JME/FD/201211009

Name & Address of Unit M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan Format No.: 7.50 F-02  
Party Reference No. Nil  
Reporting Date: 18/12/2020

Sample Description: FUGITIVE DUST EMISSION Receipt Date: 11/12/2020

### General Information

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by (Name & Designation)	Mr. T.K. Singh (Asst. Manager)
Sampling Location	Near Main Gate
Latitude	27°49'62.5" N
Longitude	76°15'53.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	08/12/2020 to 08/12/2020
Time of Monitoring	09:24 to 17:24Hrs
Actual duration of Monitoring, (minutes)	480.0
Ambient Temperature (0°C)	Max 26°C, Min 15°C
Surrounding activity	Human & Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter (SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	Suspended Particulate Matter (SPM)	IS: 5182(P-4,1999)	0.189	mg/m <sup>3</sup>

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/FD/02** Report No.: **JME/FD/201211010**

Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan** Format No.: **7.50 F-02**

Party Reference No. **Nil**

Reporting Date: **18/12/2020**

Sample Description: **FUGITIVE DUST EMISSION** Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by (Name & Designation)	Mr. T.K. Singh (Asst. Manager)
Sampling Location	Plant A
Latitude	27°49'52.4" N
Longitude	76°15'50.5" E
Instrument used	High Volume Sampler
Instrument code	JME/HVS/01/01
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Date of Monitoring	08/12/2020 to 09/12/2020
Time of Monitoring	18:30 to 02:30Hrs
Actual duration of Monitoring, (minutes)	475.0
Ambient Temperature (0°C)	Max 21°C, Min 14°C
Surrounding activity	Machinery & Human Activities
Scope of Monitoring	Regulatory Requirement
Control measure if Any	--
Sampling & Analysis Protocol	IS-5182
Parameter Required	Suspended Particulate Matter(SPM)

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	Suspended Particulate Matter (SPM)	IS: 5182(P-4,1999)	0.166	mg/m <sup>3</sup>

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/FD/03** Report No.: **JME/FD/201211011**  
 Name & Address of Unit **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.50 F-02**  
**Bulk Drugs Manufacturing** Party Reference No. **Nil**  
**[API (72 TPA) & Steroid (8 TPA)] Plant** Reporting Date: **18/12/2020**  
**At plot No. C-24 & 25, RIICO Industrial** Receipt Date: **11/12/2020**  
**Area, Village: Sotanala, Tehsil: Behror,**  
**District: Alwar, Rajasthan**

Sample Description: **FUGITIVE DUST EMISSION**

### General Information

Client Representative (Name & Designation)  
 Sample collected by (Name & Designation)  
 Sampling Location  
 Latitude  
 Longitude  
 Instrument used  
 Instrument code  
 Instrument calibration status  
 Meteorological condition during monitoring  
 Date of Monitoring  
 Time of Monitoring  
 Actual duration of Monitoring, (minutes)  
 Ambient Temperature (0°C)  
 Surrounding activity  
 Scope of Monitoring  
 Control measure if Any  
 Sampling & Analysis Protocol  
 Parameter Required

**Mr. Gauri Shankar Rathore (Sr. Executive, EHS)**  
**Mr. T.K. Singh (Asst. Manager)**  
**Plant B**  
**27°49'52.4" N**  
**76°15'51.2" E**  
**High Volume Sampler**  
**JME/HVS/01/01**  
**Calibrated**  
**Clear Sky**  
**09/12/2020 to 09/12/2020**  
**09:10 to 17:10Hrs**  
**470.0**  
**Max 27°C, Min 14°C**  
**Machinery & Human Activities**  
**Regulatory Requirement**  
**--**  
**IS-5182**  
**Suspended Particulate Matter(SPM)**

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Result	Unit
1.	Suspended Particulate Matter (SPM)	IS: 5182(P-4,1999)	0.131	mg/m <sup>3</sup>

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)

E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/AN/01**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/201211016**

Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **18/12/2020**

Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation)  
Sample collected by (Name & Designation)  
Sampling Location  
Latitude  
Longitude  
Date of Monitoring  
Time of Monitoring  
Instrument used  
Instrument code  
Instrument calibration status  
Meteorological condition during monitoring  
Ambient Temperature (°C)  
Surrounding activity  
Scope of Monitoring  
Control measure if any  
Sampling & Analysis Protocol  
Actual duration of Monitoring, (minutes)  
Parameter Required

**Mr. Gauri Shankar Rathore (Sr. Executive, EHS)**  
**Mr. Alok Sharma (Field Assistant)**  
**Near Admin Block**  
**27°49'52.3" N**  
**69°15'53.6" E**  
**08/12/2020 to 09/12/2020**  
**06:00 hrs. to 06:00 hrs.**  
**Sound Level Meter**  
**JME/SLM/01/06**  
**Calibrated**  
**Clear Sky**  
**Max 26°C, Min 13°C**  
**Vehicular Activities**  
**Regulatory Requirement**  
**--**  
**CPCB Guidelines & IS-9989**  
**24 Hrs**  
**As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	61.5	54.8	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	47.2	39.5	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	57.8	44.7	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/AN/02**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/201211017**

Format No.: **7.5 F-04**

Party Ref. No.: **NII**

Reporting Date: **18/12/2020**

Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation)  
Sample collected by (Name & Designation)  
Sampling Location  
Latitude  
Longitude  
Date of Monitoring  
Time of Monitoring  
Instrument used  
Instrument code  
Instrument calibration status  
Meteorological condition during monitoring  
Ambient Temperature (°C)  
Surrounding activity  
Scope of Monitoring  
Control measure if any  
Sampling & Analysis Protocol  
Actual duration of Monitoring, (minutes)  
Parameter Required

**Mr. Gauri Shankar Rathore (Sr. Executive, EHS)**  
**Mr. T.K. Singh (Asst. Manager)**  
**Plant Site**  
**27°49'50.68" N**  
**69°15'51.79" E**  
**08/12/2020 to 09/12/2020**  
**06:00 hrs. to 06:00 hrs.**  
**Sound Level Meter**  
**JME/SLM/01/15**  
**Calibrated**  
**Clear Sky**  
**Max 26°C, Min 13°C**  
**Vehicular Activities**  
**Regulatory Requirement**  
**--**  
**CPCB Guidelines & IS-9989**  
**24 Hrs**  
**As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	69.3	59.1	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	48.9	44.7	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	60.5	54.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/AN/03**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/201211018**

Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **18/12/2020**

Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation)	<b>Mr. Gauri Shankar Rathore (Sr. Executive, EHS)</b>
Sample collected by (Name & Designation)	<b>Mr. Alok Sharma (Field Assistant)</b>
Sampling Location	<b>Near ETP</b>
Latitude	<b>27°49'50.81" N</b>
Longitude	<b>69°15'50.57" E</b>
Date of Monitoring	<b>09/12/2020 to 10/12/2020</b>
Time of Monitoring	<b>06:00 hrs. to 06:00 hrs.</b>
Instrument used	<b>Sound Level Meter</b>
Instrument code	<b>JME/SLM/01/06</b>
Instrument calibration status	<b>Calibrated</b>
Meteorological condition during monitoring	<b>Clear Sky</b>
Ambient Temperature (°C)	<b>Max 27°C, Min 13°C</b>
Surrounding activity	<b>ETP Plant Operation &amp; Vehicular Activities</b>
Scope of Monitoring	<b>Regulatory Requirement</b>
Control measure if any	<b>--</b>
Sampling & Analysis Protocol	<b>CPCB Guidelines &amp; IS-9989</b>
Actual duration of Monitoring, (minutes)	<b>24 Hrs</b>
Parameter Required	<b>As per work order</b>

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	66.4	61.8	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	55.3	51.6	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	61.6	56.4	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.com](http://www.jmenvirolab.com)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJLPL/AN/04** Report No.: **JME/AN/201211019**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.** Format No.: **7.5 F-04**  
**Bulk Drugs Manufacturing** Party Ref. No.: **Nil**  
**[API (72 TPA) & Steroid (8 TPA)] Plant** Reporting Date: **18/12/2020**  
**At plot No. C-24 & 25, RIICO Industrial** District: **Alwar, Rajasthan** Receipt Date: **11/12/2020**  
**Area, Village: Sotanala, Tehsil: Behror,**  
**District: Alwar, Rajasthan** Sample Description: **AMBIENT NOISE LEVEL MONITORING**

### General Information

Client Representative (Name & Designation) **Mr. Gauri Shankar Rathore (Sr. Executive, EHS)**  
 Sample collected by (Name & Designation) **Mr. T.K. Singh (Asst. Manager)**  
 Sampling Location **Near Warehouse**  
 Latitude **27°49'50.59" N**  
 Longitude **69°15'49.48" E**  
 Date of Monitoring **09/12/2020 to 10/12/2020**  
 Time of Monitoring **06:00 hrs. to 06:00 hrs.**  
 Instrument used **Sound Level Meter**  
 Instrument code **JME/SLM/01/15**  
 Instrument calibration status **Calibrated**  
 Meteorological condition during monitoring **Clear Sky**  
 Ambient Temperature (°C) **Max 27°C, Min 13°C**  
 Surrounding activity **ETP Plant Operation & Vehicular Activities**  
 Scope of Monitoring **Regulatory Requirement**  
 Control measure if any **--**  
 Sampling & Analysis Protocol **CPCB Guidelines & IS-9989**  
 Actual duration of Monitoring, (minutes) **24 Hrs**  
 Parameter Required **As per work order**

### TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	CPCB GuideLines / IS-9989	65.1	58.7	dB(A)
2.	Lmin	CPCB GuideLines / IS-9989	45.5	40.6	dB(A)
3.	Leq	CPCB GuideLines / IS-9989	58.4	46.1	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
 424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)  
 Corporate Office  
 Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: JME/SJLPL/ST/01  
 Name & Address of Unit: M/s. Shree Jee Laboratory Pvt. Ltd.  
 Bulk Drugs Manufacturing  
 [API (72 TPA) & Steroid (8 TPA)] Plant  
 At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

Report No.: JME/ST/201211009  
 Format No.: 7.50 F-03  
 Party Reference No.: Nil  
 Reporting Date: 18/12/2020

Sample Description: STACK EMISSION MONITORING  
 Receipt Date: 11/12/2020

Client Representative (Name & Designation): Mr. Gauri Shankar Rathore (Sr. Executive, EHS)  
 Sample collected by: Mr. T.K. Singh (Asst. Manager)  
 Date of Sampling & Time: 08/12/2020 (10:00 to 11:00 Hrs)  
 Sampling Location & Code: Boiler Capacity 2 TPH  
 Sampling duration (Minutes): 60 min.  
 Stack attached to: Boiler  
 Diameter of stack: 1.0 mtr.  
 Height of stack:  
 (i) From the source of emission: --  
 (ii) From roof level: --  
 (iii) From Ground level: 35.0 mtr.  
 Operating Schedule (Hrs/day): As per Requirement  
 Purpose of Monitoring: Regulatory Requirement  
 Control measure if any: Bag Filter  
 Operating condition at the time of Sampling: On Load  
 Type of fuel used: Briquettes  
 Meteorological Condition: Clear Sky  
 Instrument code: JME/SMK/01/09  
 Instrument calibration status: Calibrated  
 Ambient Temperature - Ta (°C): 17.0  
 Temperature of Stack Gases - Ts (°C): 94.5  
 Velocity of Stack Gases (m/sec.): 8.39  
 Flow rate of PM (LPM): 26.0  
 Flow rate of Gas (LPM): 2.2  
 Volumetric Flow (NM3/Hr.): 18720  
 Sampling condition: Isokinetic  
 Sampling & Analysis Protocol: IS-11255 & CPCB Guidelines  
 Parameter Required: As per work order

### TEST REPORTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS-11255(P- 1) Gravimetric Method	229.15	mg/Nm3	800

Note: Limit as per Environment (Protection) Rules, 1986

\*\*End of Report\*\*

*[Signature]*  
 Tested by

*[Signature]*  
 Checked by

*[Signature]*  
 Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
 424, Ground Floor, Udyog Vihar,  
 Phase-IV, Gurugram-122015 (Haryana)  
 E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

Corporate Office  
 Emaar Digital Greens, Tower-B, Unit No.1517,  
 Golf Course Ext. Road, Sector-61,  
 Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number	<b>JME/SJLPL/ST/02</b>	Report No.:	<b>JME/ST/201211010</b>
Name & Address of Unit:	<b>M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing [API (72 TPA) &amp; Steroid (8 TPA)] Plant At plot No. C-24 &amp; 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan</b>	Format No.	<b>7.50 F-03</b>
		Party Reference No.	<b>Nil</b>
		Reporting Date	<b>18/12/2020</b>
Sample Description:	<b>STACK EMISSION MONITORING</b>	Receipt Date	<b>11/12/2020</b>

Client Representative (Name & Designation)	<b>Mr. Gauri Shankar Rathore (Sr. Executive, EHS)</b>
Sample collected by	<b>Mr. T.K. Singh (Asst. Manager)</b>
Date of Sampling & Time	<b>08/12/2020 (12:15 to 13:15 Hrs)</b>
Sampling Location & Code	<b>750 KVA DG Set</b>
Sampling duration (Minutes)	<b>60 min.</b>
Stack attached to	<b>DG Set</b>
Diameter of stack	<b>0.25 mtr.</b>
Height of stack	
(i) From the source of emission	<b>13.0 mtr. (height of port hole from ground level)</b>
(ii) From roof level	<b>--</b>
(iii) From Ground level	<b>21.0 mtr.</b>
Operating Schedule (Hrs/day)	<b>As per Requirement</b>
Purpose of Monitoring	<b>Regulatory Requirement</b>
Control measure if any	<b>--</b>
Operating condition at the time of Sampling	<b>On Load</b>
Type of fuel used	<b>HSD</b>
Meteorological Condition	<b>Clear Sky</b>
Instrument code	<b>JME/SMK/01/09</b>
Instrument calibration status	<b>Calibrated</b>
Ambient Temperature - Ta (°C)	<b>20.0</b>
Temperature of Stack Gases - Ts (°C)	<b>238.0</b>
Velocity of Stack Gases (m/sec.)	<b>13.79</b>
Flow rate of PM (LPM)	<b>27.0</b>
Flow rate of Gas (LPM)	<b>2.2</b>
Volumetric Flow (NM <sup>3</sup> /Hr.)	<b>1383</b>
Sampling condition	<b>Isokinetic</b>
Sampling & Analysis Protocol	<b>IS-11255 &amp; CPCB Guidelines</b>
Parameter Required	<b>As per work order</b>

### TEST REPORTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS-11255(P- 1) Gravimetric Method	0.09	g/KW-hr	0.2
2.	Oxides of Nitrogen (NOx)	IS-11255 (P-VII) PDA Method	0.68	g/KW-hr	4.0
3.	Hydro Carbons as Methane	G.C. Method	0.06	g/KW-hr	
4.	Carbon mono oxide (CO)	IS- 13270:1992, Reaffirmed 2003	0.12	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number	JME/SJLPL/ST/03	Report No.:	JME/ST/201211011
Name & Address of Unit:	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing [API (72 TPA) & Steroid (8 TPA)] Plant At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan	Format No.	7.50 F-03
Sample Description:	STACK EMISSION MONITORING	Party Reference No.	Nil
		Reporting Date	18/12/2020
		Receipt Date	11/12/2020

Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)
Sample collected by	Mr. T.K. Singh (Asst. Manager)
Date of Sampling & Time	08/12/2020 (13:40 to 14:40 Hrs)
Sampling Location & Code	500 KVA DG Set
Sampling duration (Minutes)	60 min.
Stack attached to	DG Set
Diameter of stack	0.25 mtr.
Height of stack	
(i) From the source of emission	13.0 mtr. (height of port hole from ground level)
(ii) From roof level	--
(iii) From Ground level	21.0 mtr.
Operating Schedule (Hrs/day)	As per Requirement
Purpose of Monitoring	Regulatory Requirement
Control measure if any	--
Operating condition at the time of Sampling	On Load
Type of fuel used	HSD
Meteorological Condition	Clear Sky
Instrument code	JME/SMK/01/09
Instrument calibration status	Calibrated
Ambient Temperature - Ta (°C)	24.0
Temperature of Stack Gases - Ts (°C)	186.0
Velocity of Stack Gases (m/sec.)	11.24
Flow rate of PM (LPM)	25.0
Flow rate of Gas (LPM)	2.0
Volumetric Flow (NM3/Hr.)	1255
Sampling condition	Isokinetic
Sampling & Analysis Protocol	IS-11255 & CPCB Guidelines
Parameter Required	As per work order

### TEST REPORTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS-11255(P- 1) Gravimetric Method	0.07	g/KW-hr	0.2
2.	Oxides of Nitrogen (NOx)	IS-11255 (P-VII) PDA Method	0.61	g/KW-hr	4.0
3.	Hydro Carbons as Methane	G.C. Method	0.06	g/KW-hr	
4.	Carbon mono oxide (CO)	IS- 13270:1992, Reaffirmed 2003	0.09	g/KW-hr	3.5

Note: Limit as per Environment (Protection) Rules, 1986

\*\*End of Report\*\*

*[Signature]*  
Tested by

*[Signature]*  
Checked by

*[Signature]*  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvironet.org](http://www.jmenvironet.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJPL/PS/01** Report No.: **JME/PS/201211006**  
 Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.**  
**Bulk Drugs Manufacturing**  
**[API (72 TPA) & Steroid (8 TPA)] Plant**  
**At plot No. C-24 & 25, RIICO Industrial**  
**Area, Village: Sotanala, Tehsil: Behror,**  
**District: Alwar, Rajasthan** Format No.: **7.50 F-04**  
 Party Reference No. **Nil**  
 Reporting Date: **18/12/2020**  
 Sample Description: **POINT SOURCE NOISE** Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation)	<b>Mr. Gauri Shankar Rathore (Sr. Executive, EHS)</b>
Sample collected by (Name & Designation)	<b>Mr. Alok Sharma (Field Assistant)</b>
Sampling Location	<b>DG Set 500 KVA</b>
Latitude	<b>27°49'50.2" N</b>
Longitude	<b>76°15'53.5" E</b>
Date of Monitoring	<b>08/12/2020</b>
Time of Monitoring	<b>12:30 to 13:00 Hrs</b>
Instrument used	<b>Sound Level Meter</b>
Instrument code	<b>JME/SLM/01/15</b>
Instrument calibration status	<b>Calibrated</b>
Meteorological condition during monitoring	<b>Clear Sky</b>
Ambient Temperature (°C)	<b>24.0</b>
Surrounding activity	<b>DG Set Running</b>
Purpose of Monitoring	<b>Regulatory Requirement</b>
Control measure if Any	<b>--</b>
Sampling & Analysis Protocol	<b>CPCB Guidelines &amp; IS-4758</b>
Sampling Duration	<b>30 minutes</b>
Parameter Required	<b>As per work order</b>

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758: 1968	96.2	dB(A)
2.	Leq (Outside the room)	IS: 4758: 1968	70.0	dB(A)
3.	Insertion Loss	--	26.2	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

\*\*Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986

\*\*\*End of Report\*\*\*

*Tested by*  
Tested by

*Checked by*  
Checked by

*Authorized Signatory*  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)



25 years of success

# J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number: **JME/SJPL/PS/02** Report No.: **JME/PS/201211007**

Name & Address of Unit: **M/s. Shree Jee Laboratory Pvt. Ltd.  
Bulk Drugs Manufacturing  
[API (72 TPA) & Steroid (8 TPA)] Plant  
At plot No. C-24 & 25, RIICO Industrial  
Area, Village: Sotanala, Tehsil: Behror,  
District: Alwar, Rajasthan** Format No.: **7.50 F-02**  
Party Reference No.: **Nil**  
Reporting Date: **18/12/2020**

Sample Description: **POINT SOURCE NOISE** Receipt Date: **11/12/2020**

### General Information

Client Representative (Name & Designation) **Mr. Gauri Shankar Rathore (Sr. Executive, EHS)**

Sample collected by (Name & Designation) **Mr. Alok Sharma (Field Assistant)**

Sampling Location **DG Set 750 KVA**

Latitude **27°49'50.2" N**

Longitude **76°15'53.5" E**

Date of Monitoring **08/12/2020**

Time of Monitoring **11:40 to 12:40 Hrs**

Instrument used **Sound Level Meter**

Instrument code **JME/SLM/01/15**

Instrument calibration status **Calibrated**

Meteorological condition during monitoring **Clear Sky**

Ambient Temperature (°C) **20.0**

Surrounding activity **DG Set Running**

Purpose of Monitoring **Regulatory Requirement**

Control measure if Any **--**

Sampling & Analysis Protocol **CPCB Guidelines & IS-4758**

Sampling Duration **30 minutes**

Parameter Required **As per work order**

### TEST REPORTS

S. No.	Parameters	Testing Protocol	Test Result	Unit
1.	Leq (Inside the room)	IS: 4758: 1968	97.5	dB(A)
2.	Leq (Outside the room)	IS: 4758: 1968	71.9	dB(A)
3.	Insertion Loss	--	25.6	dB(A)
4.	Limit (As Per CPCB)	--	75	dB(A)

\*\*Acoustic enclosure shall be designed for minimum 25 dB (A) insertion loss under the Environment (Protection) Act, 1986  
\*\*\*End of Report\*\*\*

  
Tested by

  
Checked by

  
Authorized Signatory

#### Note:

1. This test report has been at your request and test results pertain to the tested sample received
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog Vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)

Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)





25 years of success

# J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&amp;CC &amp; Certified - ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007

## TEST REPORT

Sample Number	JME/SJLPL/WW/01	Report No	JME/WW/201211009
Name & Address of Unit	M/s. Shree Jee Laboratory Pvt. Ltd. Bulk Drugs Manufacturing [API (72 TPA) & Steroid (8 TPA)] Plant At plot No. C-24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan	Format No.	7.50 F-01
Sample Description	WASTE WATER	Party Reference No.	Nil
Sampling Location	ETP Outlet	Reporting Date	16/12/2020
Client Representative (Name & Designation)	Mr. Gauri Shankar Rathore (Sr. Executive, EHS)	Receipt Date	11/12/2020
Sample collected by (Name & Designation)	Mr. Alok Sharma (Field Assistant)	Sampling Type	Grab
Latitude	27°49'60.2" N	Preservation	Refrigerated
Longitude	76°15'50.2" E	Sample Quantity	2.0 Litre
Sampling & Analysis Protocol	IS 3025, APHA 23 <sup>rd</sup> Edition 2017	Parameter Required	As per work order

### TEST RESULTS

S. No.	Parameters	Testing protocol	Result	Unit	Limit As Per CPCB
1.	pH (at 25°C)	APHA 23rd Edition, 4500-H+ B	6.92	-	5.5 to 9.0
2.	COD	APHA 23rd Edition, 5220B	38.0	mg/l	250
3.	BOD (3 Days at 27°C)	IS 3025, P-44, 1999 (Reaffirmed 2003)	9.55	mg/l	30
4.	Total Suspended Solids	APHA 23rd Edition, 2540 D	BDL (DL 1.0)	mg/l	100
5.	Oil and Grease	APHA 23rd Edition, 5520 B	BDL (DL 0.40)	mg/l	10
6.	Total Residual Chlorine	APHA 23rd Edition, 2350 B	BDL (DL 0.20)	mg/l	1
7.	Ammonical Nitrogen as N	IS 3025, P-34, 1988	BDL (DL 1.0)	mg/l	50

Note: BDL- Below Detection Limit, DL- Detection Limit

\*\*End of Report\*\*

*Sharma*  
Tested by

*Sharma*  
Checked by

*Sharma*  
Authorized Signatory

#### Note:

- This test report has been at your request and test results pertain to the tested sample received
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.  
424, Ground Floor, Udyog vihar,  
Phase-IV, Gurugram-122015 (Haryana)  
E-mail: [jmenvirolab@hotmail.com](mailto:jmenvirolab@hotmail.com) | [www.jmenvirolab.org](http://www.jmenvirolab.org)  
Corporate Office  
Emaar Digital Greens, Tower-B, Unit No.1517,  
Golf Course Ext. Road, Sector-61,  
Gurugram-122011(Haryana)