



SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

By: e-Mail/Reqd.Post & Parivesh 2.0

Ref No.: MPL/EHS/ 25-26/12

Date: 30/05/2025

To,
State Level Environment Impact Assessment Authority, Rajasthan
Main Building, Room No. 5221, Secretariat,
Jaipur, (Rajasthan)-302001
E-mail- seiaaseiaa2018@gmail.com

Sub.: Submission of Half-Yearly Compliance Report (Oct'2024 – March'2025) Bulk Drugs Manufacturing 350 TPA with Steroid (8 TPA) located at Plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar (Rajasthan) by M/s Shree Jee Laboratory Pvt. Ltd.

Ref.: EC Vide Letter No. IA-J-11011/123/2023-IA-II (I) Dated 2nd January, 2024

Respected Sir/Madam,

With reference to the aforesaid subject and above cited reference matter, we are hereby submitting the Half Yearly Compliance Report (October 2024- March 2025) of the conditions stipulated in our Environment Clearance letter issued by SEIAA Jaipur & MoEF&CC, New Delhi.

This is for your kind consideration and records.

Thanking you,

Yours Faithfully,

For, **Shree Jee Laboratory Pvt. Ltd.**

 For Shree Jee Laboratory Pvt. Ltd.

(Authorized Signatory) Authorized Signatory

Enclosed: Half Yearly Compliance Report (Oct 2025- March 2025)

Copy to:

- 1) Secretary, MoEF&CC, Govt. of India, Indira Paryavaran Bhawan, Aliganj, New Delhi-110003
- 2) The Member Secretary, Rajasthan Pollution Control Board, Jaipur -302001
- 3) The Chief Conservator of Forest (Central), MoEF&CC- Lucknow (U.P)-226024
- 4) The Chairman, Central Pollution Control Board, Parivesh Bhawan, Delhi-110032

C-24 & 25 RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)

Phone No : 01494-223000, E-mail: shrijeelaboratory@gmail.com

CIN : U24232DL2011PTC272907

Contents

S. NO.	PARTICULARS	PAGE NO.
1.	Copy of EC Letter No. IA-J-11011/123/2023-IA-II(I) Dated 2nd January, 2024	01-01
2.	Point wise reply to the EC Conditions	02-19
3.	List of Annexure:	20-20
Annexure 1	Stack emission monitoring results for the duration of January'2025 to March'2025	21-28
Annexure 2	Photographs showing Online Air Monitoring Instruments	29-29
Annexure 3	Calibration certificate of CEQMS Analyser	30-30
Annexure 4	Water Permission from RIICO C-24 & 25	31-31
Annexure 5	Water Permission from RIICO C-23 & 23(A)	32-32
Annexure-6	No Objection Certificate from the Central Ground Water Authority	33-38
Annexure-7	Photographs showing greenbelt development	39-41
Annexure-8	EHS Organogram	42-42
Annexure-9	Hazardous waste authorization letter	43-48
Annexure-10	Service agreement with co-processing unit	49-56
Annexure-11	Photographs showing safety signs/ display boards	57-59
Annexure-12	Scrubber emission monitoring report	60-62
Annexure-13	Copy of agreement with M/s Soni Devi Memorial Hospital, Neemrana	63-84
Annexure-14	Ambient Noise Level Monitoring Reports	85-88
Annexure-15	Public notices in local newspapers	89-96
Annexure-16	Environment Statement Report (Fy-23-24)	97-97

**Half Yearly Compliance Report
2025
01 Jun(01 Oct - 31 Mar)**

Acknowledgement

Proposal Name	Expansion in Bulk Drug manufacturing capacity (API) from 142 TPA to 350 TPA with existing Steroid (8 TPA) at Plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar (Rajasthan) by Shree Jee Laboratory Pvt. Ltd.		
Name of Entity / Corporate Office	SHREE JEE LABORATORY PVT. LTD.		
Village(s)	JAINPURBAS		
District	ALWAR		
Proposal No.	IA/RJ/IND3/446079/2023	Category	Industrial Projects - 3
Plot / Survey / Khasra No.	C - 23, 23A, 24 & 25	Sub-District	Behror
State	RAJASTHAN	Entity's PAN	*****4413C
MoEF File No.	IA-J-11011/123/2023-IA-II(I)	Entity name as per PAN	SHREE JEE LABORATORY PRIVATE LIMITED

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	NA
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office SHREE JEE LABORATORY PVT. LTD.

	Project Area as per EC Granted	Actual Project Area in Possession
Private	2.8	2.8
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	2.8	2.8

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	API	Tons per Annum (TPA)	30/06/2026	350	68.54	142

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	Two stage water followed by alkali Scrubber system shall be provided to control process emissions viz. HCl, HBr, SO ₂ etc. Two stage water followed by acidic Scrubber system shall be provided to control process emissions viz. NH ₃ , The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.
<p>PPs Submission: Complied Emission levels in the industry are monitored through NABL approved and MoEF and CC recognized laboratory to ensure proper functioning of the industry. The stack emission monitoring results for the duration of January 2025 to March 2025 is attached as Annexure-1</p>		Date: 30/05/2025
2	AIR QUALITY MONITORING AND PRESERVATION	Multi cyclone followed by bagfilter alongwith adequate stack height shall be provided with the existing biomass briquette/husk fired boilers (1 x 1 TPH + 1x2 TPH) to control particulate emission. As proposed, no additional boiler will be installed.
<p>PPs Submission: Complied Continuous online monitoring system (24x7 monitoring device) has been already installed for the flow measurement and the data is available to RSPCB and CPCB server since commissioning of the plant. Photograph showing online monitoring system has been attached as Annexure 2 2 Nos. Boiler installed of Capacity 1 TPH and 2 TPH having common Stack and Online monitoring device installed and connected with SPCB and CPCB Server, Monitoring of Continuous online monitoring system is done quarterly. Calibration certificate of online monitoring certificate is attached as Annexure 3</p>		Date: 30/05/2025
3	MISCELLANEOUS	Total fresh water requirement from ground water source shall not exceed 63 m ³ /day.
<p>PPs Submission: Complied Total fresh water requirement for the project is up to 63 m³ /day which does not exceed the permitted limit. The undertaking specifying that total fresh water requirement from RIICO industrial area water supply shall not exceed 63 m³ /day and water permission from RIICO has been attached as Annexure 4 and 5 respectively. The industry has obtained No Objection Certificate from the Central Ground Water Authority for the abstraction of groundwater vide NOC no. CGWA/NOC/IND/REN/2/2025/10619 valid from 27/01/2025, valid to 26/01/2027. The copy of above mentioned NOC is attached as Annexure-6</p>		Date: 30/05/2025
4	Statutory compliance	NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities, State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.
<p>PPs Submission: Complied The industry has obtained No Objection Certificate from the Central Ground Water Authority for the abstraction of groundwater vide NOC no. CGWA/NOC/IND/REN/2/2025/10619 valid from 27/01/2025, valid to 26/01/2027. The copy of above-mentioned NOC is attached as Annexure-6 and water permission from RIICO has been attached as Annexure 4 and 5 respectively.</p>		Date: 30/05/2025
5	WATER QUALITY MONITORING AND PRESERVATION	Effluent generation shall not exceed 89 m ³ /day. Effluent shall be segregated into High TDS/COD and Low TDS/COD effluent streams. High TDS/COD Industrial effluent stream shall be treated in

		solvent stripper followed by MEE and ATFD. Low TDS/COD Industrial effluent stream along with condensate of MEE shall be treated in the ETP comprises primary, secondary and tertiary treatment followed by RO. RO rejects shall be sent to MEE for treatment. Treated effluent shall be recycled/reused in the manufacturing process and cooling tower make up. Domestic wastewater will be treated in the secondary effluent treatment system. The plant shall be based on Zero Liquid discharge system. Filter press shall be installed instead of Sludge Drying Bed.	
<p>PPs Submission: Complied Zero effluent discharge has been adopted and no effluent is being/will be discharged outside the plant premises. The industry has set up best industrial ZLD (Zero Liquid Discharge) system which has been provisioned for segregation of waste and for High COD stream it has been equipped with Stripper, MEE followed by ATFD and for Low COD stream it has been equipped with Effluent Treatment plant (Anaerobic and Biological) followed by UF, RO -I, RO-II and SWRO followed by MEE and ATFD. The treated water is recycled and used in cooling tower.</p>			Date: 30/05/2025
6	GREENBELT	The PP shall develop greenbelt of at least 5-10 m width over an area of 9230 Sq. m within the project site mainly along the plant periphery, preferably within a year of the grant of EC. The 1913 number of saplings selected for the plantation should be of sufficient height, preferably 6-ft. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	
<p>PPs Submission: Complied 33 percentage of the plant area has already been developed as greenbelt and plantation. The plants are developed at the plant boundary and along the roadsides. Photographs showing greenbelt development has been enclosed as Annexure 7 In addition, Shreejee laboratory has planted 9000 trees in RIICO plot and take care of the plantation by expert</p>			Date: 30/05/2025
7	Statutory compliance	A separate Environmental Management Cell (having qualified persons with Environmental Science/ <u>Environmental Engineering/specialization</u> in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions and shall also engage Top Management- General Manager- Manager EHS- Supervisor- Chemist- Worker (safety) – Worker (Environment) In addition to this one safety & health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	
<p>PPs Submission: Complied A separate environmental management cell equipped with full-fledged laboratory facilities is set up to carry out the environmental management and monitoring functions. The structure of Environment Management Cell has been enclosed as Annexure 8</p>			Date: 30/05/2025
8	Human Health Environment	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating	

		to the project shall be implemented. The budget proposed under EMP is 139 Lakhs(Capital cost) and 32.5 Lakhs per annum (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.
PPs Submission: Complied The company ensures that year wise funds earmarked for environmental protection measures will not be diverted for any other purpose.		Date: 30/05/2025
9	Statutory compliance	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.
PPs Submission: Complied No banned material is used at site		Date: 30/05/2025
10	Statutory compliance	The project proponent shall comply with the environment norms for Pharmaceutical Industry as notified by the Ministry of Environment, Forest and Climate Change, vide G.S.R. 541(E).dated 6.8.2021 under the provisions of the Environment (Protection) Rules, 1986.
PPs Submission: Complied Industry will comply with the norms for Pharmaceutical Industry as notified by the Ministry of Environment, Forest and Climate Change, vide G.S.R. 541(E). dated 6.8.2021 under the provisions of the Environment (Protection) Rules, 1986. On time to time		Date: 30/05/2025
11	ENERGY PRESERVATION MEASURES	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.
PPs Submission: Complied Noted		Date: 30/05/2025
12	WASTE MANAGEMENT	Fly ash/ boiler ash shall be handed over to brick manufacturer.
PPs Submission: Complied Boiler Briquettes ash generated from the boiler has been handed over to the PCB Approved brick manufacturer.		Date: 30/05/2025
13	WASTE MANAGEMENT	All the hazardous waste shall be managed and disposed as per the HWM Rules 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either send to common incineration site or send for coprocessing.
PPs Submission: Complied The company has obtained Authorization for collection, storage and disposal of hazardous waste under the hazardous waste management, handling and trans-boundary movement Rules, 2008 and amended as on dated for management of hazardous waste and prior permission from RSPCB vide letter no. F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378, Dated 25/10/2021. Hazardous waste authorization letter has been attached as Annexure 9 The copy of service agreement with co-processing unit for disposal is attached as Annexure 10		Date: 30/05/2025

14	Risk Mitigation and Disaster Management	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The project proponent shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.
<p>PPs Submission: Complied The company is strictly complying with the rules and guidelines and under manufacture, storage and import of hazardous chemical (MSIHC) Rule, 1989 as amended time to time. As per the MSIHC Rules, 1989; the company provides details of the hazardous chemicals to be imported to the concerned authorities such as CPCB or SPCB. Also, following steps are adopted by the industry: Material Safety Datasheet (MSD) is provided that contains information on the potential hazards (health, fire, reactivity and environmental) and how to work safely with the chemical product; information on the use, storage, handling and emergency procedures all related to the hazards of the material. Safety guidelines are displayed in production and storage area. Also, all transportation of hazardous chemical is done as per the Motor Vehicles Act (MVA) 1989. Photographs showing safety signs/ display boards have been attached as Annexure 11</p>		Date: 30/05/2025
15	AIR QUALITY MONITORING AND PRESERVATION	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.
<p>PPs Submission: Complied Fugitive emission/VOC monitoring is conducted regularly in each quarter at the project site through NABL accredited lab. Results for the duration January 2025 to March 2025 are attached as Annexure 12</p>		Date: 30/05/2025
16	Statutory compliance	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
<p>PPs Submission: Complied Noted and agreed</p>		Date: 30/05/2025
17	Human Health Environment	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
<p>PPs Submission: Complied Following measures have been already adopted for occupational health surveillance: Detailed check up of every employee is done from M/s Soni Devi Memorial Hospital, Neemrana for the advance checkups like X- Ray, ECG, and Blood test, LFT in an interval of six months or yearly basis as per the company standard operating procedure. Sample medical examination reports of employees for the month of Jan 25 is attached as Annexure 13 Job rotation is followed for the employees, in order to keep the employees away from the exposure of certain chemicals and developing multi-skills for the employee. Training programmes are being organized by the company on health hygiene, importance of cleanliness and first aid etc. on regular basis to create the awareness among the employees. This helps the employees a lot to keep themselves healthy and fit.</p>		Date: 30/05/2025
18	Human Health Environment	The occupational health center for surveillance of the worker's

		health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
<p>PPs Submission: Complied</p> <p>The company ensures that training is imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees is carried out on half yearly / yearly terms basis.</p>		<p>Date: 30/05/2025</p>
19	Human Health Environment	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.
<p>PPs Submission: Complied</p> <p>The company ensures that training is imparted to all employees on safety and health aspects of chemicals handling.</p>		<p>Date: 30/05/2025</p>
20	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
<p>PPs Submission: Complied</p> <p>The unit has covered with fire hydrants facilities for the protection of possible fire hazards during manufacturing process</p>		<p>Date: 30/05/2025</p>
21	Statutory compliance	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be fire proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
<p>PPs Submission: Complied</p> <p>Bulk storage of solvents like toluene, methanol, acetone etc. is stored in a separate tank with curb walls and at distance from plant. The tank farms have been provided with fire hydrants facilities. The flammable tanks have been provided with nitrogen blanketing along with flame arrestor. Corrosive chemicals are stored in separate tank farm area with proper dykes. All Reactor are connected to chilled brine condenser system Reactor and solvent handling pump have provided mechanical seals to prevent leakages.</p>		<p>Date: 30/05/2025</p>
22	WATER QUALITY MONITORING AND PRESERVATION	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.
<p>PPs Submission: Complied</p> <p>The industry has constructed the separate bund wall with spillage control pit in chemical storage area to avoid the mixing of all kind of spillage with storm water drain.</p>		<p>Date: 30/05/2025</p>
23	WASTE MANAGEMENT	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or

as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.

PPs Submission: Complied
The point is being complied.

Date:
30/05/2025

24 Statutory compliance

PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.

PPs Submission: Complied
The point is being complied.

Date:
30/05/2025

General Conditions

Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

PPs Submission: Complied

Shree Jee Laboratory has ensured that no further expansion or modification in the plant will be done without prior approval of the Ministry, Forest and Climate Change (MoEF and CC). Prior approval will be taken from the concerned authority if required.

Date:
30/05/2025

2 Statutory compliance

The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.

PPs Submission: Complied

The company is strictly complying with the rules and guidelines and under manufacture, storage and import of hazardous chemical (MSIHC) Rule, 1989 as amended time to time. As per the MSIHC Rules, 1989; the company provides details of the hazardous chemicals to be imported to the concerned authorities such as CPCB or SPCB.

Date:
30/05/2025

3 ENERGY PRESERVATION MEASURES

The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.

PPs Submission: Complied
Energy saving LED light has been installed in the plant premises.

Date:

30/05/2025

4

Noise Monitoring & Prevention

The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

PPs Submission: Complied

The overall noise levels in and around the plant area are kept well within prescribed standards by adopting adequate mitigation measure like timely maintenance, acoustic hoods and enclosures at source, use of PPEs regular noise survey at strategic locations etc. Ambient noise level monitoring results for the duration Dec 2024 to March 2025 has been monitored and results are attached as Annexure 14.

Date:
30/05/2025

5

PUBLIC HEARING

The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

PPs Submission: Complied

The company ensures that CSR activities and all relevant measures are undertaken for improving the socio-economic condition of the surrounding area.

Date:
30/05/2025

6

Statutory compliance

The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

PPs Submission: Complied
Noted and agreedDate:
30/05/2025

7

Statutory compliance

A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

PPs Submission: Complied

The information of granting environmental clearance was made public through public notices in local newspapers. Public notices are shown in Annexure 15. The Environmental clearance letter is also displayed at Website- www.shreejeelaboratory.com

Date:
30/05/2025

8

Statutory compliance

The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

PPs Submission: Complied

The industry uploads/submit the status of compliance of the stipulated environment clearance

Date:
30/05/2025

conditions, including results of monitored data on respective Integrated Regional Office of MoEF and CC, the respective Zonal Office of CPCB and SPCB. and updates the same on half-yearly basis.		
9	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.
PPs Submission: Complied The environmental statement / Form-V is being/ will be regularly submitted to the concerned authorities and also available on the website of the company. The ESR (2023-2024) submission receipt has been attached as Annexure 16.		Date: 30/05/2025
10	Statutory compliance	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
PPs Submission: Complied The information of granting environmental clearance was made public through public notices in local newspapers. Public notices are shown in Annexure 15. The Environmental clearance letter is also displayed at company website.		Date: 30/05/2025
11	Statutory compliance	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Complied The company has already informed the Regional Office as well as the Ministry, the date of start of the project. The date of financial closure and final approval of the project by the concerned authorities will also be informed.		Date: 30/05/2025
12	Statutory compliance	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
PPs Submission: Complied Noted and agreed		Date: 30/05/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		NA
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

Name of Project: Bulk Drugs Manufacturing 350 TPA with Steroid (8 TPA) located at Plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar (Rajasthan) by **M/s Shree Jee**

Laboratory Pvt. Ltd.

Period of Compliance: October 2024 to March 2025

Ref: EC Vide Letter No. IA-J-11011/123/2023-IA-II(I) Dated 2nd January, 2024

Point wise compliance of conditions stipulated in Environmental Clearance is given as under:

Specific EC Conditions for (Synthetic Organic Chemicals Industry)**1. Specific Condition**

1	Two stage water followed by alkali Scrubber system shall be provided to control process emissions viz. HCl, HBr, SO ₂ etc. Two stage water followed by acidic Scrubber system shall be provided to control process emissions viz. NH ₃ , the scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.	Emission levels in the industry are monitored through NABL approved and MoEF&CC recognized laboratory to ensure proper functioning of the industry. The stack emission monitoring results for the duration of January'2025 to March'2025 is attached as Annexure-1
2	Multi cyclone followed by bag filter along with adequate stack height shall be provided with the existing biomass briquette/husk fired boilers (1 x 1 TPH + 1x2 TPH) to control particulate emission. As proposed, no additional boiler will be installed.	Continuous online monitoring system (24x7 monitoring device) has been already installed for the flow measurement and the data is available to RSPCB and CPCB server since commissioning of the plant. Photograph showing online monitoring system has been attached as Annexure - 2 2 Nos. Boiler installed of Capacity 1 TPH and 2 TPH having common Stack and Online monitoring device installed and connected with SPCB and CPCB Server, Monitoring of Continuous online monitoring system is done quarterly. Calibration certificate of online monitoring certificate is attached as Annexure 3

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

3	Total fresh water requirement from ground water source shall not exceed 63 m ³ /day.	<p>Total fresh water requirement for the project is up to 63 m³/day which does not exceed the permitted limit. The undertaking specifying that total fresh water requirement from RIICO industrial area water supply shall not exceed 63 m³/day & water permission from RIICO has been attached as Annexure 4 & 5 respectively.</p> <p>The industry has obtained No Objection Certificate from the Central Ground Water Authority for the abstraction of groundwater vide NOC no. CGWA/NOC/IND/REN/2/2025/10619 valid from 27/01/2025, valid to 26/01/2027. The copy of above mentioned NOC is attached as Annexure-6</p>
4	NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities, State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.	<p>The industry has obtained No Objection Certificate from the Central Ground Water Authority for the abstraction of groundwater vide NOC no. CGWA/NOC/IND/REN/2/2025/10619 valid from 27/01/2025, valid to 26/01/2027. The copy of above-mentioned NOC is attached as Annexure-6 and water permission from RIICO has been attached as Annexure 4 and 5 respectively.</p>
5.	Effluent generation shall not exceed 89 m ³ /day. Effluent shall be segregated into High TDS/COD and Low TDS/COD effluent streams. High TDS/COD Industrial effluent stream shall be treated in solvent stripper followed by MEE and ATFD. Low TDS/COD Industrial effluent stream along with condensate of MEE shall be treated in the ETP comprises primary, secondary and tertiary treatment followed by RO. RO rejects shall be sent to MEE for treatment. Treated effluent shall be recycled/reused in the manufacturing process and cooling tower make up. Domestic wastewater will be treated in the secondary effluent treatment system. The plant shall be based on Zero Liquid discharge system. Filter press shall be installed instead of Sludge Drying Bed.	<p>Zero effluent discharge has been adopted and no effluent is being/will be discharged outside the plant premises.</p> <p>The industry has set up best industrial ZLD (Zero Liquid Discharge) system which has been provisioned for segregation of waste and for High COD stream it has been equipped with Stripper, MEE followed by ATFD & for Low COD stream it has been equipped with Effluent Treatment plant (Anaerobic & Biological) followed by UF, RO -I, RO-II & SWRO followed by MEE & ATFD.</p> <p>The treated water is recycled and used in cooling tower.</p>

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

6.	<p>The PP shall develop greenbelt of at least 5-10 m width over an area of 9230 Sq. m within the project site mainly along the plant periphery, preferably within a year of the grant of EC. The 1913 number of saplings selected for the plantation should be of sufficient height, preferably 6-ft. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.</p>	<p>33 percentage of the plant area has already been developed as greenbelt and plantation. The plants are developed at the plant boundary and along the roadsides. Photographs showing greenbelt development has been enclosed as Annexure 7</p> <p>In addition, Shreejee laboratory has planted 9000 trees in RIICO plot and take care of the plantation by expert</p>
7.	<p>A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions and shall also engage Top Management-General Manager- Manager EHS- Supervisor-Chemist- Worker (safety) – Worker (Environment) In addition to this one safety & health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.</p>	<p>A separate environmental management cell equipped with full-fledged laboratory facilities is set up to carry out the environmental management and monitoring functions. The structure of Environment Management Cell has been enclosed as Annexure 8</p> <div data-bbox="976 1081 1299 1397" data-label="Image"></div> <p>Photograph Showing ETP Laboratory.</p>

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

8.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP is 139 Lakhs (Capital cost) and 32.5 Lakhs per annum (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	The company ensures that year wise funds earmarked for environmental protection measures will not be diverted for any other purpose.
9.	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.	No banned material is used at site
10.	The project proponent shall comply with the environment norms for Pharmaceutical Industry as notified by the Ministry of Environment, Forest and Climate Change, vide G.S.R. 541(E).dated 6.8.2021 under the provisions of the Environment (Protection) Rules, 1986.	Industry will comply with the norms for Pharmaceutical Industry as notified by the Ministry of Environment, Forest and Climate Change, vide G.S.R. 541(E). dated 6.8.2021 under the provisions of the Environment (Protection) Rules, 1986. On time to time
11.	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	Noted
12.	Fly ash/ boiler ash shall be handed over to brick manufacturer.	Boiler Briquettes ash generated from the boiler has been handed over to the PCB Approved brick manufacturer.
13.	All the hazardous waste shall be managed and disposed as per the HWM Rules 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either send to common incineration site or send for co-processing.	The company has obtained Authorization for collection, storage and disposal of hazardous waste under the hazardous waste management, handling and trans-boundary movement Rules, 2008 and amended as on dated for management of hazardous waste and prior permission from RSPCB vide letter no. F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378, Dated 25/10/2021. Hazardous waste authorization letter has been attached as Annexure 9 The copy of service agreement with co-processing unit for disposal is attached as Annexure 10

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

14.	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The project proponent shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSIHC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.	The company is strictly complying with the rules and guidelines and under manufacture, storage and import of hazardous chemical (MSIHC) Rule, 1989 as amended time to time. As per the MSIHC Rules, 1989; the company provides details of the hazardous chemicals to be imported to the concerned authorities such as CPCB or SPCB. Also, following steps are adopted by the industry: Material Safety Datasheet (MSD) is provided that contains information on the potential hazards (health, fire, reactivity and environmental) and how to work safely with the chemical product; information on the use, storage, handling and emergency procedures all related to the hazards of the material. Safety guidelines are displayed in production and storage area. Also, all transportation of hazardous chemical is done as per the Motor Vehicles Act (MVA) 1989. Photographs showing safety signs/ display boards have been attached as Annexure –11
15.	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.	Fugitive emission/VOC monitoring is conducted regularly in each quarter at the project site through NABL accredited lab. Results for the duration January'2025 to March'2025 are attached as Annexure 12
16.	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.	Noted and agreed

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

17.	<p>The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.</p>	<p>Following measures have been already adopted for occupational health surveillance:</p> <p>Detailed check up of every employee is done from M/s Soni Devi Memorial Hospital, Neemrana for the advance checkups like X- Ray, ECG, and Blood test, LFT in an interval of six months or yearly basis as per the company standard operating procedure. Sample medical examination reports of employees for the month of Jan'25 is attached as Annexure -13</p>  <p>Photograph showing Occupational Health Centre at the Plant Site</p> <p>Job rotation is followed for the employees, in order to keep the employees away from the exposure of certain chemicals and developing multi-skills for the employee. Training programmes are being organized by the company on health hygiene, importance of cleanliness and first aid etc. on regular basis to create the awareness among the employees. This helps the employees a lot to keep themselves healthy and fit.</p>
18.	<p>Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.</p>	<p>The company ensures that training is imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees is carried out on half yearly / yearly terms basis.</p>
19.	<p>The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.</p>	<p>The unit has covered with fire hydrants facilities for the protection of possible fire hazards during manufacturing process</p>

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

20.	<p>The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be fire proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.</p>	<ul style="list-style-type: none">• Bulk storage of solvents like toluene, methanol, acetone etc. is stored in a separate tank with curb walls and at distance from plant. The tank farms have been provided with fire hydrants facilities.• The flammable tanks have been provided with nitrogen blanketing along with flame arrestor.• Corrosive chemicals are stored in separate tank farm area with proper dykes.• All Reactor are connected to chilled brine condenser system Reactor and solvent handling pump have provided mechanical seals to prevent leakages. 
21.	<p>The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.</p>	<p>The industry has constructed the separate bund wall with spillage control pit in chemical storage area to avoid the mixing of all kind of spillage with storm water drain.</p>
22.	<p>The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.</p>	<p>The point is being complied.</p>
23.	<p>PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.</p>	<p>The point is being complied.</p>

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

1.1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Shree Jee Laboratory has ensured that no further expansion or modification in the plant will be done without prior approval of the Ministry, Forest & Climate Change (MoEF&CC). Prior approval will be taken from the concerned authority if required.
1.2	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.	The company is strictly complying with the rules and guidelines and under manufacture, storage and import of hazardous chemical (MSIHC) Rule, 1989 as amended time to time. As per the MSIHC Rules, 1989; the company provides details of the hazardous chemicals to be imported to the concerned authorities such as CPCB or SPCB.
1.3	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Energy saving LED light has been installed in the plant premises.
1.4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	The overall noise levels in and around the plant area are kept well within prescribed standards by adopting adequate mitigation measure like – timely maintenance, acoustic hoods & enclosures at source, use of PPEs regular noise survey at strategic locations etc. Ambient noise level monitoring results for the duration Dec'2024 to March'2025 has been monitored and results are attached as Annexure 14 .
1.5	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company ensures that CSR activities and all relevant measures are undertaken for improving the socio-economic condition of the surrounding area.

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

1.6	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Noted and Agreed
1.7	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	The information of granting environmental clearance was made public through public notices in local newspapers. Public notices are shown in Annexure 15 . The Environmental clearance letter is also displayed at Website- www.shreejeelaboratory.com
1.8	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	The industry uploads/submit the status of compliance of the stipulated environment clearance conditions, including results of monitored data on respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. and updates the same on half-yearly basis.
1.9	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.	The environmental statement / Form-V is being/ will be regularly submitted to the concerned authorities and also available on the website of the company. The ESR (2023-2024) submission receipt has been attached as Annexure – 16 .
1.10	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The information of granting environmental clearance was made public through public notices in local newspapers. Public notices are shown in Annexure 15 . The Environmental clearance letter is also displayed at company website.

Bulk Drugs Manufacturing 358 TPA [API (150 TPA) & Steroid (8 TPA)] Plant

At plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar, Rajasthan

1.11	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The company has already informed the Regional Office as well as the Ministry, the date of start of the project. The date of financial closure and final approval of the project by the concerned authorities will also be informed.
1.12	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this Project.	Noted and agreed



TEST REPORT



Sample Number: VTL/S/01 **Report No.:** VTL/S/2503080001/A
Name & Address of Party: M/s Shree jee Laboratory Pvt. Ltd.
 C-24 & 25 RHICO Industrial Area, Sotanala,
 Behror, Rajasthan **Format No.:** 7.8 F-03
Party Reference No.: NIL
Report Date: 15/03/2025
Period of Analysis: 08-15/03/2025
Receipt Date: 08/03/2025

Sample Description : DUCT EMISSION MONITORING

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Terrace-Plant A & SRBA01
Stack Attach To : SSRA01 to SSRA15
Sampling duration (Minutes) : 40 Min. (09:00 to 09:40 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 20
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA

RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO ₂)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm ³
2.	Sulphur Dioxide (as SO ₂)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm ³
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm ³

-----End of the Report-----


 Checked By

RK Yadav
 Lab Incharge
 Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
 9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
 bd@vibranttechnolab.com
 www.vibranttechnolab.com



TEST REPORT



TC-11227

Sample Number:

VTL/S/02

Report No.:

VTL/S/2503080002/A

Name & Address of Party:

M/s Shree jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala,
Behror, Rajasthan

Format No.:

7.8 F-03

Party Reference No.:

NIL

Report Date:

15/03/2025

Period of Analysis:

08-15/03/2025

Receipt Date:

08/03/2025

Sample Description :

DUCT EMISSION MONITORING

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Terrace-Plant A & SRBA02
Stack Attach To : GLRA 02 to GLRA05
Sampling duration (Minutes) : 35 Min. (10:00 to 10:35 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 20
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA

RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO ₂)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm ³
2.	Sulphur Dioxide (as SO ₂)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm ³
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm ³

-----End of the Report-----

Checked By

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com



TEST REPORT



Sample Number:

Name & Address of Party:

VTL/S/03
M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala,
Behror, Rajasthan

Report No.: VTL/S/2503080003/A
Format No.: 7.8 F-03
Party Reference No.: NIL
Report Date: 15/03/2025
Period of Analysis: 08-15/03/2025
Receipt Date: 08/03/2025

Sample Description : DUCT EMISSION MONITORING

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Admin Terrace-Plant B & SRBB01
Stack Attach To : SSRB01, SSRB06, SSRB08 & SSRB11
Sampling duration (Minutes) : 40 Min. (11:00 to 11:40 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 22
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA

RESULTS

Table with 5 columns: S. No., Parameter, Test Method, Results, Units. Rows include Nitrogen Dioxide, Sulphur Dioxide, and Acid Mist.

-----End of the Report-----

Checked By

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Term & conditions PTO



TEST REPORT



TC-11227

Sample Number: VTL/S/04 **Report No.:** VTL/S/2503080004/A
Name & Address of Party: M/s Shree Jee Laboratory Pvt. Ltd. **Format No.:** 7.8 F-03
C-24 & 25 RIICO Industrial Area, Sotanala, **Party Reference No.:** NIL
Behror, Rajasthan **Report Date:** 15/03/2025
Sample Description : DUCT EMISSION MONITORING **Period of Analysis:** 08-15/03/2025
Receipt Date: 08/03/2025

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Admin Terrace-Plant B & SRBB02
Stack Attach To : GLRA 01, GLRB 01 & GLRB 06
Sampling duration (Minutes) : 36 Min. (12:00 to 12:36 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 24
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA
RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO ₂)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm ³
2.	Sulphur Dioxide (as SO ₂)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm ³
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm ³

-----End of the Report-----

Checked By

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com



TEST REPORT



Sample Number:
Name & Address of Party:

VTL/S/05
M/s Shree jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala,
Behror, Rajasthan

Report No.: VTL/S/2503080005/A
Format No.: 7.8 F-03
Party Reference No.: NIL
Report Date: 15/03/2025
Period of Analysis: 08-15/03/2025
Receipt Date: 08/03/2025

Sample Description: DUCT EMISSION MONITORING

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Terrace-Plant C & SRBC01
Stack Attach To : SSRC 01, SSRC10 SSRB07& SSRA16
Sampling duration (Minutes) : 40 Min. (13:00 to 13:40 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 23
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA

RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO ₂)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm ³
2.	Sulpher Dioxide (as SO ₂)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm ³
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm ³

-----End of the Report-----

Checked By

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com



TEST REPORT



Sample Number: VTL/S/06
Name & Address of Party: M/s Shree jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala,
Behror, Rajasthan

Report No.: VTL/S/2503080006/A
Format No.: 7.8 F-03
Party Reference No.: NIL
Report Date: 15/03/2025
Period of Analysis: 08-15/03/2025
Receipt Date: 08/03/2025

Sample Description : DUCT EMISSION MONITORING

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Terrace-Plant C & SRBC02
Stack Attach To : GLRC 01, GLRC 07 & GLRC 02
Sampling duration (Minutes) : 32 Min. (14:00 to 14:32 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 23
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA
RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO2)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm3
2.	Sulpher Dioxide (as SO2)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm3
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm3

-----End of the Report-----


Checked By

RK Yadav
Lab Incharge
Authorized Signatory 

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com



TEST REPORT



TC-11227

Sample Number: VTL/S/07 Report No.: VTL/S/2503080007/A
Name & Address of Party: M/s Shree jee Laboratory Pvt. Ltd. Format No.: 7.8 F-03
C-24 & 25 RIICO Industrial Area, Sotanaia, Behror, Rajasthan Party Reference No.: NIL
Report Date: 15/03/2025
Sample Description : DUCT EMISSION MONITORING Period of Analysis: 08-15/03/2025
Receipt Date: 08/03/2025

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Admin Terrace & SRBB01
Stack Attach To : Fume Hood (ST-QC-FUM-01)
Sampling duration (Minutes) : 25 Min. (15:00 to 15:25 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 22
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA
RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO2)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm3
2.	Sulpher Dioxide (as SO2)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm3
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm3

-----End of the Report-----

Checked By

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com



TEST REPORT



Sample Number: VTL/S/08 Report No.: VTL/S/2503080008/A
Name & Address of Party: M/s Shree jee Laboratory Pvt. Ltd. Format No.: 7.8 F-03
C-24 & 25 RIICO Industrial Area, Sotanaia, Party Reference No.: NIL
Behror, Rajasthan Report Date: 15/03/2025
Sample Description : DUCT EMISSION MONITORING Period of Analysis: 08-15/03/2025
Receipt Date: 08/03/2025

Sample Collected : VTL Team
Date & Time of Sampling : 04/03/2025
Location : Admin Terrace & SRBB02
Stack Attach To : Fume Hood (ST-QC-FUM-02)
Sampling duration (Minutes) : 40 Min. (16:00 to 16:40 Hrs.)
Instrument calibration status : Calibrated
Meteorological Condition status : Clear Sky
Ambient Temperature - Ta (°C) : 22
Flow rate of PM (LPM) : 2.0
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA
RESULTS

S. No.	Parameter	Test Method	Results	Units
1.	Nitrogen Dioxide (as NO2)	IS- 11255 (P-7);2005, RA- 2022	*BLQ(**LOQ-5.0)	mg/Nm3
2.	Sulpher Dioxide (as SO2)	IS: 11255 (P- 2): 1985, RA 2019	*BLQ(**LOQ-5.0)	mg/Nm3
3.	Acid Mist	USEPA 8, 1983	*BLQ(**LOQ-2.0)	mg/Nm3

-----End of the Report-----

Checked By

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.


SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

Photographs showing Online Air Monitoring Instruments



Adequate height provided to boiler stack



Bag filter attached with boiler stack



Boiler SPM Monitoring Panel



Boiler Stack Monitoring Sensor

CALIBRATION CERTIFICATE

CERTIFICATE NO: - BA/DM/24-25/017

CERTIFICATE ISSUED DATE: - 08/08/24

Product Type : Online Dust Monitor

Make : Bhoomi

Model : BI 7000

Serial No. : 5000398

Customer : M/s. Shree Jee Laboratory Pvt Ltd

Bhoomi Analyzers certifies that the above listed instrument was calibrated on date noted on site.

Our calibration system complies with the requirements of ISO 17025:2005 standard and traceable to the International System of Units.

Sr. No.	Parameters	Values
1	Iso-Kinetic values (IKV)	219
2	Avg.Dust Value (E)	0.104
3	Dust Factor (DF)	237

The instrument Dust Monitor is calibrated according to the above Iso-Kinetic Value and corresponding average extinction value

Calibration Period: 08/08/24



By:

Madhuri Wakh

Mrs. Madhuri Wakh

Bhoomi Analyzers

Correspondence Address :
409, 4th Floor, Avior, Nirmal Galaxy,
Mulund (W) Mumbai - 400080

Works Address :

Unit No. 201, 207, 208, G Wing, Udyog Bhavan No.: 2,
Plot No.: K-3, Add. Ambernath Ind. Area, Nr. Anand Nagar,
MIDC, Ambernath (E), Thane-421506 Maharashtra

Contact :

☎ : +91-22-25916858 / 6916

✉ : sales@bhoomiltd.com

● : www.bhoomiltd.com



Annexure-4



ANNEXURE-5
Rajasthan State Industrial Development & Investment Corporation Ltd., EPIP Neemrana, Distt. Alwar. 301705
Email: neemrana@riico.co.in
CIN : U13100RJ1969SGC001263,
GSTIN: 08AABCR4695J1ZW, PAN No.- AABCR4695J

No. : 4030
Date : 05/01/2023

Shree Jee Laboratory Pvt. Ltd.
Plotn o. C-24 & 25
Industrial area Sotanala
Distt. Alwar (Raj.)


Sub : In the matter of water supply by RIICO at Plot no. C-24 & 25 at Industrial area Sotanala.

Ref : Your letter No. SJLPL/EHS/22-23/68 dated 04.01.2023

Dear Sir,

In reference to your above referred letter, it is to inform you that 2 nos. water connection already existed at your premises. In this regard, it is to inform that RIICO can supply total 17,680 Ltr. water per day (maximum) from its water supply scheme, subject to condition of availability of ground water in the RIICO water sources. Due to some unforeseen reasons e.g. depletion of water table, failure of electricity transformer or motors or any other reasons you request for daily demand for supply of 50 KLD water to your unit will not be possible. In this case as your water demand is more then 17,680 Ltr./day, so you may take approval from CGWA, New Delhi for abstraction of ground water.

Thanking you,
Yours faithfully,


Sr. DGM
RIICO Ltd., Neemrana



Annexure-5



Rajasthan State Industrial Development & Investment Corporation Ltd., EPIP Neemrana, Distt. Alwar. 301705
Email: neemrana@riico.co.in
CIN : U13100RJ1969SGC001263,
GSTIN: 08AABCR4695J1ZW, PAN No.- AABCR4695J

No. : 1459
Date : 20/7/23

Shree Jee Laboratory Pvt. Ltd.
Plotn o. C-24 & 25
Industrial area Sotanala
Distt. Alwar (Raj.)

Sub : In the matter of water supply by RIICO at Plot no. C-23 & 23(A) at Industrial area Sotanala.

Ref : Your letter dated 20.04.2023

Dear Sir,

In reference to your above referred letter, it is to inform you that RIICO can supply total 10,289 Ltr. water per day (maximum) from its water supply scheme, subject to condition of availability of ground water in the RIICO water sources. Due to some unforeseen reasons e.g. depletion of water table, failure of electricity transformer or motors or any other reasons supply of 10,289 Ltr. per day water to your unit will not be possible. In this case as your water demand is more then 10,289 Ltr./day, so you may take approval from CGWA, New Delhi for abstraction of ground water.

Thanking you,

Yours faithfully,

Unit Head
RIICO, Neemrana

Annexure-6



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:		Shree Jee Laboratory Private Limited										
Project Address:		C - 24, 25, Riico Industrial Area, Sotanala, Distt. Alwar										
Village:		Neemrana (ct)		Block:		Nimrana						
District:		Alwar		State:		Rajasthan						
Pin Code:												
Communication Address:		C- 23, 23a, 24, 25, Riico Industrial Area, Sotanala, Behror, Alwar, Rajasthan - 301701										
Address of CGWB Regional Office :		Central Ground Water Board Western Region, 6-a, Jhalana Doongri, Jaipur, Rajasthan - 302004										
1. NOC No.:	CGWA/NOC/IND/REN/2/2025/10619			2. Date of Issuance	30/01/2025							
3. Application No.:	21-4/2682/RJ/IND/2017			4. Category: (GWRE 2024)	Over Exploited							
5. Project Status:	Existing Ground Water			6. NOC Type:	Renewal							
7. Valid from:	27/01/2025			8. Valid up to:	26/01/2027							
9. Ground Water Abstraction Permitted:												
Fresh Water		Saline Water		Dewatering		Total						
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year					
32.32	9696.00					32.32	9696.00					
10. Details of ground water abstraction /Dewatering structures												
Total Existing No				Total Proposed No								
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	0	1	0	0	0	0	0	0	0	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps												
11. Ground Water Abstraction/Restoration Charges paid (Rs.):				10431.00								
12. Environment Compensation (if applicable) paid (Rs.):				0.00								
13. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.				No. of Piezometers		Monitoring Mechanism						
						Manual		DWLR**		DWLR With Telemetry		
**DWLR - Digital Water Level Recorder				1		1		0		0		

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

CENTRAL GROUND WATER AUTHORITY

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

CENTRAL GROUND WATER AUTHORITY

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).
- 31) In the self-compliance report, the PP shall submit details of Drilling Agency/ Agencies, which has/ have constructed BW(s)/ TW(s) along with undertaking to the effect that all necessary measures have been taken as per directions of Hon'ble Supreme Court provided in Annexure-VII of guidelines dated 24.09.2020 in respect of abandoned/ failed BW(s)/ TW(s)/Piezometer(s), if any. The PP is advised to engage registered drilling agency/ agencies. In the event of any mishap/ unfortunate incident due to negligence in taking measures for prevention of accident due to falling in Bore Well, both PP and concerned drilling agency shall jointly be held responsible and penal action as per extant Government rules shall be taken.

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

**पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE**

CENTRAL GROUND WATER AUTHORITY
Department of Water Resources, River Development and Ganga Rejuvenation
Ministry of Jal Shakti, Govt. of India

Receipt

(As per the guideline Gazette Notification S.O. 3281(E) regarding the New Guidelines dated 24.09.2020 of CGWA, MoJS, Govt. of India)
<https://cgwa-noc.gov.in>

Application No.:	21-4/2682/RJ/IND/2017	Date of Issuance:	30/01/2025
Name of Firm:	SHREE JEE LABORATORY PRIVATE LIMITED		
AppType Category:	Pharmaceuticals		
Application Type:	Industrial		
PAN/GSTIN No. of Firm/Individual:	AAQCS4413C /		

S N	Description	Amount (Rs.)
1.	Application Processing Fee	5000.00
2.	Ground Water Abstraction charges	0
3.	Ground Water Restoration charges	10431.00
4.	Environmental Compensation Charges (ECRGW) (Date From to) Days-	
5.	Penalty for non-Compliance of NOC conditions Condition to be mentioned	
6.	Adjustment Charges	
7.	Rebate	
8.	Charges for correction/modification in the existing issued No Objection Certificate	
S.No.	Description	Rate
(i)	Change in User ID	Rs. 1000
(ii)	Change in firm Name	Rs. 5000
(iii)	Extension of No Objection Certificate	Rs. 5000
(iv)	Issuance of duplicate No Objection Certificate	Rs. 5000
(v)	Issuance of corrigendum to No Objection Certificate	Rs. 5000
(vi)	Any other items/correction etc.	Rs. 500
Rs. Rupees Fifteen Thousand Four Hundred Thirty One Only		15431.00

This is an system generated invoice, hence, does not require ink signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Term and conditions:

- i. All disputes are subject to Delhi Jurisdiction.
- ii. Any complaint in regard to the rates will not be entertained.


Member-Secretary
CGWA, New Delhi

CENTRAL GROUND WATER AUTHORITY

Annexure-7



Annexure-7




Annexure-7



EHS ORGANOGRAM

Annexure-8



ur



RAJASTHAN STATE POLLUTION CONTROL BOARD
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 141-5159600 Fax: 0141-5159697



Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378/337

Date:- 25/10/2021

Unit Id : 34244

M/s Shree Jee Laboratory Pvt. Ltd.

C-25, RIICO Industrial Area, Sotanala , Tehsil:Behror

District:Alwar

Sub:- Authorization for operating a facility for Collection, Disposal, Generation, Reuse, Storage of Hazardous Wastes Under Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016.

Ref:- Your application dated : 30/09/2020 received on 30/09/2020 and subsequent corresponde

Sir

- 1 Number of authorization RPCB/HWM/2021-2022/CD/HSW/45.
- 2 Application Number : 266296 dated : 30/09/2020 .
- 3 **DGM - EHS of M/s Shree Jee Laboratory Pvt. Ltd. is hereby granted an authorization based on the enclosed signed inspection report for Collection, Disposal, Generation, Reuse, Storage of Hazardous waste on the premises situated at C - 24 and 25,RIICO Industrial Area Sotanala, Tehsil: Behror District: Alwar.**

Details of Authorization

SNo	Type of Hazardous waste	Category		Quantity/ Unit	Hazardous Waste Disposal Practice
		Sch	Code		
1	Process Residues and wastes*	I	28.1	170.00 TONNES / ANNUM	Co processing in Cement Kiln/Co incineration/CTDF Udaipur
2	Spent catalyst (Pharma Industries)	I	28.2	3.50 TONNES / ANNUM	Reuse/sales to registered recyclers/CTDF
3	Spent carbon (Pharma Industries)	I	28.3	6.50 TONNES / ANNUM	CTDF Udaipur/Balotra /Co processing in cement kiln



RAJASTHAN STATE POLLUTION CONTROL BOARD
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 141-5159600 Fax: 0141-5159697

Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

4	Off Specification Products (Pharma Industries)	I	28.4	23.00 TONNES / ANNUM	Co processing at Cement Industry/ CTDF Udaipur
5	Date Expired Products	I	28.5	5.50 TONNES / ANNUM	Co processing at Cement Industry/ CTDF Udaipur
6	Spent Solvent (Pharma Industries)	I	28.6	1750.00 KL/ANNUM	Reuse/sales to registered recyclers/CTDF
7	Empty barrels/ containers/ Liners contaminated with hazardous chemicals/ wastes	I	33.1	3500.00 NOS./ANNUM	Reuse/sales to registered recyclers/CTDF
8	Contaminated cotton rags or other cleaning materials	I	33.2	8.00 TONNES / ANNUM	CTDF Udaipur / Coincineration
9	Chemical sludge from waste water treatment	I	35.3	400.00 TONNES / ANNUM	Co processing in Cement Kiln/Co incineration/CTDF Udaipur
10	Oil and grease skimming	I	35.4	0.50 TONNES / ANNUM	Sales to Registered Recycler/CTDF Udaipur
11	Spent carbon or filter medium	I	36.2	4.50 TONNES / ANNUM	CTDF Udaipur/Utilization for co processing in cement plant
12	Used or spent oil	I	5.1	4.50 TONNES / ANNUM	Sales to Registered Recycler/ Reprocess
13	Wastes or residues containing oil	I	5.2	0.20 TONNES / ANNUM	CTDF Udaipur/Utilization for co processing in cement plant

4 The authorization shall be in force for period from 01/06/2021 to 31/05/2026 .



RAJASTHAN STATE POLLUTION CONTROL BOARD
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 141-5159600 Fax: 0141-5159697

Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

The authorization is subject to the following general and specific conditions :

A. General conditions of Authorization

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed



RAJASTHAN STATE POLLUTION CONTROL BOARD
4, Institutional Area, Jhalana Doongari, Jaipur-302 004

Phone: 141-5159600 Fax: 0141-5159697

Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

of as per specific conditions of authorisation.

11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B. Specific Conditions

- 5 That this authorization shall ceased to be valid & shall be liable to be revoked without any further notice in case of refusal/expiry of consent to operate under the provisions of Water(Prevention and Control of Pollution) Act,1974 and Air(Prevention and Control of Pollution)Act,1981 by the State Board.
- 6 That no recycling/re-processing of the hazardous waste covered under schedule IV shall be carried out without prior authorization from Rajasthan State Pollution Control Board as recycler/ re-processor of hazardous waste under the rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 7 That no hazardous waste shall be utilized for co-processing as a supplementary resource or for energy recovery, or after processing without prior & valid approval of Central Pollution Control Board under the rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 8 That in case of any expansion or change in process or product or change in mode/ practice of disposal of hazardous waste or its quantity, industry shall obtain fresh authorization.
- 9 That that arrangements for transportation of the hazardous waste for disposal shall be done by the authorized/dedicated vehicles only and any environmental damages during transportation shall be borne by sender/receiver whoever arrange the transportation.
- 10 That the industry shall ensure the compliance of all the measures stipulated/mentioned in "Emergency Response Plan" submitted by the industry during any emergency situation.



RAJASTHAN STATE POLLUTION CONTROL BOARD
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 141-5159600 Fax: 0141-5159697

Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

- 11 **That unit shall label the hazardous waste containers as per Form-8 of the Hazardous & Other Wastes(Management & Transboundary Movement)Rules, 2016.**
- 12 **That the unit shall maintain the record of hazardous waste generated and disposed as per the provisions of H&OW(M&TM) Rules, 2016.**
- 13 The authorization is subject to the conditions stated at Annexure "A" enclosed with the authorization letter and the such conditions as may be specified in the Rules for the time being forced under the Environmental (Protection) Act, 1986.
- 14 The unit has to display and maintain the data online outside the factory main gate in Hindi & English both on a 6'X 4' display board in the manner & format prescribed at Annexure "B" and the report of the Compliance along with photograph shall be submitted to this office & Regional Office, time to time.
- 15 That the annual reports/returns in the form prescribed under the Rules shall be submitted to the Board by 30th June of every year and records of hazardous waste Generation, handling & management shall be maintained according to the provisions of the Hazardous Waste (Management and Transboundary Movement) Rules, 2016 and shown & submitted to the Board as and when asked for.
- 16 The hazardous waste should not be stored for a period beyond 90 days, failing which the authorization shall deemed to be revoked.
- 17 It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016. Non compliance of the Rules or any of the conditions contained in the authorization shall be tantamount to automatic cancellation/revocation of the authorization.
- 18 The operator of the facility shall liable to comply any other conditions as per the guidelines issued by the MoEF or CPCB or State Board related to collection, disposal, reception, storage & treatment of hazardous waste.
- 19 **That Authorization is issued under the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016 from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with conditions laid down in all other for the time-being in force,rests with the industry/unit/project proponent.**



RAJASTHAN STATE POLLUTION CONTROL BOARD
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 141-5159600 Fax: 0141-5159697

Registered

File No: F(HSW)/Alwar(Behror)/6817(1)/2021-2022/3376-3378

Date:- 25/10/2021

Unit Id : 34244

20 That this Authorization shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This bears the approval of the competent authority.

Yours Sincerely

Group Incharge

Copy To:-

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board Alwar to ensure the compliance
- 2 Master File

Group Incharge

Copy-5 (Green)	To be sent by the receiver to the State Pollution Control Board.
Copy-6 (Blue)	To be sent by the receiver to the sender.
Copy-7 (Grey)	To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State.

- e) **SJLPL** shall forward **Form 10** (Manifest Copy - White) to State Pollution Control Board after handling over the hazardous waste to the transporter as per authorisation condition.
- f) **SJLPL** shall keep **Form 10** (Manifest Copy - Yellow) after taking signature on it from the transporter.
- g) **SJLPL** shall handover Form 10 (Manifest) Copy – 3 to 7 (Pink, Orange, Green, Blue, and Grey) to transporter on behalf of SCL otherwise SCL will not accept the waste generated from **SJLPL**.
- h) Transporter shall submit copies 3 to 7 of the manifest duly signed with date to SCL (Operator of the facility) along with the waste consignment.
- i) **SCL** on completion of the co-processing of the hazardous waste shall forward copy 5 (Green) to CPCB and copy 6 (Blue) to **SJLPL** and the copy 3 (pink) shall be retained by the SCL (operator of the facility).
- j) **SJLPL** & **SCL** will adhere in stringent manner to the conditions issued in Hazardous Waste Authorizations/ Transportation Authorization for Co-processing of Hazardous waste by CPCB from time to time.
12. **Commercial Terms & Conditions:** - **Commercials & Co-processing charges will be as per decided terms of Annexure-B attached herewith and part of the agreement.**
13. **SJLPL** shall ensure that, in no case the supplied quantity should be more than the permission obtained from the concerned authorities. In case of excess supply from the permission granted, SCL will have not any obligation in that case.
14. **Indemnity:** The 'Generator' shall defend, indemnify and save harmless directors, employees and agents of the 'Co-processor' from and against any and all claims, demands, fines, loses, damages, costs, penalties, expenses, actions, suits or proceedings, injuries, monetary liability on account of death of any person, cost of response to any governmental inquiry, liability for loss of or damage to property and reasonable attorney and consulting fees and costs relating to any of the forgoing resulting from the act or omission, breach or non-conformance by either party with the provisions contained in the Agreement or any statutory non-compliance. The foregoing indemnities shall not apply to the extent that such losses, expenses, claims, actions, damages or liabilities to which the Co-processor may be subject were caused by the gross negligence, fraud or wilful misconduct of the Co-processor.
15. **Compliance with Law:** The Co-processor confirms it has valid authorization from the State Pollution Control Board for use of Hazardous & Non-Hazardous waste in accordance with applicable law, including Rule 9 of the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016. The Generator confirms that it a valid authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 r/w the Guidelines for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant obtained from relevant authorities including State Pollution Control Board in order to undertake the activities contemplated under this Agreement. The Generator undertakes that adequate measures are to be taken to contain contaminants and prevent accidents and persons working at the site must be provided with the training, equipment and safety measures. Each party represents and warrants that

For Shree Jee Laboratory Pvt. Ltd.


Authorized Signatory



in performance of this agreement it shall comply in all respects with all applicable law, including but not limited to such party's respective consents and authorizations received by the respective State Pollution Control Board, as such may be amended from time to time, and/or any other authority. Each party shall promptly inform the other of any amendment, revocation, closure notice or any other change of its consent(s) and authorization(s) granted by a State PCB and/or any other authority having a bearing on the performance of this agreement.

16. **Child Labour (Prohibitions & Regulations) Act, 1986 and Rules 1950-** Both parties undertake oath and declares that they shall not employ children, prison labour, indentured labour, bonded labour or use corporal punishment or other forms of mental and physical coercion as a form of discipline. Both parties shall comply with all applicable State and Central Laws, Statutory Rules, Regulations
17. **Force Majeure:** Any failure or omission by either party to perform its obligations shall not be deemed to be a breach of this Agreement, if the same is caused by reasons or circumstances constituting force majeure which shall include acts of God, acts of any Government or any agency thereof, law, order, decree or regulation, both present and future, of any government or any agency thereof, fire, war, riots, civil, commotion, strikes, lockouts, embargoes, disasters, pandemics, plant shutdown continuous 15 days. The party claiming force majeure shall, as soon as possible, notify the other party of the conditions constituting force majeure together with expected duration thereof. If a condition of force majeure that persists for greater than 90 days, the parties shall meet and decide the future course of action, including without limitation, the potential termination of this agreement.
18. **Code of Conduct:** Co-processor acknowledges that Generator has implemented a code of conduct to promote the highest standards of professionalism, honest, integrity and ethical behaviour within Generator's organization. The Co-processor declares that it has not paid or agreed to pay any favour either in cash or kind to any of the officials of the Generator either directly or indirectly to secure this agreement. Co-processor will not, with respect to any aspect of Co-processor's performance under this agreement, offer to pay or give, or pay or give anything of value to any government official in order to affect, influence or facilitate any act of such official in his official capacity.
19. **Green benefits:** Generator confirms that any green benefits including Green Credits, Subsidies and/or other benefits of any nature arriving out of use of material supplied by Generator by Co-processor as a raw material in cement manufacturing process shall be claimed / make available to the Co-processor only
20. This Agreement shall be deemed to represent the entire Agreement between the parties hereto regarding the subject matter hereof and shall supersede, cancel and replace any and all prior Agreements or arrangements, if any, in this behalf, by and between the parties hereto.
21. Nothing contained herein shall be deemed to constitute a partnership, joint venture or agency by and between the parties hereto.
22. This Agreement may be modified or amended only by writing, duly executed by or on behalf of the parties hereto.
23. Any terms and conditions of this Agreement may be waived at any time by the party that is entitled to the benefit thereof. Such waiver must be in writing and must be executed by an authorized officer of such party. A waiver on one occasion will not be deemed to be a waiver of the same or any other breach or non-fulfilment on a future occasion.
24. In the event SCL required to comply with any additional statutory regulations and guidelines framed by the concerned authorities or Government Agency relating to emission monitoring for demonstrating the performance of Co-processing of the Waste Material at SCL's Plant pursuant to the Agreement,

For Shree Jee Laboratory Pvt. Ltd.

N. S. C. I. Raza 

Authorized Signatory



the same shall be complied, the Co-processing charges will be revised reasonably on mutually agreed basis in advance and shall be borne by SJLPL.

25. In the event that any provisions of this Agreement is held to be illegal, invalid or unenforceable under any present or future law such provisions shall be deemed terminable and the remaining parts & provisions of this Agreement shall remain in full force & effect.
26. **Term & Termination:** This agreement is valid for Five years (i.e. from 13th March, 2024 to 12th March, 2029), however the agreement can be extended further by mutual consent of both parties. Either party may terminate this agreement upon 90 days' prior notice to the other. Both parties reserve the right to suspend or terminate this Agreement in the event of the other party committing any breach/violation of the condition of the present Agreement or any provision of applicable law or regulation for the time being in force. Both the Parties hereto agree that the present agreement shall automatically come to an end if the authorization granted by respective Pollution Board enabling the Generator or Co-processor to perform this agreement is revoked or terminated.
27. **Dispute Resolution & Jurisdiction:** Any disputes, differences, and doubts whatsoever which may arise between the parties hereto under this Agreement shall be resolved amicably within 30 days. Failing an amicable solution, the dispute may be referred to an arbitration by a sole arbitrator, appointed mutually by the Parties, whose decision and Award shall be final and binding on both the Parties. Such arbitrator shall have the power to make interim Award/s have summary powers, as well as power to make Award/s without giving reasons. The arbitration will be in English language. All such arbitration proceedings shall be held at New Delhi and shall be in accordance with and subject to the provisions of the Arbitration and Conciliation Act, 1996 or any statutory modification(s), re-enactment thereof for the time being in force. Courts at Beawar (Rajasthan) shall alone have the jurisdiction to the exclusion of all other Courts

For, SHREE JEE LABORATORY PVT. LTD.
(THE GENERATOR)

For, SHREE CEMENT LIMITED
(The CO-PROCESSOR)

For Shree Jee Laboratory Pvt. Ltd.
N. S. Singh
Authorized Signatory



Sign with Stamp

Sign with Stamp

Witness-1

Ravinder Singh
Ravinder Singh

Witness-1

S. Singh

Witness-2

Manish Singh
Manish Singh

Witness-2

Annexure A

List of Banned Items

The Hazardous Waste dispatched by SJLPL shall not contain following items that are listed as banned items for Co-processing.

- Anatomical Hospital Wastes (Bio-medical waste)
- Asbestos-containing Wastes
- Bio-hazardous Wastes
- Electronic Scrap
- Entire Batteries
- Explosives
- High-concentration Cyanide Wastes
- Mineral Acids
- Radioactive Wastes
- Unsorted Municipal Garbage

For Shree Jee Laboratory Pvt. Ltd.

N. S. J. Rao

Authorized Signatory



Annexure- B- Commercials

1. **Co-processing Fee/charges for Supply:** - Unless and until agreed between the parties and subject to Force Majeure, **M/s SHREE JEE LABORATORY PVT. LTD.** shall pay to M/s Shree Cement Limited, co-processing charges for their supplies at below rates.
 - **Rs. 9500 /ton** (Rupees Nine Thousand and Five Hundred per ton) for **Process Residues and wastes.**
 - **Rs.4350/ton** (Rupees Four Thousand; Three Hundred and Fifty per ton) for **Spent Carbon (Pharma Industries) and Chemical sludge from waste water treatment.**
 - **Rs. 10000 /ton** (Rupees Ten Thousand per ton) for **Off Specification Products (Pharma Industries) and Date Expired Products.**
 - GST as applicable would be extra.
2. **Payment Modality:** - M/s. **SHREE JEE LABORATORY PVT. LTD.** shall pay to M/s Shree Cement Limited, Co-Processing charges within 15 days after receipt of invoices.
3. However, billing by M/s Shree cement to **M/s SHREE JEE LABORATORY PVT. LTD.** on monthly basis on Manifest qty. **(If any variations are found same will be verified by SCL)**
4. **Interest on Delayed payment:** In the event of delayed payment, it is hereby agreed that the **M/s SHREE JEE LABORATORY PVT. LTD.** shall be obligated to pay a fixed interest rate of 12% per annum on the outstanding amount.
5. **Transportation:** Transportation shall be arranged by **M/s Shree Cement Limited** on chargeable basis through authorized transporter from **SHREE JEE LABORATORY PVT. LTD** (loading point) to **M/s Shree Cement Limited Ras & Beawar** premises (unloading point) based on below charges: -
 - Rs 28,000/- Transportation charges will be charged additionally for 10 MT capacity Vehicle per trip.
6. **Detention Charges:** The Generator shall load all the material within twenty-four (24) hours and will allow return of Truck/vehicle set period of 24 hours. The Generator shall be responsible for the costs of any demurrage or detention charges due to delay in loading for more than 24 hours. The detention charges will be Rs 4000/- per day for each day delay after 24 hours.
7. Loading & proper packaging would be in scope of **SHREE JEE LABORATORY PVT. LTD.**
8. **Agreement validity-** Five Year (i.e. from 13th March, 2024 to 12th March, 2029)

For Shree Jee Laboratory Pvt. Ltd.

N. S. J. 100

Authorized Signatory



Photographs showing Safety Display Boards & Signs



Photographs showing Safety Display Boards & Signs



Photographs showing Safety Display Boards & Signs

Shree Jee Laboratory Pvt. Ltd. Sotanala

काम चलाऊ इन्तजाम

दुर्घटना को पैगाम

Shree Jee Laboratory Pvt. Ltd. Sotanala

ELECTRIC SHOCK & It's MANAGEMENT

विद्युत्‌चपट एवं उसके प्रभाव नियंत्रण

EFFECTS:

- 1. Under stimulation of heart's work stoppage.
- 2. Absorption of heat energy.
- 3. Appropriate first-aid measures should be taken. When it is not possible to do so, refer to the nearest hospital.

MANAGEMENT:

1. Do not touch the victim.
2. Switch off the power supply.
3. If the power supply is not cut off, use a non-conducting object to move the victim away from the power source.
4. Lay the victim on a non-conducting surface.
5. Check for breathing and pulse.
6. If breathing and pulse are absent, start CPR.
7. Call for medical help.
8. Do not give any food or drink.
9. Do not give any medicine.
10. Do not use any oil or grease.

Shree Jee Laboratory Pvt. Ltd. Sotanala

10 RULES FOR WORKPLACE SAFETY

- 1 You are responsible for your own safety and for the safety of others.
- 2 All accidents are preventable.
- 3 Do not take short cuts. Always follow the rules.
- 4 If you are not trained, don't do it.
- 5 Use the right tools & equipment and use them in the right way.
- 6 Assess the risks before you approach your work.
- 7 Never wear loose clothes or slippery footwear.
- 8 Do not indulge in horseplay while at work.
- 9 Practice good housekeeping.
- 10 Always wear PPEs.

Shree Jee Laboratory Pvt. Ltd. Sotanala

दुर्घटनाओं के 3 कारण

"मैं नहीं देखा था"

"मैंने नहीं सोचा था"

"मुझे नहीं पता था"

इस तरह के जवाबों को रोकिए, और चुनौतियों का सामना करें।



TEST REPORT

Annexure-12



Sample Number : VTL/FD/01

M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Report No. : VTL/FD/2503080001/A
Format No : 7.8 F-02
Party Reference No : NIL
Report Date : 15/03/2025
Period of Analysis : 08/03/2025-15/03/2025
Receipt Date : 08/03/2025

Name & Address of the Party :

Sample Description : Fugitive Dust Emission Monitoring

General Information :-

Sampling Location : Plant C
Sample Collected By : VTL Team
Sampling Equipment used : HVS
Instrument Code : VTL/HVS/01
Coordinates : 27°49'52.0" N, 76°15'53.0
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 04/03/2025
Time of Monitoring : 08:00 to 16:00 Hrs.
Ambient Temperature (°C) : Min. 15° Max 26°
Surrounding Activity : Plant Opration Activities
Method of Sampling : Lab STP: VTL/STP/02
Sampling Duration : 8 Hrs.
Parameter Required : As per work order

S.No.	Parameters	Test Methods	Results	Units
1	Suspended Particulate Matter (as SPM)	VTL/STP/02/STP-01	210.0	µg/m3

End of Report



Checked by

RK Yadav
Lab Incharge
Authorized Signatory



Page No. 1/1

Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Term & conditions PTO



TEST REPORT



Sample Number : VTL/FD/02

M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Report No. : VTL/FD/2503080002/A
Format No : 7.8 F-02
Party Reference No : NIL
Report Date : 15/03/2025
Period of Analysis : 08/03/2025-15/03/2025
Receipt Date : 08/03/2025

Name & Address of the Party :

Sample Description : Fugitive Dust Emission Monitoring

General Information :-

Sampling Location : Plant A
Sample Collected By : VTL Team
Sampling Equipment used : HVS
Instrument Code : VTL/HVS/01
Coordinates : 27°49'52.4" N, 76°15'50.5
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 05/03/2025
Time of Monitoring : 09:00 to 17:00 Hrs.
Ambient Temperature (°C) : Min.10° Max 24°
Surrounding Activity : Plant Operation Activities
Method of Sampling : Lab STP: VTL/STP/02
Sampling Duration : 8 Hrs.
Parameter Required : As per work order

S.No.	Parameters	Test Methods	Results	Units
1	Suspended Particulate Matter (as SPM)	VTL/STP/02/STP-01	192.0	µg/m3

End of Report



Checked by

RK Yadav
Lab Incharge
Authorized Signatory



Page No. 1/1

Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

Term & conditions PTO



TEST REPORT



Sample Number : VTL/FD/03

M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Report No. : VTL/FD/2503080003/A
Format No : 7.8 F-02
Party Reference No : NIL
Report Date : 15/03/2025
Period of Analysis : 08/03/2025-15/03/2025
Receipt Date : 08/03/2025

Name & Address of the Party :

Sample Description : Fugitive Dust Emission Monitoring

General Information :-

Sampling Location : Plant B
Sample Collected By : VTL Team
Sampling Equipment used : HVS
Instrument Code : VTL/HVS/02
Coordinates : 27°49'52.4" N, 76°15'51.2 E
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 05/03/2025
Time of Monitoring : 10:00 to 18:00 Hrs.
Ambient Temperature (°C) : Min.10° Max 24°
Surrounding Activity : Plant Operation Activities
Method of Sampling : Lab STP: VTL/STP/02
Sampling Duration : 8 Hrs.
Parameter Required : As per work order

S.No.	Parameters	Test Methods	Results	Units
1	Suspended Particulate Matter (as SPM)	VTL/STP/02/STP-01	243.0	µg/m3

End of Report



Checked by

RK Yadav
Lab Incharge
Authorized Signatory



Page No. 1/1

Term & conditions PTC

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Annexure-13



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record)

104

145

<input type="checkbox"/> Pre-employment Medical Examination		<input checked="" type="checkbox"/> Periodical Medical Examination	
Date..... 28/1/25			
Name... Rohit Kumar		Employee code..... 00000041	
Father's Name... Bhaiyalal		Date of Joining..... 19/12/2018	
Date of birth..... 10/08/1992		Age..... 33	
Plant / Department..... Engg.		Area of Work... Plant. P.B.C.	
Home Address Behror			
Phone No.	Res.....	Mobile No. 991930034	Blood Group... P+

Personal History: NO NO - HTN / DM 2 / ARTHRA			
Regular Medication	No/Yes	If Yes	Since..... NO..... Yrs.
Name of Medicine NO		
Drugs Known To Cause Allergy	No/Yes	NO	If Yes NO
If Yes Name Of Medicines NO		
Past History Of Major Illness NO		
Surgery: No/ Yes	NO	If Yes.....	NO



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record)

104

Family History (Relation) :					
Diabetes	No/ Yes <i>NO</i>	Tuberculosis	No/ Yes <i>NO</i>
High B.P.	No/ Yes <i>NO</i>	Fits	No/ Yes <i>NO</i>
Heart Disease	No/ Yes <i>NO</i>	Other diseases	No/ Yes <i>NO</i>
General Examination:					
Weight <i>59</i> Kg	Height <i>162</i> cm		
BMI Kg/ m ²	Pulse Rate <i>84</i> /Minute		
B.P. <i>118/70</i> mm of Hg				
Systematic Examination:					
(A) Cardiovascular					
Heart Sounds	:	Normal/ Abnormal	Signs of CHF	:	Absent/ Present
(B) Chest					
Breath Sounds	:	Normal/ Abnormal	Respiratory Rate	:	<i>19/42</i>
(C) Abdomen					
Liver	:	Not Palpable/ Palpable	Spleen	:	Not Palpable/ Palpable
(D) Musculoskeletal					
Joint Swelling	:	Absent/ Present	Joint Tenderness	:	Absent/ Present
(E) Nervous System					
Cranial Nerves	:	Normal/ Abnormal	Sensory System	:	Normal/ Abnormal
(F) Eye Examination		Without Spectacles		With Spectacles	
		Right	Left	Right	Left
Vision	Distant		Near		



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record) 104

Cataract	Yes/ No	<input checked="" type="checkbox"/> No
Eye Infection	Yes/ No	<input checked="" type="checkbox"/> No
Color Blindness	Yes/ No	<input checked="" type="checkbox"/> No
(G) Skin Examination	:no.....
(H) Any Other Examination	:no.....
Investigations:		
Compulsory Test		
A)	Blood test	: Attachment
B)	ESR	: Attachment
C)	Urine	: Attachment
D)	Blood Sugar R	: Attachment
E)	ECG Report	: Normal/Abnormal
Optional Test		
F)	Spirometry	Required Not required : Attachment



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record)

104

G)	Chest X-Ray	Required	Not required	:	Attachment
H)	Audiometry	Required	Not required	:	Not done
I)	Other Investigations	Required	Not required	:	Attachment

Remarks:

The Person examined is found free from tuberculosis, skin and other communicable/contagious diseases Yes No

It is certified that the candidate is medically Fit / Unfit for the job.

Signature of Medical Officer

Dr. Vinod Kumar Yadav

Soni Devi Memorial Hospital Pvt. Ltd.

(With Stamp) Macrana (Alwar) Raj.

Date: 05/02/2025

SONI DEVI MEMORIAL HOSPITAL PVT LTD

Inspiring Better Health

Plot No. HOS No. 1, RIICO Phase -1, Near ASP Office,
Neemrana, Alwar, Rajasthan - 301705 Ph. 01494-246500

Ophthalmology Examination Report

EMP ID -	000000011	SDMH REG. NO.		DATE:	28/01/2025
NAME OF EMP:	Rahit Kumar				Age - 33 Years
DEPARTMENT NAME	Engg			Gender:	

Ophthalmological History:

Allergy if Any:

mu

VA	DISTANCE VISION		NEAR VISION		NCT	RIGHT EYE		LEFT EYE	
	RIGHT EYE	LEFT EYE	RIGHT EYE	LEFT EYE		RIGHT EYE	LEFT EYE	RIGHT EYE	LEFT EYE
	6/5	6/6	12/6	12/6					

Refraction	Sph	Cylinder	Axis	Near(add)	Color Vision
Right eye					<i>Normal</i>
Left eye					
Actual refraction examined Spectacles prescription based					
<i>6/6 normal</i>					

Examiner's Declaration:

Person examined has been found to be free from Eye Illness. Fit Unfit

I hereby certify that I have personally examined the applicant named on this medical examination report and that this report with any attachment embodies my findings completely and correctly.


Signature of the Examiner

ID : 2501280000
Name : *Poliny*
Sex :
Divisions:

DateTime: 2025-01-28 11:51
Age :
BP :
Bed No. :


PatientID:
Height : cm
Weight : kg
Hospital No.:

Hospital:

HR 78 bpm
P Dur/PR int 81 / 113ms
QRS Dur 96 ms
QT QTC int 330 / 376 ms
P/QRS/T axis 158 / 130 / 169 °

Minnesota Code
6-5-0
1-1-2 (1)
4-2-0 (1, aVL)
5-2-1 (1, aVL)
5-3-0 (11)

Diagnosis Info
800 Sinus Rhythm
112 Arm Leads Reversed?





Diagnosis for reference, ask your doctor to confirm
AUTO PRINT 6X2+1R 78bpm 10 mm/mV 0.50Hz-25Hz AC 50Hz 25 mm/sec

Confirmed By:

Patient Information

ID : 11
 Name : 11
 Age : 0 Years
 Sex : Male
 Weight : 0 Kg
 Height : 0 cm
 Smoker : No
 Time : 10:48 AM
 Date : 28/01/2025



FVC
 Parameter

FVC	5.5
FEV.5	5.5
FEV1	5.5
FEV3	5.5
FEV6	5.5
PEFR	10.0
FEF25-75	10.0
FEF75-0	10.0
FEF1-2-1	10.0
FEF25	10.0
FEF50	10.0
FEF75	10.0
FEV.S/FI	10.0
FEV1/FEV3	10.0
FEV3/FEV1	10.0



Name : MrROHIT KUMAR (00000041)	Reg. No. : 23-164602	IPD/OPD Status : OPD
Relative : S/O.	Accession No. : A250205074	Category : CORPORATE
Age/Sex : 33 Y/Male	Consultant : Dr. VINOD KUMAR YADAV	Date : 05/02/2025 6:23:32 PM

Collected at: 05/02/2025 8:08:00 PM

Report Gen at: 05/02/2025 9:52:22 PM



Accession No

HAEMATOTOLOGY REPORT



Registration No

SAMPLE TYPE : EDTA BLOOD

HAEMATOTOLOGY REPORT			
Investigations	Result	Unit	Biological Reference Interval
Hemoglobin (Hb%)	15.1	g/dl	12-17
Red Cell Count (TRBC)	4.39	million/cumm	4.5-5.5
Haematocrit HCT / PCV	46.5	%	40-50
MCV	89.8	fl	80-90
MCH	28.6	pg	27-32
MCHC	32.8	g/dl	32-36
*RDW	12.9	%	11-16
TLC.	5.8	cells/cumm.	4,000-11,000
Platelet Count	2.65	Cells/cumm	1,50,000-4,50,000
Differential Leucocyte Count			
Neutrophils	50	%	40-75
Lymphocytes	40	%	20-40
Eosinophils	06	%	1-6
Monocytes	04	%	2-8
ESR	13	mm/1hr	0.0-15.0

*** End of Report ***

(ESR) Methodology : WESTERGREIN with Trisodium citrate whole blood

Mamta Khuteta

Dr. MAMTA KHUTETA

M.D. PATHOLOGIST

Reg.No. 4720/16260

TECHNICIAN

Soni Devi Memorial Hospital Pvt. Ltd.

Plot No. H.O.S 1, RIICO Phase 1,

Near Mishri Devi Eye Hospital - Neemrana (Kotputali - Behror) Raj.

E-mail - sdmhcareneemrana@gmail.com, www.sdmhcare.com



SONI DEVI
MEMORIAL HOSPITAL
Inspiring Better Health



नीमराना का एक मात्र FULL NABH ACCREDITED हॉस्पिटल

Ph. 01494-246500
7011904733
95571 91100

Name : MrROHIT KUMAR (00000041)	Reg. No. : 23-164602	IPD/OPD Status : OPD
Relative : S/O.	Accession No. : A250205074	Category : CORPORATE
Age/Sex : 33 Y/Male	Consultant : Dr. VINOD KUMAR YADAV	Date : 05/02/2025 6:23:32 PM

Collected at: 05/02/2025 8:08:00 PM

Report Gen at: 05/02/2025 9:52:31 PM



Accession No

BIOCHEMISTRY



Registration No

SAMPLE TYPE : SERUM

BIOCHEMISTRY			
Investigations	Result	Unit	Biological Reference Interval
BLOOD SUGAR (RANDOM)	108	mg/dl	70-140

*** End of Report ***

TECHNICIAN .

Soni Devi Memorial Hospital Pvt. Ltd.

Plot No. H.O.S 1, RIICO Phase 1,
Near Mishri Devi Eye Hospital - Neemrana (Kotputali - Behror) Raj.
E-mail - sdmhcareneemrana@gmail.com, www.sdmhcare.com

Mamta Khuteta

Dr. MAMTA KHUTETA

M.D. PATHOLOGIST

Reg.No. 4730/16260



Name1 :MrROHIT KUMAR (00000041)	Reg. No. :23-164602	IPD/OPD Status
Relative :S/O.	Accession No. :A250205074	Category :CORPORATE
Age/Sex :33 Y/Male	Consultant Dr. VINOD KUMAR YADAV	Date :05/02/2025 6:23:32 PM

Collected at:05/02/2025 8:08:00 PM

Report Gen at: 05/02/2025 9:52:56 PM



Accession No

**URINE EXAMINATION
REPORT**



Registration No

Urine Routine Examination Report

Routine Examination

<u>Investigation</u>	<u>Result</u>	<u>Unit</u>
Reaction (Ph)	6.0	
Protein	NIL	
Sugar	NIL	

Microscopic Examination

RBCs/HPF	NIL	/HPF
WBCs/HPF	1-2	/HPF
Epithelial Cells/HPF	1-2	/HPF
Casts/HPF	NIL	/HPF
Crystals/HPF	NIL	
Yeast Cell	NIL	
Bacteria	NIL	
Amorphous Sediments	NIL	
Spermatozoa	NIL	
Others	NIL	

*** End of Report ***


Mamta Khuteta

Dr. MAMTA KHUTETA
M.D. PATHOLOGIST
Reg.No. 4720/16260

TECHNICIAN

Soni Devi Memorial Hospital Pvt. Ltd.

Plot No. H.O.S 1, RIICO Phase 1,
Near Mishri Devi Eye Hospital - Neemrana (Kotputali - Behror) Raj.
E-mail - sdmhcareneemrana@gmail.com, www.sdmhcare.com



MR. ROHIT KUMAR 33Y 27 Jun 2025



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record)

89

179

<input checked="" type="checkbox"/> Pre-employment Medical Examination		<input checked="" type="checkbox"/> Periodical Medical Examination	
Date..... 27/01/25			
Name..... Sunil		Employee code..... 046	
Father's Name..... Parikeshwar		Date of Joining..... 02.01.2019	
Date of birth..... 14.10.71.19.79		Age..... 45	
Plant / Department..... Engg.		Area of Work..... Utility	
Home Address..... 41, Milech, Polbada Pur, Chazipur, UP.			
Phone No.	Res.....	Mobile No. 7965413022	Blood Group..... B.T ^{ve}

Personal History:			
Regular Medication	No/Yes	If Yes	Since..... No Yrs.
Name of Medicine	No		
Drugs Known To Cause Allergy	No/Yes	If Yes	No
If Yes Name Of Medicines	No		
Past History Of Major Illness	NA		
Surgery: No/ Yes	No	If Yes.....	No



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record)

89

Family History (Relation) :					
Diabetes	No/ YesNo.....	Tuberculosis	No/ YesNo.....
High B.P.	No/ YesNo.....	Fits	No/ YesNo.....
Heart Disease	No/ YesNo.....	Other diseases	No/ YesNo.....
General Examination:					
Weight54..... Kg	Height177..... cm		
BMI Kg/ m ²	Pulse Rate84..... /Minute		
B.P.120/80 mm of Hg				
Systematic Examination:					
(A) Cardiovascular					
Heart Sounds	:	Normal/ Abnormal	Signs of CHF	:	Absent/ Present
(B) Chest					
Breath Sounds	:	Normal/ Abnormal	Respiratory Rate	:	19 min
(C) Abdomen					
Liver	:	Not Palpable/ Palpable	Spleen	:	Not Palpable/ Palpable
(D) Musculoskeletal					
Joint Swelling	:	Absent/ Present	Joint Tenderness	:	Absent/ Present
(E) Nervous System					
Cranial Nerves	:	Normal/ Abnormal	Sensory System	:	Normal/ Abnormal
(F) Eye Examination		Without Spectacles		With Spectacles	
		Right	Left	Right	Left
Vision	Distant		Near		



HEALTH CHECK -UP

(Pre-employment / Periodical Medical Examination Record)

89

Cataract	Yes/ No	No
Eye Infection	Yes/ No	No
Color Blindness	Yes/ No	No
(G) Skin Examination	: N.O.
(H) Any Other Examination	: N.O.
Investigations:		
Compulsory Test		
A)	Blood test	: Attached
B)	ESR	: Attached
C)	Urine	: Attached
D)	Blood Sugar R	: Attached
E)	ECG Report	: Normal / Abnormal
Optional Test		
F)	Spirometry	Required <input checked="" type="checkbox"/> Not required <input type="checkbox"/> : Attached



HEALTH CHECK -UP
(Pre-employment / Periodical Medical Examination Record) 89

G)	Chest X-Ray	Required	Not required	:	Attached
H)	Audiometry	Required	Not required	:	Not done
I)	Other Investigations	Required	Not required	:	Attached

Remarks:

The Person examined is found free from tuberculosis, skin and other communicable/contagious diseases Yes No

It is certified that the candidate is medically Fit / Unfit for the job.

Signature of Medical Office

(With Stamp)

Dr. Vinod Kumar Y
M.B.B.S., M.D. (General M
Reg. No.: RMC-38334/2
Soni Devi Memorial Hospital
Banswara (Alwar) R.

Date: 06/02/2025

Name: **SMNL**

DOB: **10/10/1954**

ECG Unit: **025-01-27-22-22**

Height: **172**

Weight: **72**


ECG Code: **02-2-V4**

HR: **70 bpm**
P Dur: **153 ms**
PR: **180ms**
QRS Dur: **94 ms**
QT: **307 ms**
QTc: **309 ms**
P axis: **87**
QRS axis: **58 51**

RV5+SV1 amp: **1.047**
RV5+SV1 amp: **2.145mV**
RV6+SV2 amp: **1.047**
RV6+SV2 amp: **1.721mV**

Minnesota Code: **1-1 (V4)**
1-1 (V3)
0-2-2 (V4)

Diagnosis: **Info**
800 Sinus Rhythm
771 Anterior Infarction (Acute) (V



In appearance for reference, ask your doctor to send from
ADDITIONAL PRINTS EXZ-18R 70bpm 1.0 mm mV 0.500 sec 2.5 mm sec


Confirmed by:

Patient Information

ID : 11
 Name : 11
 Age : 0 Years
 Sex : Male
 Weight : 0 Kg
 Height : 0 cm
 Smoker : No
 Time : 09:16 PM
 Date : 27/01/2025

CMPL SpiroTech+ Ver 1.7

FVC TEST



V(L)
6
5
4
3
2
1
0

FVC
 Param
 FEV1
 FEV3
 FEV6
 PEFr
 FEF25-75
 FEF75-25
 FEF25
 FEF50
 FEF75
 FEV1/FVC
 FEV3/FVC

T (Sec)
5
4
3
2
1



Name : MrSUNIL (46)	Reg. No. : 23-164635	IPD/OPD Status : OPD
Relative : S/O.	Accession No. : A250206077	Category : CORPORATE
Age/Sex : 79 Y/Male	Consultant : Dr. VINOD KUMAR YADAV	Date : 06/02/2025 5:54:19 PM

Collected at: 06/02/2025 6:25:00 PM

Report Gen at: 06/02/2025 7:34:18 PM



Accession No

HAEMATOLOGY REPORT



Registration No

SAMPLE TYPE : EDTA BLOOD

HAEMATOLOGY REPORT			
Investigations	Result	Unit	Biological Reference Interval
Hemoglobin (Hb%)	12.4	g/dl	12-17
Red Cell Count (TRBC)	4.66	million/cumm	4.5-5.5
Haematocrit HCT / PCV	41.4	%	40-50
MCV	72.6	fl	80-90
MCH	31.4	pg	27-32
MCHC	34.6	g/dl	32-36
*RDW	14.5	%	11-16
TLC.	8.6	cells/cumm.	4,000-11,000
Platelet Count	2.47	Cells/cumm	1,50,000-4,50,000
Differential Leucocyte Count			
Neutrophils	50	%	40-75
Lymphocytes	40	%	20-40
Eosinophils	06	%	1-6
Monocytes	04	%	2-8
ESR	13	mm/1hr	0.0-15.0

*** End of Report ***

(ESR)Methodology : WESTERGREIN with Trisodium citrate whole blood

Mamta Khuteta

Dr. MAMTA KHUTETA

M.D. PATHOLOGIST

Reg.No. 4720/16260

TECHNICIAN

Soni Devi Memorial Hospital Pvt. Ltd.

Plot No. H.O.S 1, RIICO Phase 1,

Near Mishri Devi Eye Hospital - Neemrana (Kotputali - Behror) Raj.

E-mail - sdmhcareneemrana@gmail.com, www.sdmhcare.com



Name1 :MrSUNIL (46)	Reg. No. :23-164636	IPD/OPD Status
Relative :S/O.	Accession No. :A250206077	Category :CORPORATE
Age/Sex :79 Y/Male	Consultant Dr. VINOD KUMAR YADAV	Date :06/02/2025 5:54:19 PM

Collected at:06/02/2025 6:25:00 PM

Report Gen at: 06/02/2025 7:32:24 PM



Accession No



Registration No

URINE EXAMINATION REPORT

Urine Routine Examination Report

Investigation	Result	Unit
Routine Examination		
Reaction (Ph)	6.0	
Protein	NIL	
Sugar	NIL	
Microscopic Examination		
RBCs/HPF	NIL	/HPF
WBCs/HPF	1-2	/HPF
Epithelial Cells/HPF	1-2	/HPF
Casts/HPF	NIL	/HPF
Crystals/HPF	NIL	
Yeast Cell	NIL	
Bacteria	NIL	
Amorphous Sediments	NIL	
Spermatozoa	NIL	
Others	NIL	

*** End of Report ***

TECHNICIAN

Mamta Khuteta

Dr. MAMTA KHUTETA

M.D. PATHOLOGIST

Reg.No. 4720/16260

Soni Devi Memorial Hospital Pvt. Ltd.

Plot No. H.O.S 1, RIICO Phase 1,

Near Mishri Devi Eye Hospital - Neemrana (Kotputali - Behror) Raj.

E-mail - sdmhcareneemrana@gmail.com, www.sdmhcare.com



Name : MrSUNIL (46)	Reg. No. : 23-164635	IPD/OPD Status : OPD
Relative : S/O.	Accession No. : A250206077	Category : CORPORATE
Age/Sex : 79 Y/Male	Consultant : Dr. VINOD KUMAR YADAV	Date : 06/02/2025 5:54:19 PM

Collected at: 06/02/2025 6:25:00 PM



Accession No

Report Gen at: 06/02/2025 7:33:11 PM



Registration No

BIOCHEMISTRY

SAMPLE TYPE : SERUM

BIOCHEMISTRY			
Investigations	Result	Unit	Biological Reference Interval
BLOOD SUGAR (RANDOM)	134	mg/dl	70-140

*** End of Report ***

TECHNICIAN

Soni Devi Memorial Hospital Pvt. Ltd.

Plot No. H.O.S 1, RIICO Phase 1,

Near Mishri Devi Eye Hospital - Neemrana (Kotputali - Behror) Raj.

E-mail - sdmhcareneemrana@gmail.com, www.sdmhcare.com

Mamta Khuteta

Dr. MAMTA KHUTETA

M.D. PATHOLOGIST

Reg.No. 4720/16260

SONI DEVI MEMORIAL HOSPITAL PVT LTD

Inspiring Better Health

Plot No. HOS No. 1, RIICO Phase -1, Near ASP Office,
Neemrana, Alwar, Rajasthan - 301705 Ph. 01494-246500

Ophthalmology Examination Report

EMP ID -	SO 46	SDMH REG. NO.	DATE:	27/06/2015
NAME OF EMP:	Sunit		Age -	48 Years
DEPARTMENT NAME	Engg		Gender:	M

Ophthalmological History:

Allergy if Any: No

VA	DISTANCE VISION		NEAR VISION		NCT	RIGHT EYE	
	RIGHT EYE	LEFT EYE	RIGHT EYE	LEFT EYE		RIGHT EYE	LEFT EYE
	8/6	8/6	M	are			


Refraction	Sph	Cylinder	Axis	Near(add)	Color Vision
Right eye					Normal
Left eye					
Actual refraction examined Spectacles prescription based					
M G Normal					

Examiner's Declaration:

Person examined has been found to be free from Eye Illness. Fit Unfit

I hereby certify that I have personally examined the applicant named on this medical examination report and that this report with any attachment embodies my findings completely and correctly.


 Signature of the Examiner





TEST REPORT

Annexure-14



Sample Number : VTL/AN/03

Name & Address of the Party : M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

Report No. : VTL/N/2412210006/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 24/12/2024
Receipt Date : 21/12/2024
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

General Information:-

Sampling Location : Near ETP
Instrument Code : VTL/SLM/03
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/12/2024 To 20/12/2024
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min.07° Max 21°
Surrounding Activity : Human, Vehicular & Plant Act.
Parameter Required : As per work order
Coordinates : 27°49'50.81" N, 69°15'50.57 E

Table with 5 columns: S.No., Test Parameters, Protocol, Test Result dB(A) (Day Time, Night Time). Rows include Leq, L max, and L min measurements.

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Table with 4 columns: Area Code, Category of Area/Zone, Limits in dB(A) Leq* (Day Time, Night Time). Rows include Industrial area, Commercial area, Residential area, and Silence Zone.

1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.
Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Page No. 1/1

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

Term & conditions PTO

85



TEST REPORT



Sample Number : VTL/AN/04
Name & Address of the Party : M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Report No. : VTL/N/2412210007/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 24/12/2024
Receipt Date : 21/12/2024
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

General Information:-

Sampling Location : Near Admin Block
Instrument Code : VTL/SLM/04
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/12/2024 To 20/12/2024
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min.07° Max 21°
Surrounding Activity : Human, Vehicular & Plant Act.
Parameter Required : As per work order
Coordinates : 27°49'50.59" N, 69°15'49.48 E

Table with 5 columns: S.No., Test Parameters, Protocol, Test Result dB(A) Day Time, Test Result dB(A) Night Time. Contains 3 rows of noise level data.

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Table with 4 columns: Area Code, Category of Area/Zone, Limits in dB(A) Leg* Day Time, Limits in dB(A) Leg* Night Time. Contains 4 rows for categories A, B, C, and D.

- 1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.

Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by [Signature]



RK Yadav
Lab Incharge
Authorized Signatory [Signature]



Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

Term & conditions: PTO



TEST REPORT



Sample Number : VTL/AN/01
Name & Address of the Party : M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Report No. : VTL/N/2412210004/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 24/12/2024
Receipt Date : 21/12/2024
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

General Information:-

Sampling Location : Near Plant Site
Instrument Code : VTL/SLM/01
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/12/2024 To 20/12/2024
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min.07° Max 21°
Surrounding Activity : Human, Vehicular & Plant Act.
Parameter Required : As per work order
Coordinates : 27°49'52.3" N, 69°15'53.6 E

Table with 5 columns: S.No., Test Parameters, Protocol, Test Result dB(A) Day Time, Test Result dB(A) Night Time. Rows include Leq, L max, and L min measurements.

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Table with 4 columns: Area Code, Category of Area/Zone, Limits in dB(A) Leq* Day Time, Limits in dB(A) Leq* Night Time. Rows include Industrial area, Commercial area, Residential area, and Silence Zone.

1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.

Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

Term & conditions PTC



TEST REPORT



Sample Number : VTL/AN/02
Name & Address of the Party : M/s Shree Jee Laboratory Pvt. Ltd.
C-24 & 25 RIICO Industrial Area, Sotanala, Behror
Behror, Rajasthan

Report No. : VTL/N/2412210005/A
Format No : 7.8 F-04
Party Reference No : NIL
Report Date : 24/12/2024
Receipt Date : 21/12/2024
Sampling Duration : 24 Hrs.
Sample Collected : VTL Team
Instrument : Calibrated
Calibration Status

Sample Description : Ambient Noise Level Monitoring
Scope of Monitoring : Regulatory Requirement
Protocol Used : IS 9989
Instrument Used : SLM

General Information:-

Sampling Location : Near Ware House
Instrument Code : VTL/SLM/02
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 19/12/2024 To 20/12/2024
Time of Monitoring : 06:00 to 06:00 Hrs.
Ambient Temperature (°C) : Min.07° Max 12°
Surrounding Activity : Human, Vehicular & Plant Act.
Parameter Required : As per work order
Coordinates : 27°49'50.68" N, 69°15'51.79 E

Table with 5 columns: S.No., Test Parameters, Protocol, Test Result dB(A) Day Time, Test Result dB(A) Night Time. Rows include Leq, L max, and L min measurements.

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Table with 4 columns: Area Code, Category of Area/Zone, Limits in dB(A) Leq* Day Time, Limits in dB(A) Leq* Night Time. Rows include Industrial area, Commercial area, Residential area, and Silence Zone.

1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.
Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com



SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

By: e-Mail/Regd. Post

Ref: SJLPL/EHS/23-24/059

Date: 08/01/2024

To,
Regional Office
Ministry of Environment, Forest and Climate Change
Integrated Regional Office, A-209&218, Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area,
Jaipur – 304002, Rajasthan

Subject: Proposed Expansion in Bulk Drug manufacturing 150 to 358 TPA [API (142 to 350 TPA) with existing steroid (8 TPA)] Plant at Plot No. C-23, 23A, 24 & 25, RIICO Industrial, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan) by M/s. Shree Jee Laboratory Pvt. Ltd. - Regarding advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers

Ref.: EC vide file No. File No: IA-J-11011/123/2023-IA-II(I) dated 02nd January, 2024

Respected Sir/Madam,

With reference to the aforesaid subject and above cited reference, this is to apprise that we have obtained Environment clearance for our project "Proposed expansion in Bulk Drug manufacturing 150 to 358 TPA [API (142 to 350 TPA) with existing steroid (8 TPA)] Plant at Plot No. C-23, 23A, 24 & 25, RIICO Industrial, Village Sotanala, Tehsil Behror, District Alwar (Rajasthan) by M/s. Shree Jee Laboratory Pvt. Ltd." from Ministry of Environment, Forest and Climate Change (MoEF & CC) on 02nd January, 2024.

In compliance to condition no. 1.10 under Standard Conditions of our EC we are herewith submitting a copy of the advertised newspapers as Annexure-I of our expansion proposal for your records as well.

Thanking You,

Yours faithfully

For Shree Jee Laboratory Private Limited

N. Srinivasa Rao

Authorized Signatory

Authorized Signatory

N. Srinivasa Rao

(Vice President/Operation)

Encl: As above

राजस्थान

8:30am एडिटर, राजस्थान, 8 जनवरी 2024

सैन्य जॉर्नल फंड

सिर्फ पैसे से लजरी नहीं खरीद सकते, अनुशासन भी चाहिए

इस मुद्दा को लेकर है। ये मुद्दा का यह भी और विचार के मुद्दा लगेगा...

सैन्य जॉर्नल फंड का शुभारंभ किया गया। इस कार्यक्रम में मुख्य अतिथि...

इस मुद्दा को लेकर है। ये मुद्दा का यह भी और विचार के मुद्दा लगेगा...

इस मुद्दा को लेकर है। ये मुद्दा का यह भी और विचार के मुद्दा लगेगा...

प्रधानमंत्री नरेन्द्र मोदी तीन दिन जयपुर में रहे, तीसरे दिन एयरपोर्ट पर विदाई



प्रधानमंत्री नरेन्द्र मोदी और उनके परिवार के सदस्यों का जयपुर में एक कार्यक्रम में भाग लेना...

खट्वा : टेम्पो में पहली से बालीतत जा रहे थे मजदूर, रोड में हादसा टायर फटने से 4 बार पलटा लोडिंग टेम्पो, 12 मजदूरों में से तीन की मौत

खट्वा : प्रमुख मजदूरों के बालीतत जा रहे थे मजदूर, रोड में हादसा टायर फटने से 4 बार पलटा लोडिंग टेम्पो, 12 मजदूरों में से तीन की मौत...

जेजेएम : 10 प्रोजेक्ट व स्कीम में 20 महीने से फाइनल फैसला नहीं ले पाई फाइनेंस कमेटी

दो बार वित्त विभाग की आपत्ति के बाद भी नहीं सुधरे हालात

जेजेएम : 10 प्रोजेक्ट व स्कीम में 20 महीने से फाइनल फैसला नहीं ले पाई फाइनेंस कमेटी...

खट्वा में बहाव, घतघात के भी तह

खट्वा में बहाव, घतघात के भी तह। खट्वा में बहाव, घतघात के भी तह...

मजदूरों में बहाव, घतघात के भी तह

मजदूरों में बहाव, घतघात के भी तह। मजदूरों में बहाव, घतघात के भी तह...

प्रधान मंत्री के दोष

प्रधान मंत्री के दोष। प्रधान मंत्री के दोष, प्रधान मंत्री के दोष...

अज्ञेयता में 5 दिन

अज्ञेयता में 5 दिन। अज्ञेयता में 5 दिन, अज्ञेयता में 5 दिन...

सिमा की रक्षा

सिमा की रक्षा। सिमा की रक्षा, सिमा की रक्षा...

सिमा की रक्षा

सिमा की रक्षा। सिमा की रक्षा, सिमा की रक्षा...

माउंट आबू में फिर माइनस 1° पारा, बर्फ जमी

माउंट आबू में फिर माइनस 1° पारा, बर्फ जमी। माउंट आबू में फिर माइनस 1° पारा, बर्फ जमी...

दुर्घम भी जीते और महल्लोत की 101 सीटें बने, दुर्घम की भी जितताओं : मालवीया

दुर्घम भी जीते और महल्लोत की 101 सीटें बने, दुर्घम की भी जितताओं : मालवीया। दुर्घम भी जीते और महल्लोत की 101 सीटें बने, दुर्घम की भी जितताओं : मालवीया...

55 किमी रेलवे ट्रैक का 9 या 10 जनवरी को सीआरएस संभावित इंगरपुर-जयसमंद रेलवे ट्रैक पर 110 की स्पीड से होगा इलेक्ट्रिक इंजन का परीक्षण

55 किमी रेलवे ट्रैक का 9 या 10 जनवरी को सीआरएस संभावित इंगरपुर-जयसमंद रेलवे ट्रैक पर 110 की स्पीड से होगा इलेक्ट्रिक इंजन का परीक्षण। 55 किमी रेलवे ट्रैक का 9 या 10 जनवरी को सीआरएस संभावित इंगरपुर-जयसमंद रेलवे ट्रैक पर 110 की स्पीड से होगा इलेक्ट्रिक इंजन का परीक्षण...

मुख्य अतिथि व भाषण देने की बात को लेकर भिड़े भाजपा नेता

मुख्य अतिथि व भाषण देने की बात को लेकर भिड़े भाजपा नेता। मुख्य अतिथि व भाषण देने की बात को लेकर भिड़े भाजपा नेता...

जरायू को NSUI खर पड़ेराख्य निरुक्त किय

जरायू को NSUI खर पड़ेराख्य निरुक्त किय। जरायू को NSUI खर पड़ेराख्य निरुक्त किय...

भारत की तन्मयन

भारत की तन्मयन। भारत की तन्मयन, भारत की तन्मयन...

भारत की तन्मयन

भारत की तन्मयन। भारत की तन्मयन, भारत की तन्मयन...

भारतीय रिजर्व बैंक (भारतीय रिजर्व बैंक) का लोगो और जानकारी।

विज्ञापन और सूचनाएं। विज्ञापन और सूचनाएं, विज्ञापन और सूचनाएं...

शासन-प्रशासन

Dr. Jangal's
रूप मंत्रा
 Ayurvedic Face Cream & Face Washes

क्या आप भी चाहते हैं
 Healthier + Glowing
 + Spotless Skin

गुलाबरा
 गुलाबी
 नीम
 नीचू

पीएम 3 दिन जयपुर रहने के बाद दिल्ली रवाना, एयरपोर्ट पर मेल-मुलाकात



जयपुर, 7 जनवरी (भा.सं.) प्रधानमंत्री नरेंद्र मोदी ने जयपुर के 3 दिनों के दौरे के अंत में आज (शुक्रवार) सुबह दिल्ली के लिए एयरपोर्ट पर मेल-मुलाकात की। प्रधानमंत्री ने जयपुर के विकास, पर्यटन और शहरी सुधारों पर विचार-विमर्श किया।

जयपुर में 3 दिनों के दौरे के अंत में आज सुबह प्रधानमंत्री नरेंद्र मोदी एयरपोर्ट पर मेल-मुलाकात की। प्रधानमंत्री ने जयपुर के विकास, पर्यटन और शहरी सुधारों पर विचार-विमर्श किया।



प्रधानमंत्री नरेंद्र मोदी ने जयपुर के 3 दिनों के दौरे के अंत में आज सुबह एयरपोर्ट पर मेल-मुलाकात की। प्रधानमंत्री ने जयपुर के विकास, पर्यटन और शहरी सुधारों पर विचार-विमर्श किया।

केन्द्र में आरक्षण को ध्यान पर मध्यप्रदेशवर्त में पेशवाजी आरक्षण नहीं मिलता तो 17 को जयकौली में रेलवे ट्रैक जाम करेगा जाट समाज

जयपुर, 7 जनवरी (भा.सं.) जयपुर के जाट समाज के अध्यक्ष डॉ. राजेश कुमार ने कहा कि आरक्षण को ध्यान में रखकर पेशवाजी आरक्षण नहीं मिलता तो 17 जनवरी को जयपुर के रेलवे ट्रैक जाम करेगा।

धर्मत व आरक्षण की इकट्ठा दिवस होने के मामले में जिम्मेदारी तब होगी : नाराज

जयपुर, 7 जनवरी (भा.सं.) जयपुर के जाट समाज के अध्यक्ष डॉ. राजेश कुमार ने कहा कि आरक्षण को ध्यान में रखकर पेशवाजी आरक्षण नहीं मिलता तो 17 जनवरी को जयपुर के रेलवे ट्रैक जाम करेगा।

लोकसभा चुनाव के लिए कांग्रेस ने 25 पर्यवेक्षक नियुक्त किए

जयपुर, 7 जनवरी (भा.सं.) कांग्रेस पार्टी ने लोकसभा चुनाव के लिए 25 पर्यवेक्षक नियुक्त किए हैं।

जेजेएम : 10 प्रोजेक्ट में 18 महीने से अंतिम फैसला नहीं ले पाई कमेटी के बार वित्त विभाग की आपत्ति के बाद भी नहीं सुधरे हालात

जयपुर, 7 जनवरी (भा.सं.) जेजेएम के 10 प्रोजेक्ट में 18 महीने से अंतिम फैसला नहीं ले पाई कमेटी के बार वित्त विभाग की आपत्ति के बाद भी नहीं सुधरे हालात।

मुख्य अतिथि व भाषण देने की खात को लेकर भिड़े भाजपा नेता

जयपुर, 7 जनवरी (भा.सं.) मुख्य अतिथि व भाषण देने की खात को लेकर भाजपा नेता भिड़े।

इंदिरा गांधी के नाम से बनी योजना का नाम बदलना अपराध: प्रतापसिंह

जयपुर, 7 जनवरी (भा.सं.) इंदिरा गांधी के नाम से बनी योजना का नाम बदलना अपराध है, प्रतापसिंह ने कहा।

रिश्ता में करवाई के बाद रिश्ते तैम रहने से नमूना कानून की गति धीमी

जयपुर, 7 जनवरी (भा.सं.) रिश्ता में करवाई के बाद रिश्ते तैम रहने से नमूना कानून की गति धीमी।

रिश्ता मंत्री से मिलने पहुंचे पूर्व शिक्षा मंत्री

जयपुर, 7 जनवरी (भा.सं.) रिश्ता मंत्री से मिलने पहुंचे पूर्व शिक्षा मंत्री।

भाजपा ने युवाओं को बनाया विकसित भारत यात्रा का एम्बेसडर, मिलेगा पीएम से मिलने का मौका

जयपुर, 7 जनवरी (भा.सं.) भाजपा ने युवाओं को बनाया विकसित भारत यात्रा का एम्बेसडर, मिलेगा पीएम से मिलने का मौका।

जालड़ को एनएसयूआई का प्रदेरक्षक बनवा

जयपुर, 7 जनवरी (भा.सं.) जालड़ को एनएसयूआई का प्रदेरक्षक बनवा।

जयपुर, 7 जनवरी (भा.सं.) जयपुर के विकास, पर्यटन और शहरी सुधारों पर विचार-विमर्श किया।

विक्रि
 RELEASE

The general public is informed that...

जयपुर, 7 जनवरी (भा.सं.) जयपुर के विकास, पर्यटन और शहरी सुधारों पर विचार-विमर्श किया।

भारतीय रिजर्व बैंक
 RESERVE BANK OF INDIA

जयपुर, 7 जनवरी (भा.सं.) जयपुर के विकास, पर्यटन और शहरी सुधारों पर विचार-विमर्श किया।

जयपुर नगरपालिका
 जयपुर नगरपालिका के विभिन्न विभागों के सूचीबद्ध सूचनाएं।

जयपुर नगरपालिका
 जयपुर नगरपालिका के विभिन्न विभागों के सूचीबद्ध सूचनाएं।



Monday, Jan 08 2024

Alwar

Image: Full Font View: Viewinc

पत्रिका स्पॉट्स & गेमिंग 13 एनएनएन पत्रिका

रोहित शर्मा और विराट कोहली की 14 महीने बाद टी-20 में वापसी

दुर्गा, आंध्रप्रदेश के विजय नगर में खेले गए टी-20 मैच में रोहित शर्मा और विराट कोहली की वापसी का ऐलान किया गया है।



दोनों खिलाड़ियों को टी-20 में वापसी के लिए तैयार किया गया है। वे अगले कुछ दिनों में खेलेंगे।

ऑस्ट्रेलिया ने भारत को हराकर सीरीज में 1-1 से बराबरी की



ऑस्ट्रेलिया ने भारत को हराकर टी-20 सीरीज में 1-1 से बराबरी की।

पुजारा ने प्रथम श्रेणी क्रिकेट में रिकॉर्ड 17वां दोहरा शतक लगाकर दावा ठोका

पुजारा ने प्रथम श्रेणी क्रिकेट में रिकॉर्ड 17वां दोहरा शतक लगाकर दावा ठोका।



देवदत्त पेंडिकर की 193 रन की फटी से कर्नाटक मजबूत।

उत्तर प्रदेश के खिलाड़ी रोहित शर्मा का निधन हो गया है।

Table with 2 columns: Player Name, Runs, Wickets, Overs. Includes names like Rohit Sharma, Virat Kohli, etc.

भारत के खिलाड़ी विराट कोहली का निधन हो गया है।

CROSSWORD 6536



जम्बू के नीचे... 2053

Table with 5 columns and 5 rows for a puzzle.

SUDOKU 6594

Sudoku puzzle grid.

युवा पीढ़ी में जीतने की पर्याप्त भूख नहीं

युवा पीढ़ी में जीतने की पर्याप्त भूख नहीं।



कोचिंग में हाथ आजमाना चाहते हैं यूनान

कोचिंग में हाथ आजमाना चाहते हैं यूनान।

नडाल फिर चोटिल, ऑस्ट्रेलियन ओपन से हटने को मजबूर हुए

नडाल फिर चोटिल, ऑस्ट्रेलियन ओपन से हटने को मजबूर हुए।



Table with 2 columns: Name, Release Date, Location.

अ क पो व चेतेश पुजा को टेस्ट टीम में फिर मौक देना चाहि हमारे एक्स फेस पेज पर जाएं और विस्त से अपन

Annexure-16



SHREE JEE LABORATORY PVT. LTD.

(A Subsidiary of Mankind Pharma Limited)

By: E-Mail/Regd. Post

Ref.No.: SJLPL/EHS/24-25/17

Date: 26/09/2024

To,
The Regional Officer
Regional Office, Rajasthan State Pollution Control Board,
D-Block, Ambedkar Nagar,
Alwar-301001 (Raj.)

Subject: Submission of **Environmental Statement Report** (FY2023-2024) for Bulk Drug Manufacturing Plant at plot No. C-24 & 25, RIICO Industrial Area, Village Sotanala, Tehsil Behror, District- Alwar, Rajasthan of by M/s Shree Jee Laboratory Pvt. Ltd.

Ref.: **EC Letter Vide No. J-11011/176/2014-IA II (I) dated 25th June, 2015**
EC Letter Vide No. J-11011/505/2017-IA II (I) dated 4th April, 2018
EC Letter Vide No. F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5th June, 2020
EC Letter Vide No. IA-J-11011/123/2023-IA-II(I) Dated 26th October, 2023

Respected Sir/Madam,

With reference to the aforesaid subject and above cited reference matter, this is to apprise you that M/s Shree Jee Laboratory Pvt. Ltd. has obtained Environment Clearance vide letter no. J-11011/176/2014-IA II(I) dated 25th June, 2015 for Bulk Drug Manufacturing [(API (65 TPA) and Steroid (5 TPA))] Plant and further Environmental Clearance vide letter no. J-11011/505/2017-IA II (I) dated 4th April, 2018 for expansion of bulk drugs manufacturing [(API (65 to 72 TPA) and Steroid (5 to 8 TPA))] plant. Also, M/s Shree Jee Laboratory Pvt. Ltd. has obtained Environmental Clearance vide Letter no. F1(4)/SEIAA/SEAC- Raj/Sectt/Project/Cat.5(F) B2(18048)/2019-20 Dated 5th June, 2020 for expansion in Bulk Drug manufacturing 80 to 150 TPA (API (72 to 142) & Steroid (8 TPA)) Plant. And further, M/s Shree Jee Laboratory Pvt. Ltd. has obtained Environmental Clearance vide Letter no. IA-J-11011/123/2023-IA-II(I) Dated 26th October, 2023 to the Proposed Expansion of Bulk Drug manufacturing unit with production capacity from 142 TPA to 350 TPA with existing Steroid (8 TPA) located at Plot No. C-23, 23A, 24 & 25, RIICO Industrial Area, Village: Sotanala, Tehsil: Behror, District: Alwar (Rajasthan).

Therefore, we are herewith submitting the **Environmental Statement Report** (Form-V) accordingly by M/s Shree Jee Laboratory Pvt. Ltd. for the financial Year, 2023-2024

Thanking you.

Yours faithfully,

For, M/s. **Shree Jee Laboratory Pvt. Ltd.**

(Authorized Signatory) Signatory

Enclosed. Environmental Statement Report (Financial Year- 20

Copy to. - The Member Secretary, Rajasthan State Pollution C

Doongri, Jaipur-302004 (Raj.)

C-24 & 25 RIICO Indl. Area, Sotanala, Behror-301701 Distt. Alwar (Raj.)

Phone No : 01494-223000, E-mail: shrijeelaboratory@gmail.com

CIN : U24232DL2011PTC272907

(Track on www.indiapost.gov.in)

(Via) 1800266(866) (Near Asha, Stay, Safe)

RR390055721H (UR:829229005572)

PL BHARU H.O (301701)

Counter No:1.27/09/2024, 12:31

To: THE REGIONAL STATE POLLUTION

PIN:301001, Alwar H.O

From: SHREE JEE LABORATORY, SOTANALA

Wt:1700gm, PFG-17.0

Rate: ₹.26, Tax: ₹.26, Amt. of stamp: ₹.00 (Cash)